

*Stiphrolamyra pleskei* (Becker)  
an interesting and rare Robber Fly from South East Turkey  
(*Diptera, Asilidae*)

(Project of the Cesa: Asilidae of East Turkey – 1)<sup>1</sup>

Muhabbet Kemal Erdem Seven

**Abstract:** *Stiphrolamyra pleskei* (Becker) an interesting and rare Robber Fly from South East Turkey (*Diptera, Asilidae*). *Cesa News* 51: 1-2, 2 figs.

This paper deals with the Turkish record of *Stiphrolamyra pleskei*. The species is recorded in August from Siirt Province, South East Turkey. It is illustrated and diagnostic features reviewed.

**Key words:** *Stiphrolamyra pleskei*, *Ctenotini*, *Laphriinae*, *Asilidae*, *Diptera*, fauna, Siirt, Turkey

In the subfamily *Laphriinae* and the tribe *Ctenotini*, the species was described by Becker (1913) from Iran (Belucistan and Kerman) as “*Lamyra pleskei*”. The genus *Stiphrolamyra* was established by Engel (1928 in Lindner). Four species in the Palaearctic Region are known, and the species was combined as *Stiphrolamyra pleskei* by Hradsky & Geller-Grimm (1997) for the first time.

*Stiphrolamyra pleskei* can be identified by its reddish palpus and thorax from other species, *vitai*, *rubicunda*, and *sinaitica*. Distribution of *Stiphrolamyra pleskei* is known as Iran (Belucistan, Kerman) and Afghanistan (Nuristan) (Hradsky & Geller-Grimm, 1997). Hayat et al. (2008) mentioned Afghanistan and Turkey as states where the species is found outside of Iran.

An example of this species was captured by the second author in the district Sirvan 1020m (Siirt Province, South East Turkey), on 2 August 2009 (in coll. Cesa) (Figs. 1,2).

With the following measurements of the body length (27 mm), forewing (17 mm), wingspan (38 mm), reddish colouration of the body, blackish and creamy lateral markings of the anterior

<sup>1</sup> Kemal, M. & A.Ö. Koçak, 2008, Announcement: Asilidae of East Turkey, A faunal Project of the Cesa. *Cesa News* 36: figs. 13-19.

part of the abdomen, and the yellowish-brown suffusion of the wing venation, this species can be easily discriminated from other native asilids. Flight period from June (Iran record), July (Afghanistan), and August (present record). Ecology and behaviour of the species are unknown.



**Fig. 1**



**Fig. 2**  
*Stiphrolamyra pleskei*. 1 - dorsal view, 2- dorso-lateral view and the head .

**Acknowledgement:** We sincerely thank to Dr. Eric Fisher (U.S.A.) for determination of the species.

#### **References:**

- Becker,T. & P. Stein**, 1913, Persische Dipteren von den Expeditionen des Herrn N. A. Zarudny 1898 und 1901. *Annu. Mus. Zool. Acad. Imp. Sci. St. Petersbourg* 17: 503-654.
- Engel, E.O.**, 1928, Asilidae. [in] Lindner,E., 1925-1930, *Die Fliegen der palaearktischen Region*. Schweizerbart, Stuttgart
- Hayat, R., Ghahari, H., Lavigne, R. & H. Ostovan**, 2008, Iranian Asilidae (Insecta, Diptera). *Turk J. Zool.* 32: 175-195.
- Hradsky, M. & F. Geller-Grimm**, 1997, Eine neue Art der Gattung *Stiphrolamyra* (Diptera, Asilidae, Laphriinae). *Studia dipterol.* 4 (1): 193-196, 3 Abb.

# List of the dipteran genera and species recorded in Turkey based upon the Info-system of the Cesa

## (Report of the temporary results of the Entomofauna of Turkey- 7)

Ahmet Ömer Koçak Muhabbet Kemal

**Abstract:** List of the dipteran genera and species recorded in Turkey based upon the Info-system of the Cesa. *Cesa News* 51: 3-106, 40 figs.

In this 7th report of the Project Entomofauna of Turkey, totally 1720 species and 490 genera recorded in Turkey are listed, with their synonyms. Provincial codes, if known, are added to the species. An attempt on evaluating of some dipterists are made for the first time. A selected bibliography are also given.

**Key words:** List, fauna, Turkey, *Diptera*

As in the case of other projects of the Cesa, the Entomofauna of Turkey is an international Project with the reports of the temporary results free to all the readers. For that reason, the earlier 6 reports were published openly in some previous issues of the Cesa News.<sup>2</sup>

The Project Entomofauna of Turkey, without time limitation, is the unique attempt in determining the pterygot fauna of Turkey, based upon the literary data, the collection of the Cesa, as well as the field studies of the authors. Within a year, 6 reports were published (see note), 405 publications examined (see page 69), more than 36300 taxa (family-, genus-, and species-groups) were included to the Info-system of the Cesa (with the exception of the Lepidoptera)<sup>3</sup>. All kind of examinations of the publications, typing information in the database, controlling all the scientific names from taxonomical and nomenclatural standpoints, all activities in the remote areas (observations, collecting specimens, taking photographs, recording videos, etc.) are realized only by the authors by using personal finance sources. Scientific results of some of these activities were published in various issues in Cesa News<sup>4</sup>, and Miscellaneous Papers of the Cesa.<sup>5</sup>

Studies on the Entomofauna is currently carried out in abroad as well. For this purpose, the authors visited many countries in Asia and Africa. Some of the results of these expeditions were published in various serials of the Cesa. The last attempt on this subject is the Project Entomofauna of the Old World by the Cesa. The reports of the temporary results were published in the previous

<sup>2</sup> Koçak,A.Ö. et al., 2008, Entomofauna of Turkey. Report of the Entomofauna of Turkey-I. *Cesa News* 36: 13-25. - Koçak,A.Ö., Kemal,M., Özdemir,M. & I. Özdemir, 2008, Report on the "Entomofauna of Turkey" 2- Index of the recorded species of the Pterygot Insects of Turkey. *Cesa News* 37: 2-41, 1 fig. - Koçak,A.Ö., Kemal,M., Özkol,H. & L.Kayci, 2009, Report on the "Entomofauna of Turkey" 3- Revised and expanded index of the recorded genera and species of the Pterygot Insects of Turkey. - *Cesa News* 40: 12- 83, 1 fig. - Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Turkey" 4- Revised and expanded index of the species of the Pterygot Insects of Turkey. - *Cesa News* 41: 4-46, 2 figs. - Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Turkey" 5- Revised and expanded index of the species of the Pterygot Insects of Turkey. - *Cesa News* 42: 1-38, 9 figs. - Koçak,A.Ö. & M.Kemal, 2009, Results of the Entomofauna Projects of the Cesa 6- List of the 11132 pterygot insect species of Turkey hitherto recorded in the database of the Cesa. *Cesa News* 47: 47-197. - All reports are accessible through the URL address: <http://www.cesa-tr.org/Cesanews.htm>

<sup>3</sup> Subjects on the Lepidoptera are currently studied by the Cesa within several projects see: <http://www.cesa-tr.org/Cesaprojects.htm>  
According to Infosystem of the Cesa, more than 99000 taxa were included so far.

<sup>4</sup> Kemal,M. & A.Ö.Koçak, 2008, Conops flavicaudus Bigot in South-East Turkey (Conopidae, Diptera). - *Cesa News* 36: 6-9, figs. 9-12, 1 map.

<sup>5</sup> <http://www.cesa-tr.org/Miscpap.htm>

issues of the Cesa News.<sup>6</sup> Concerning the Lepidoptera researches, Lepidoptera of Africa (LAF), and Lepidoptera of Indo-China (LIC) cannot be omitted. Totally 46 publications by the Cesa related with LAF were published so far.<sup>7</sup> Similarly, 27 publications by the Cesa related with LIC were published in various serials of the Cesa.<sup>8</sup>

The present publication contents the list of the 1720 dipteran species recorded in Turkey. Of course, this is a temporary result and it cannot reflect the whole Dipteron fauna of Turkey. However, this publication itself should not be overlooked, as it is the first and most comprehensive faunal work on Diptera of Turkey published so far. Within the near future, this list and their distributional information will certainly be revised and expanded. The expected actual number of species is about 3000. But yet, the whole Dipteron fauna of Turkey is estimated as more than 15000 species.

Concerning the present information of the database of the Cesa on the Entomofauna of Turkey, totally 11898 taxa (except Lepidoptera), including (689 family-, 2396 genus-, and 8148 species-group taxa) are evaluated. Among them, 1720 dipteran species of Turkey belong to 490 genera of the 142 family group taxa are mentioned here.

In the lists submitted below, all the scientific names of the species and the genera are arranged alphabetically with their families. Chronologically arranged synonymous names are added to each taxa, if available. Distributional information are given as codes of the provinces of Turkey. References are collected in the list of the selected publications. Illustrations are based upon field studies of the authors.

The reports of the Entomofauna of Turkey are published at irregular intervals. In the present report, an attempt to the history of the descriptions of the dipteran species represented in the fauna of Turkey is made for the first time. The current faunistical data recorded are very at the beginning, but yet, some interesting results can be seen (**Table 1**). Between the years of 1820-1869 and 1920-1929, validly description of the species are much higher than the other periods. On the other hand, the genera were established especially during the periods of 1800-1809, and 1820-1939. Negative effects of the Second World War can be easily seen as reduction of the number of the described species and genera. In the 19. century, Meigen and Loew are two dominant authors, describing numerous dipteran species. Among the Diptera of Turkey, they described most of the species validly. However, some of their scientific names treated subsequently as invalid synonyms. In the **Table 2**, temporary evaluations of some taxonomists are made numerically. Similar evaluations were made previously among some lepidopterists. For details, see Koçak & Kemal, 2007.<sup>9</sup>

**Table 1** - History of the descriptions of the Dipteran species and genera represented in the fauna of Turkey

<b>Period</b>	<b>Number of valid species (based upon 1720 species)</b>	<b>Number of valid genera (based upon 490 genera)</b>
<b>1758-1759</b>	<b>48</b>	<b>8</b>
<b>1760-1769</b>	<b>31</b>	<b>10</b>
<b>1770-1779</b>	<b>25</b>	<b>3</b>
<b>1780-1789</b>	<b>29</b>	<b>0</b>
<b>1790-1799</b>	<b>56</b>	<b>8</b>
<b>1800-1809</b>	<b>47</b>	<b>52</b>
<b>1810-1819</b>	<b>60</b>	<b>7</b>


<sup>6</sup> Koçak,A.Ö. & M.Kemal, 2008, Report on the "Entomofauna of Old World" 1- Index of the recorded species of the Pterygot Insects of Old World (Turkey excluded). Cesa News 38: 2-54, 1 fig. - Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs.

<sup>7</sup> See: <http://www.cesa-tr.org/Afrolep.htm>

<sup>8</sup> see: <http://www.cesa-tr.org/cmubutt.htm>

<sup>9</sup> [http://www.metafro.be/Members/Cesa/Cesapublafric23.pdf/base\\_view](http://www.metafro.be/Members/Cesa/Cesapublafric23.pdf/base_view)

<b>1820-1829</b>	<b>170</b>	<b>29</b>
<b>1830-1839</b>	<b>101</b>	<b>69</b>
<b>1840-1849</b>	<b>149</b>	<b>47</b>
<b>1850-1859</b>	<b>107</b>	<b>38</b>
<b>1860-1869</b>	<b>107</b>	<b>25</b>
<b>1870-1879</b>	<b>53</b>	<b>11</b>
<b>1880-1889</b>	<b>36</b>	<b>10</b>
<b>1890-1899</b>	<b>28</b>	<b>23</b>
<b>1900-1909</b>	<b>41</b>	<b>21</b>
<b>1910-1919</b>	<b>68</b>	<b>21</b>
<b>1920-1929</b>	<b>117</b>	<b>32</b>
<b>1930-1939</b>	<b>76</b>	<b>29</b>
<b>1940-1949</b>	<b>28</b>	<b>4</b>
<b>1950-1959</b>	<b>43</b>	<b>5</b>
<b>1960-1969</b>	<b>88</b>	<b>12</b>
<b>1970-1979</b>	<b>61</b>	<b>6</b>
<b>1980-1989</b>	<b>65</b>	<b>8</b>
<b>1990-1999</b>	<b>31</b>	<b>9</b>
<b>2000-2009</b>	<b>48</b>	<b>2</b>



**Table 2** –Temporary results of the Diptera of Turkey at *species / subspecies* level described by some dipterists (based upon 1054 names). Rate of success= b.100/a.

name of the authors (alphabetically)	a) total number of scientific names	b) valid names	c) invalid names	rate of success %
Becker	44	31	13	70.45
Fabricius	90	71	19	78.88
Fallén	58	53	5	91.37
Linnaeus	67	66	1	98.50
Loew	319	260	59	81.50
Macquart	63	35	28	55.55
Meigen	253	196	57	77.47
Rondani	45	32	13	71.11
Scopoli	25	14	11	56.00
Wiedemann	44	36	8	81.81
Zetterstedt	46	28	18	60.86
<b>Total</b>	<b>1054</b>	<b>822</b>	<b>232</b>	<b>77.98</b>

## List of the 490 genus group taxa used for the dipteran fauna of Turkey

The following temporary list comprises the valid 490 genus group taxa (genera and subgenera) of the Diptera fauna of Turkey. To each generic names families and chronologically arranged synonym(s) are added. Nomenclaturally unavailable names and incorrect subsequent spellings are marked with #.

1. **Acanthiophilus Becker,1908** (Tephritidae) Synonym(s): *Acanthiophilus Becker,1908*
2. **Aciura Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *Aciura Robineau-Desvoidy,1830*
3. **Acrochordomerus Hermann,1920** (Asilidae) Synonym(s): *Acrochordomerus Hermann,1920*

4. **Acrosathe Irwin & Lyneborg,1981** (Therevidae)      Synonym(s): *Acrosathe Irwin & Lyneborg,1981*
5. **Actinoptera Rondani,1871** (Tephritidae)      Synonym(s): *Actinoptera Rondani,1871*
6. **Aodoxomyia Kertesz,1907** (Stratiomyidae)      Synonym(s): *Aodoxomyia Kertesz,1907; Euclitellaria Kertesz,1923*
7. **Agria Robineau-Desvoidy,1830** (Sarcophagidae)      Synonym(s): *Agria Robineau-Desvoidy,1830*
8. **Agromyza Fallén,1810** (Agromyzidae)      Synonym(s): *Agromyza Fallén,1810*
9. **Amauromyza (Cephalomyza) Hendel,1931** (Agromyzidae)      Synonym(s): *Cephalomyza Hendel,1931*
10. **Amauromyza (s.str.) Hendel,1931** (Agromyzidae)      Synonym(s): *Amauromyza Hendel,1931*
11. **Amauromyza Hendel,1931** (Agromyzidae)      Synonym(s): *Amauromyza Hendel,1931*
12. **Ammothereva Lyneborg,1984** (Therevidae)      Synonym(s): *Ammothereva Lyneborg,1984*
13. **Amobia Robineau-Desvoidy,1830** (Sarcophagidae)      Synonym(s): *Amobia Robineau-Desvoidy,1830; Pachyophthalmus Brauer & Bergenstamm,1889; Ammobia Bezzi & Stein,1907; Austrometopia Malloch,1930*
14. **Amphisbetetus Hermann,1906** (Asilidae)      Synonym(s): *Amphisbetetus Hermann,1906*
15. **Anarolius Loew,1844** (Asilidae)      Synonym(s): *Anarolius Loew,1844*
16. **Anastoechus Osten-Sacken,1877** (Bombyliidae)      Synonym(s): *Anastoechus Osten-Sacken,1877*
17. **Ancylorhynchus Berthold,1827** (Asilidae)      Synonym(s): *Ancylorhynchus Berthold,1827*
18. **Andrenosoma Rondani,1856** (Asilidae)      Synonym(s): *Andrenosoma Rondani,1856*
19. **Aneomochtherus Lehr,1996** (Asilidae)      Synonym(s): *Aneomochtherus Lehr,1996*
20. **Anisopogon Roeder,1881** (Asilidae)      Synonym(s): *Anisopogon Roeder,1881*
21. **Anthrax Scopoli,1763** (Bombyliidae)      Synonym(s): *Anthrax Scopoli,1763*
22. **Antipalus Loew,1849** (Asilidae)      Synonym(s): *Antipalus Loew,1849*
23. **Antiphrisson Loew,1849** (Asilidae)      Synonym(s): *Antiphrisson Loew,1849; #Antiphisson Giray,1981*
24. **Antocha (Orimargula) Mik,1883** (Limoniidae)      Synonym(s): *Orimargula Mik,1883*
25. **Antocha Osten-Sacken,1859** (Limoniidae)      Synonym(s): *Antocha Osten-Sacken,1859*
26. **Aphidoletes Kieffer,1904** (Cecidomyiidae)      Synonym(s): *Aphidoletes Kieffer,1904*
27. **Apiomyia Kieffer,1912** (Cecidomyiidae)      Synonym(s): *Apiomyia Kieffer,1912*
28. **Apoclea Macquart,1838** (Asilidae)      Synonym(s): *Apoclea Macquart,1838*
29. **Apolysis Loew,1860** (Bombyliidae)      Synonym(s): *Apolysis Loew,1860; Rhabdopselaphus Bigot,1886; Pseduogeran Cresson,1915; Dagestania Paramonov,1929*
30. **Arctoconopa Alexander,1955** (Limoniidae)      Synonym(s): *Arctoconopa Alexander,1955*
31. **Argyra Macquart,1834** (Dolichopodidae)      Synonym(s): *Argyra Macquart,1834*
32. **Arthrocnodax Rübsaamen,1895** (Cecidomyiidae)      Synonym(s): *Arthrocnodax Rübsaamen,1895*
33. **Asiloephesus Lehr,1992** (Asilidae)      Synonym(s): *Asiloephesus Lehr,1992*
34. **Asilus Linnaeus,1758** (Asilidae)      Synonym(s): *Asilus Linnaeus,1758*
35. **Asphondylia Loew,1850** (Cecidomyiidae)      Synonym(s): *Asphondylia Loew,1850*
36. **Asynapta Loew,1850** (Cecidomyiidae)      Synonym(s): *Asynapta Loew,1850; #Asynapta Rondani,1860*
37. **Atherigona Rondani,1856** (Muscidae)      Synonym(s): *Atherigona Rondani,1856*
38. **Athrycia Robineau-Desvoidy,1830** (Tachinidae)      Synonym(s): *Athrycia Robineau-Desvoidy,1830*
39. **Atricops Verrall,1909** (Athericidae)      Synonym(s): *Atricops Verrall,1909; Heterosuragina Nagatomi,1958*
40. **Atylotus Osten & Sacken,1876** (Tabanidae)      Synonym(s): *Atylotus Osten & Sacken,1876*
41. **Aulagromyza Enderlein,1936** (Agromyzidae)      Synonym(s): *Aulagromyza Enderlein,1936*
42. **Australachalcus Pollet,2005** (Dolichopodidae)      Synonym(s): *Australachalcus Pollet,2005*
43. **Austrolimnophila Alexander,1920** (Limoniidae)      Synonym(s): *Austrolimnophila Alexander,1920*
44. **Azelia Robineau-Desvoidy,1830** (Muscidae)      Synonym(s): *Azelia Robineau-Desvoidy,1830*
45. **Baccha Fabricius,1805** (Syrphidae)      Synonym(s): *Baccha Fabricius,1805; Bacca Rondani,1844; Bacha Schiner,1861*
46. **Baeoura Alexander,1924** (Limoniidae)      Synonym(s): *Baeoura Alexander,1924*
47. **Baryphora Loew,1844** (Therevidae)      Synonym(s): *Baryphora Loew,1844*
48. **Basilia Ribeiro,1903** (Nycteribiidae)      Synonym(s): *Basilia Ribeiro,1903*
49. **Bazarella Vaillant,1961** (Psychodidae)      Synonym(s): *Bazarella Vaillant,1961*

- 50. Beckerellus Greathead,1995** (Bombyliidae) Synonym(s): *Beckerellus Greathead,1995*
- 51. Beris Latreille,1802** (Stratiomyidae) Synonym(s): *Beris Latreille,1802; Hexacantha Meigen,1803; Hexacantha Lioy,1864; Octacantha Lioy,1864*
- 52. Bibio Geoffroy,1762** (Bibionidae) Synonym(s): *Bibio Geoffroy,1762*
- 53. Bithia Robineau-Desvoidy,1863** (Tachinidae) Synonym(s): *Bithia Robineau-Desvoidy,1863*
- 54. Blaesoxiphia Loew,1861** (Sarcophagidae) Synonym(s): *Blaesoxiphia Loew,1861; #Blaesophixa Kara & Pape,2002*
- 55. Blepharipa Rondani,1856** (Tachinidae) Synonym(s): *Blepharipa Rondani,1856*
- 56. Blondelia Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Blondelia Robineau-Desvoidy,1830*
- 57. Bombomyia Greathead,1995** (Bombyliidae) Synonym(s): *Bombomyia Greathead,1995*
- 58. Bombyrella Greathead,1995** (Bombyliidae) Synonym(s): *Bombyrella Greathead,1995*
- 59. Bombylisoma Rondani,1856** (Bombyliidae) Synonym(s): *Bombylisoma Rondani,1856*
- 60. Bombylius Linnaeus,1758** (Bombyliidae) Synonym(s): *Bombylius Linnaeus,1758*
- 61. Brachineura Rondani,1840** (Cecidomyiidae) Synonym(s): *Brachineura Rondani,1840; Brachyneura Agassiz,1846*
- 62. Brachyceraea Roeder,1892** (Conopidae) Synonym(s): *Brachyceraea Roeder,1892; Brachyceratias Roeder,1893*
- 63. Brachytarsina Macquart,1851** (Streblidae) Synonym(s): *Brachytarsina Macquart,1851*
- 64. Callostoma Macquart,1840** (Bombyliidae) Synonym(s): *Callostoma Macquart,1840*
- 65. Calycomyza Hendel,1931** (Agromyzidae) Synonym(s): *Calycomyza Hendel,1931*
- 66. Campiglossa Hendel,1927** (Tephritidae) Synonym(s): *Campiglossa Hendel,1927*
- 67. Camptomyia Kieffer,1894** (Cecidomyiidae) Synonym(s): *Camptomyia Kieffer,1894*
- 68. Capitetes Foete & Freidberg,1981** (Tephritidae) Synonym(s): *Capitetes Foete & Freidberg,1981*
- 69. Ceratitis Mac Leay,1829** (Tephritidae) Synonym(s): *Ceratitis Mac Leay,1829; Pinacochaeta Munro,1933*
- 70. Cerdistus Loew,1849** (Asilidae) Synonym(s): *Cerdistus Loew,1849*
- 71. Cerodontha (Butomomyza) Nowakowski,1967** (Agromyzidae) Synonym(s): *Butomomyza Nowakowski,1967*
- 72. Cerodontha (Dizygomyza) Hendel,1920** (Agromyzidae) Synonym(s): *Dizygomyza Hendel,1920*
- 73. Cerodontha (Poemyza) Hendel,1931** (Agromyzidae) Synonym(s): *Poemyza Hendel,1931*
- 74. Cerodontha Rondani,1861** (Agromyzidae) Synonym(s): *Cerodontha Rondani,1861*
- 75. Chaetorellia Hendel,1927** (Tephritidae) Synonym(s): *Chaetorellia Hendel,1927*
- 76. Chaetostomella Hendel,1927** (Tephritidae) Synonym(s): *Chaetostomella Hendel,1927*
- 77. Cheilosia Panzer,[1809]** (Syrphidae) Synonym(s): *Cheilosia Panzer,[1809]*
- 78. Chloromyia Duncan,1837** (Stratiomyidae) Synonym(s): *Chloromyia Duncan,1837*
- 79. Choerades Walker,1851** (Asilidae) Synonym(s): *Choerades Walker,1851*
- 80. Chromatomyia Hardy,1849** (Agromyzidae) Synonym(s): *Chromatomyia Hardy,1849*
- 81. Chrysogaster Meigen,1803** (Syrphidae) Synonym(s): *Chrysogaster Meigen,1803*
- 82. Chrysopilus Macquart,1826** (Ragionidae) Synonym(s): *Chrysopilus Macquart,1826*
- 83. Chrysops (Petersenichrysops) Moucha & Chvala,1970** (Tabanidae) Synonym(s): *Petersenichrysops Moucha & Chvala,1970; #Petersenichrysops Kılıç,1999*
- 84. Chrysops Meigen,1803** (Tabanidae) Synonym(s): *Chrysops Meigen,1803*
- 85. Chrysotoxum Meigen,1803** (Syrphidae) Synonym(s): *Chrysotoxum Meigen,1803*
- 86. Chrysotus Meigen,1824** (Dolichopodidae) Synonym(s): *Chrysotus Meigen,1824*
- 87. Clinodiplosis Kieffer,1894** (Cecidomyiidae) Synonym(s): *Clinodiplosis Kieffer,1894*
- 88. Coenosia Meigen,1826** (Muscidae) Synonym(s): *Coenosia Meigen,1826*
- 89. Colobaea Zetterstedt,1838** (Sciomyzidae) Synonym(s): *Colobaea Zetterstedt,1838*
- 90. Compsilura Bouché,1834** (Tachinidae) Synonym(s): *Compsilura Bouché,1834*
- 91. Conogaster Brauer & Bergenstamm,1891** (Tachinidae) Synonym(s): *Conogaster Brauer & Bergenstamm,1891*
- 92. Conophorus Meigen,1803** (Bombyliidae) Synonym(s): *Conophorus Meigen,1803*
- 93. Conops Linnaeus,1758** (Conopidae) Synonym(s): *Conops Linnaeus,1758*
- 94. Contarinia Rondani,1860** (Cecidomyiidae) Synonym(s): *Contarinia Rondani,1860*
- 95. Coremacera Rondani,1856** (Sciomyzidae) Synonym(s): *Coremacera Rondani,1856*
- 96. Craticulina Bezzi,1906** (Sarcophagidae) Synonym(s): *Craticula Pandellé,1895 (praeocc.); Craticulina Bezzi,1906*
- 97. Crobilocerus Loew,1847** (Asilidae) Synonym(s): *Crobilocerus Loew,1847*

- 98. Ctenophora Meigen, 1803** (Tipulidae) Synonym(s): *Ctenophora Meigen, 1803*
- 99. Cylindromyia Meigen, 1803** (Tachinidae) Synonym(s): *Cylindromyia Meigen, 1803*
- 100. Cyrtisiopsis Séguy, 1930** (Mythicomyiidae) Synonym(s): *Cyrtisiopsis Séguy, 1930*
- 101. Dalmannia Robineau-Desvoidy, 1830** (Conopidae) Synonym(s): *Dalmannia Robineau-Desvoidy, 1830; Dalmania Robineau-Desvoidy, 1853*
- 102. Dasineura Rondani, 1840** (Cecidomyiidae) Synonym(s): *Dasineura Rondani, 1840; Dasynevra Agassiz, 1846*
- 103. Dasyphora Robineau-Desvoidy, 1830** (Muscidae) Synonym(s): *Dasyphora Robineau-Desvoidy, 1830*
- 104. Dasypogon Meigen, 1803** (Asilidae) Synonym(s): *Dasypogon Meigen, 1803*
- 105. Dasyramphis Enderlein, 1922** (Tabanidae) Synonym(s): *Dasyramphis Enderlein, 1922*
- 106. Dasysyrphus Enderlein, 1937** (Syrphidae) Synonym(s): *Dasysyrphus Enderlein, 1937*
- 107. Delia Robineau-Desvoidy, 1830** (Anthomyiidae) Synonym(s): *Delia Robineau-Desvoidy, 1830*
- 108. Desmatoneura Williston, 1895** (Bombyliidae) Synonym(s): *Desmatoneura Williston, 1895*
- 109. Diaphorus Meigen, 1824** (Dolichopodidae) Synonym(s): *Diaphorus Meigen, 1824*
- 110. Dichelophora Rondani, 1868** (Sciomyzidae) Synonym(s): *Dichelophora Rondani, 1868*
- 111. Dicranota Zetterstedt, 1838** (Pediciidae) Synonym(s): *Dicranota Zetterstedt, 1838*
- 112. Dicrodiplosis Kieffer, 1895** (Cecidomyiidae) Synonym(s): *Dicrodiplosis Kieffer, 1895*
- 113. Dictenidia Brullé, 1833** (Tipulidae) Synonym(s): *Dictenidia Brullé, 1833*
- 114. Didysmachus Lehr, 1996** (Asilidae) Synonym(s): *Didysmachus Lehr, 1996*
- 115. Dilophus Meigen, 1803** (Bibionidae) Synonym(s): *Dilophus Meigen, 1803*
- 116. Dioctria Meigen, 1803** (Asilidae) Synonym(s): *Dioctria Meigen, 1803*
- 117. Diogma Edwards, 1938** (Cylindrotomidae) Synonym(s): *Diogma Edwards, 1938*
- 118. Dolichopeza (s.str.) Curtis, 1825** (Tipulidae) Synonym(s): *Dolichopeza Curtis, 1825; Dolicepeza Rondani, 1856*
- 119. Dolichopeza Curtis, 1825** (Tipulidae) Synonym(s): *Dolichopeza Curtis, 1825; Dolicepeza Rondani, 1856*
- 120. Dolichopus Latreille, 1796** (Dolichopodidae) Synonym(s): *Dolichopus Latreille, 1796*
- 121. Dorycera Meigen, 1830** (Ulidiidae) Synonym(s): *Dorycera Meigen, 1830; Percnomatia Loew, 1868; Macheirocera Rondani, 1869*
- 122. Drino Robineau-Desvoidy, 1863** (Tachinidae) Synonym(s): *Drino Robineau-Desvoidy, 1863*
- 123. Drymeia Meigen, 1826** (Muscidae) Synonym(s): *Drymeia Meigen, 1826*
- 124. Dryomyia Kieffer, 1898** (Cecidomyiidae) Synonym(s): *Dryomyia Kieffer, 1898*
- 125. Dysmachus Loew, 1860** (Asilidae) Synonym(s): *Dysmachus Loew, 1860*
- 126. Echthistus Loew, 1849** (Asilidae) Synonym(s): *Echthistus Loew, 1849*
- 127. Eginia Robineau-Desvoidy, 1830** (Muscidae) Synonym(s): *Eginia Robineau-Desvoidy, 1830*
- 128. Elachiptera Macquart, 1835** (Chloropidae) Synonym(s): *Elachiptera Macquart, 1835*
- 129. Eliozena Rondani, 1856** (Tachinidae) Synonym(s): *Eliozena Rondani, 1856*
- 130. Empis (Euempis) Frey, 1953** (Empididae) Synonym(s): *Euempis Frey, 1953*
- 131. Empis (Pachymeria) Stephens, 1829** (Empididae) Synonym(s): *Pachymeria Stephens, 1829*
- 132. Empis (Polyblepharis) Bezzi, 1909** (Empididae) Synonym(s): *Polyblepharis Bezzi, 1909*
- 133. Empis (s.str.) Linnaeus, 1758** (Empididae) Synonym(s): *Empis Linnaeus, 1758*
- 134. Empis Linnaeus, 1758** (Empididae) Synonym(s): *Empis Linnaeus, 1758*
- 135. Engelepogon Lehr, 1992** (Asilidae) Synonym(s): *Acanthopleura Engel, 1927 (praeocc.); Engelepogon Lehr, 1992*
- 136. Ensina Robineau-Desvoidy, 1830** (Tephritidae) Synonym(s): *Ensina Robineau-Desvoidy, 1830*
- 137. Epistrophe Walker, 1852** (Syrphidae) Synonym(s): *Epistrophe Walker, 1852*
- 138. Episyphus Matsumura, 1917** (Syrphidae) Synonym(s): *Episyphus Matsumura, 1917; Heterepistrophe Szilady, 1940*
- 139. Erax Scopoli, 1763** (Asilidae) Synonym(s): *Erax Scopoli, 1763*
- 140. Eriothrix Meigen, 1803** (Tachinidae) Synonym(s): *Eriothrix Meigen, 1803; Erithorix Townsend, 1911*
- 141. Eristalinus (Eristalodes) Mik, 1897** (Syrphidae) Synonym(s): *Eristalodes Mik, 1897*
- 142. Eristalinus (Lathyrophthalmus) Mik, 1897** (Syrphidae) Synonym(s): *Lathyrophthalmus Mik, 1897*
- 143. Eristalinus (s.str.) Rondani, [1845]** (Syrphidae) Synonym(s): *Eristalinus Rondani, [1845]*
- 144. Eristalinus Rondani, [1845]** (Syrphidae) Synonym(s): *Eristalinus Rondani, [1845]*
- 145. Eristalis (Eoseritalis) Latreille, 1804** (Syrphidae) Synonym(s): *Eoseritalis Latreille, 1804*

- 146. Eristalis Latreille,1804** (Syrphidae) Synonym(s): *Eristalis Latreille,1804*
- 147. Euaresta Loew,1873** (Tephritidae) Synonym(s): *Euaresta Loew,1873*
- 148. Eucampsipoda Kolenati,1857** (Nycteribiidae) Synonym(s): *Eucampsipoda Kolenati,1857*
- 149. Eudasyphora Townsend,1911** (Muscidae) Synonym(s): *Eudasyphora Townsend,1911*
- 150. Eumeros Meigen,1803** (Syrphidae) Synonym(s): *Eumeros Meigen,1803; Eumerus Meigen,1804; Eumenos Leach,1817;*
- 151. Eumerus Meigen,1804** (Syrphidae) Synonym(s): *Eumerus Meigen,1804*
- 152. Eupeodes Osten-Sacken,1877** (Syrphidae) Synonym(s): *Eupeodes Osten-Sacken,1877*
- 153. Euresta Loew,1873** (Tephritidae) Synonym(s): *Euresta Loew,1873*
- 154. Euscelidia Westwood,1850** (Asilidae) Synonym(s): *Euscelidia Westwood,1850; Dolichoscius Janssens,1953*
- 155. Euthycera Latreille,1829** (Sciomyzidae) Synonym(s): *Euthycera Latreille,1829*
- 156. Eutolmus Loew,1848** (Asilidae) Synonym(s): *Eutolmus Loew,1848*
- 157. Exochostoma Macquart,1842** (Stratiomyidae) Synonym(s): *Exochostoma Macquart,1842*
- 158. Exoprosopa Macquart,1840** (Bombyliidae) Synonym(s): *Exoprosopa Macquart,1840*
- 159. Exorista Meigen,1803** (Tachinidae) Synonym(s): *Exorista Meigen,1803*
- 160. Fannia Robineau-Desvoidy,1830** (Fanniidae) Synonym(s): *Fannia Robineau-Desvoidy,1830; Homalomyia Bouché,1834; Coelomyia Haliday,1840*
- 161. Feltiella Rübsaamen,1910** (Cecidomyiidae) Synonym(s): *Feltiella Rübsaamen,1910*
- 162. Galiomyza Spencer,1981** (Agromyzidae) Synonym(s): *Galiomyza Spencer,1981*
- 163. Geomyza Fallén,1810** (Opomyzidae) Synonym(s): *Geomyza Fallén,1810*
- 164. Germaria Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Germaria Robineau-Desvoidy,1830*
- 165. Geron Meigen,1820** (Bombyliidae) Synonym(s): *Geron Meigen,1820*
- 166. Glabellula Bezzi,1902** (Mythicomyiidae) Synonym(s): *Platygaster Zetterstedt,1838 nec Latr.,1809; Sphaerogaster Zetterstedt,1842; Glabella Loew,1873 nec Swains,1840; Glabellula Bezzi,1902; Pachyneres Greene,1924; Proglabellula Hennig,1966*
- 167. Glaucops Szilady,1923** (Tabanidae) Synonym(s): *Glaucops Szilady,1923*
- 168. Gonia Meigen,1803** (Tachinidae) Synonym(s): *Gonia Meigen,1803*
- 169. Gymnosoma Meigen,1803** (Tachinidae) Synonym(s): *Gymnosoma Meigen,1803*
- 170. Habropogon Loew,1847** (Asilidae) Synonym(s): *Habropogon Loew,1847*
- 171. Haematobosca Bezzi,1907** (Muscidae) Synonym(s): *Haematobosca Bezzi,1907*
- 172. Haematopota Meigen,1803** (Tabanidae) Synonym(s): *Haematopota Meigen,1803*
- 173. Harmandiola Skuhrava,1997** (Cecidomyiidae) Synonym(s): *Harmandiola Kieffer,1896 nec Rocheb.,1892; Harmandiola Skuhrava,1997*
- 174. Hartigiola Rübsaamen,1912** (Cecidomyiidae) Synonym(s): *Hartigiola Rübsaamen,1912*
- 175. Hebecnema Schnabl,1889** (Muscidae) Synonym(s): *Hebecnema Schnabl,1889*
- 176. Helina Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *Helina Robineau-Desvoidy,1830*
- 177. Heliophilus Meigen,1803** (Syrphidae) Synonym(s): *Heliophilus Meigen,1803; Helophilus Leach,1817; #Helophilus Meigen,1822*
- 178. Hemipenthes Loew,1869** (Bombyliidae) Synonym(s): *Hemipenthes Loew,1869*
- 179. Hendrella Munro,1938** (Tephritidae) Synonym(s): *Hendrella Munro,1938*
- 180. Heringia Rondani,1856** (Syrphidae) Synonym(s): *Heringia Rondani,1856*
- 181. Heteropogon Loew,1847** (Asilidae) Synonym(s): *Heteropogon Loew,1847*
- 182. Heterotropus Loew,1873** (Bombyliidae) Synonym(s): *Heterotropus Loew,1873*
- 183. Hexomyza Enderlein,1936** (Agromyzidae) Synonym(s): *Hexomyza Enderlein,1936*
- 184. Hilara Meigen,1822** (Empididae) Synonym(s): *Hilara Meigen,1822*
- 185. Holopogon Loew,1847** (Asilidae) Synonym(s): *Holopogon Loew,1847*
- 186. Hybomitra Enderlein,1922** (Tabanidae) Synonym(s): *Hybomitra Enderlein,1922; Sipala Enderlein,1923; Mouchaemyia Olsufjev,1972*
- 187. Hydrellia Robineau-Desvoidy,1830** (Ephydriidae) Synonym(s): *Hydrellia Robineau-Desvoidy,1830*
- 188. Hydrotaea Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *Hydrotaea Robineau-Desvoidy,1830*
- 189. Iteomyia Kieffer,1913** (Cecidomyiidae) Synonym(s): *Iteomyia Kieffer,1913*
- 190. Jaapiella Rübsaamen,[1916]** (Cecidomyiidae) Synonym(s): *Jaapiella Rübsaamen,[1916]*
- 191. Janetia Kieffer,1896** (Cecidomyiidae) Synonym(s): *Janetia Kieffer,1896*
- 192. Janetiella Kieffer,1898** (Cecidomyiidae) Synonym(s): *Janetiella Kieffer,1898*

- 193. Japanagromyza Sasakawa,1958** (Agromyzidae)      Synonym(s): *Japanagromyza Sasakawa,1958*
- 194. Joostiella Vaillant,1983** (Psychodidae)      Synonym(s): *Joostiella Vaillant,1983*
- 195. Jothopogon Becker,1913** (Aśilidae)      Synonym(s): *Jothopogon Becker,1913*
- 196. Knutsonia Meigen,1838** (Sciomyzidae)      Synonym(s): *Knutsonia Meigen,1838*
- 197. Laphria Meigen,1803** (Aśilidae)      Synonym(s): *Laphria Meigen,1803*
- 198. Laphystia Loew,1847** (Aśilidae)      Synonym(s): *Laphystia Loew,1847*
- 199. Lapposyrphus Dusek & Laska,1967** (Syrphidae)      Synonym(s): *Lapposyrphus Dusek & Laska,1967*
- 200. Lasiopa Brullé,1832** (Stratiomyidae)      Synonym(s): *Lasiopa Brullé,1832; Cyclogaster Macquart,1834*
- 201. Lasiopogon Loew,1847** (Aśilidae)      Synonym(s): *Lasiopogon Loew,1847; Alexiopogon Curran,1934*
- 202. Lasioptera Meigen,1818** (Cecidomyiidae)      Synonym(s): *Lasioptera Meigen,1818*
- 203. Lejogaster Rondani,1857** (Syrphidae)      Synonym(s): *Lejogaster Rondani,1857*
- 204. Lejops Rondani,1857** (Syrphidae)      Synonym(s): *Lejops Rondani,1857; #Liops Verrall,1901*
- 205. Leopoldius Rondani,1843** (Conopidae)      Synonym(s): *Leopoldius Rondani,1843*
- 206. Leptarthrus Stephens,1829** (Aśilidae)      Synonym(s): *Leptarthrus Stephens,1829*
- 207. Leptodiplosis Kieffer,1894** (Cecidomyiidae)      Synonym(s): *Leptodiplosis Kieffer,1894; #Lestodiplosis Kieffer,1895*
- 208. Leptogaster Meigen,1803** (Aśilidae)      Synonym(s): *Leptogaster Meigen,1803*
- 209. Leskia Robineau-Desvoidy,1830** (Tachinidae)      Synonym(s): *Leskia Robineau-Desvoidy,1830; Leschia Rondani,1861; Lesnia Schiner,1861*
- 210. Leucopis Meigen,1830** (Chamaemyiidae)      Synonym(s): *Leucopis Meigen,1830*
- 211. Limnia Robineau-Desvoidy,1830** (Sciomyzidae)      Synonym(s): *Limnia Robineau-Desvoidy,1830*
- 212. Limnophora Robineau-Desvoidy,1830** (Muscidae)      Synonym(s): *Limnophora Robineau-Desvoidy,1830*
- 213. Linnaemya Robineau-Desvoidy,1830** (Tachinidae)      Synonym(s): *Linnaemya Robineau-Desvoidy,1830*
- 214. Liriomyza Mik,1894** (Agromyzidae)      Synonym(s): *Liriomyza Mik,1894*
- 215. Lispe Latreille,1796** (Muscidae)      Synonym(s): *Lispe Latreille,1796*
- 216. Lophosia Meigen,1824** (Tachinidae)      Synonym(s): *Lophosia Meigen,1824*
- 217. Machimus Loew,1849** (Aśilidae)      Synonym(s): *Machimus Loew,1849; Allomachimus Bequaert,1964*
- 218. Macquartia Robineau-Desvoidy,1830** (Tachinidae)      Synonym(s): *Macquartia Robineau-Desvoidy,1830*
- 219. Macrodiplosis Kieffer,1895** (Cecidomyiidae)      Synonym(s): *Macrodiplosis Kieffer,1895*
- 220. Macronymchia (s.str.) Rondani,1859** (Sarcophagidae)      Synonym(s): *Macronymchia Rondani,1859; Theone Robineau-Desvoidy,1863; Amobiopsis Townsend,1915; Itamobia Townsend,1927*
- 221. Macronymchia Rondani,1859** (Sarcophagidae)      Synonym(s): *Macronymchia Rondani,1859; Theone Robineau-Desvoidy,1863; Amobiopsis Townsend,1915; Itamobia Townsend,1927*
- 222. Macrorchis Rondani,1877** (Muscidae)      Synonym(s): *Macrorchis Rondani,1877*
- 223. Masicera Macquart,1834** (Tachinidae)      Synonym(s): *Masicera Macquart,1834*
- 224. Mayetiola Kieffer,1896** (Cecidomyiidae)      Synonym(s): *Mayetia Kieffer,1896 (praeocc.); Mayetiola Kieffer,1896*
- 225. Meigenia Robineau-Desvoidy,1830** (Tachinidae)      Synonym(s): *Meigenia Robineau-Desvoidy,1830*
- 226. Melanagromyza Hendel,1920** (Agromyzidae)      Synonym(s): *Melanagromyza Hendel,1920*
- 227. Melanosoma Robineau-Desvoidy,1853** (Conopidae)      Synonym(s): *Melanosoma Robineau-Desvoidy,1853*
- 228. Melanostoma Schiner,1860** (Syrphidae)      Synonym(s): *Melanostoma Schiner,1860; Pachysphyria Enderlein,1938*
- 229. Meliscaeva Frey,1946** (Syrphidae)      Synonym(s): *Meliscaeva Frey,1946*
- 230. Merodon Meigen,1803** (Syrphidae)      Synonym(s): *Merodon Meigen,1803*
- 231. Mesoleptogaster Frey,1937** (Aśilidae)      Synonym(s): *Mesoleptogaster Frey,1937*
- 232. Metacnephia Crosskey,1969** (Simuliidae)      Synonym(s): *Metacnephia Crosskey,1969*
- 233. Metasyrphus Matsumura,1917** (Syrphidae)      Synonym(s): *Metasyrphus Matsumura,1917; Posthosyrphus Enderlein,1938*
- 234. Metopia Meigen,1803** (Sarcophagidae)      Synonym(s): *Metopia Meigen,1803; Argyria Robineau-Desvoidy,1863; Chaetanicia Townsend,1933; Australoanicia Verves,1979*

- 235. Metopodia Brauer & Bergenstamm,1891** (Sarcophagidae)      Synonym(s): *Metopodia Brauer & Bergenstamm,1891*
- 236. Metopomyza Enderlein,1936** (Agromyzidae)      Synonym(s): *Metopomyza Enderlein,1936*
- 237. Mikiola Kieffer,1896** (Cecidomyiidae)      Synonym(s): *Mikiola Kieffer,1896*
- 238. Mikomyia Kieffer,1912** (Cecidomyiidae)      Synonym(s): *Mikomyia Kieffer,1912*
- 239. Milesia Latreille,1804** (Syrphidae)      Synonym(s): *Milesia Latreille,1804*
- 240. Miltogramma Meigen,1803** (Sarcophagidae)      Synonym(s): *Miltogramma Meigen,1803;*  
*Hamulia Robineau-Desvoidy,1863; Cylindrothecum Rodhendorf,1930; Stephanodactylum Rodhendorf,1930;*  
*Eumiltogramma Townsend,1933*
- 241. Molobratia Hull,1958** (Asilidae)      Synonym(s): *Molobratia Hull,1958*
- 242. Monarthropalpus Rübsaamen,1892** (Cecidomyiidae)      Synonym(s): *Monarthropalpus Rübsaamen,1892*
- 243. Morellia Robineau-Desvoidy,1830** (Muscidae)      Synonym(s): *Morellia Robineau-Desvoidy,1830*
- 244. Mormia Enderlein,1935** (Psychodidae)      Synonym(s): *Mormia Enderlein,1935*
- 245. Mosillus Latreille,1804** (Ephydriidae)      Synonym(s): *Mosillus Latreille,1804; Gymnomyza Fallén,1810; Gymnopa Fallén,1820; Glabrinus Rondani,1856*
- 246. Musca Linnaeus,1758** (Muscidae)      Synonym(s): *Musca Linnaeus,1758*
- 247. Muscina Robineau-Desvoidy,1830** (Muscidae)      Synonym(s): *Muscina Robineau-Desvoidy,1830*
- 248. Myathropa Rondani,[1845]** (Syrphidae)      Synonym(s): *Myathropa Rondani,[1845]*
- 249. Mydaea Robineau-Desvoidy,1830** (Muscidae)      Synonym(s): *Mydaea Robineau-Desvoidy,1830; #Mydea Lioy,1864*
- 250. Myennis Robineau-Desvoidy,1830** (Ulidiidae)      Synonym(s): *Myennis Robineau-Desvoidy,1830; #Miennis Rondani,1869; #Miennys Rondani,1869;*
- 251. Myoleja** (Tephritidae)      Synonym(s):
- 252. Myopa Fabricius,1775** (Conopidae)      Synonym(s): *Myopa Fabricius,1775*
- 253. Myopotta Zimina,1969** (Conopidae)      Synonym(s): *Myopotta Zimina,1969*
- 254. Myxexoristops Townsend,1911** (Tachinidae)      Synonym(s): *Myxexoristops Townsend,1911*
- 255. Napomyza Westwood,1840** (Agromyzidae)      Synonym(s): *Napomyza Westwood,1840*
- 256. Nemoraea Robineau-Desvoidy,1830** (Tachinidae)      Synonym(s): *Nemoraea Robineau-Desvoidy,1830*
- 257. Nemorilla Rondani,1856** (Tachinidae)      Synonym(s): *Nemorilla Rondani,1856*
- 258. Nemorius Rondani,1856** (Tabanidae)      Synonym(s): *Nemorius Rondani,1856*
- 259. Nemotelus (s.str.) Geoffroy,1762** (Stratiomyidae)      Synonym(s): *Nemotelus Geoffroy,1762;*  
*Galeodioptiger Pleske,1937; #Melanonemotelinus Lindner,1937; Melanonemotelinus Szilady,1941*
- 260. Nemotelus Geoffroy,1762** (Stratiomyidae)      Synonym(s): *Nemotelus Geoffroy,1762;*  
*Galeodioptiger Pleske,1937; #Melanonemotelinus Lindner,1937; Melanonemotelinus Szilady,1941*
- 261. Neoascia Williston,1886** (Syrphidae)      Synonym(s): *Ascia Meigen,1822 nec ; Neoascia Williston,1886*
- 262. Neobrachyglossum Kröber,1915** (Conopidae)      Synonym(s): *Neobrachyglossum Kröber,1915*
- 263. Neoitamus Osten Sacken,1878** (Asilidae)      Synonym(s): *Neoitamus Osten Sacken,1878*
- 264. Neomochtherus Osten Sacken,1878** (Asilidae)      Synonym(s): *Neomochtherus Osten Sacken,1878*
- 265. Neomyia Walker,1859** (Muscidae)      Synonym(s): *Neomyia Walker,1859*
- 266. Nephrotoma Meigen,1803** (Tipulidae)      Synonym(s): *Nephrotoma Meigen,1803*
- 267. Nigrotipula Hutson & Vane-Wright,1969** (Tipulidae)      Synonym(s): *Nigrotipula Hutson & Vane-Wright,1969*
- 268. Nilea Robineau-Desvoidy,1863** (Tachinidae)      Synonym(s): *Nilea Robineau-Desvoidy,1863*
- 269. Noeeta Robineau-Desvoidy,1830** (Tephritidae)      Synonym(s): *Noeeta Robineau-Desvoidy,1830*
- 270. Nusa Walker,1851** (Asilidae)      Synonym(s): *Nusa Walker,1851*
- 271. Nycteribia (Acrocholidia) Kolenati,1857** (Nycteribiidae)      Synonym(s): *Acrocholidia Kolenati,1857*
- 272. Nycteribia (s.str.) Latreille,1796** (Nycteribiidae)      Synonym(s): *Nycteribia Latreille,1796*
- 273. Nyctia Robineau-Desvoidy,1830** (Sarcophagidae)      Synonym(s): *Nyctia Robineau-Desvoidy,1830*
- 274. Odinadiplosis Mani,1935** (Cecidomyiidae)      Synonym(s): *Odinadiplosis Mani,1935*

- 275. Odontomyia Meigen,1803** (Stratiomyidae) Synonym(s): #*Eulalia* Meigen,1800; *Odontomyia* Meigen,1803; *Opseogymnus* A.Costa,1857; *Trichacrostyla* Enderlein,1914; *Neuraphanisis* Enderlein,1914; *Catatasina* Enderlein,1914; *Stratiomyopsis* Pleske,1922; *Hadracantha* Pleske,1922; *Clitellariopsis* Pleske,1922;
- 276. Oligodranes Loew,1844** (Bombyliidae) Synonym(s): *Oligodranes* Loew,1844
- 277. Oligopogon Loew,1847** (Asilidae) Synonym(s): *Oligopogon* Loew,1847
- 278. Oligotrophus Latreille,1804** (Cecidomyiidae) Synonym(s): *Oligotrophus* Latreille,1804
- 279. Ommatius Wiedemann,1821** (Asilidae) Synonym(s): *Ommatius* Wiedemann,1821
- 280. Ophiomyia Braschnikov,1897** (Agromyzidae) Synonym(s): *Ophiomyia* Braschnikov,1897
- 281. Oplodontha Rondani,1863** (Stratiomyidae) Synonym(s): *Oplodontha* Rondani,1863; *Oplodonta* Brauer,1882; *Haplodontia* Scudder,1882
- 282. Orellia Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *Orellia* Robineau-Desvoidy,1830
- 283. Orthochile Latreille,1809** (Dolichopodidae) Synonym(s): *Orthochile* Latreille,1809
- 284. Orthonevra Macquart,1829** (Syrphidae) Synonym(s): *Orthonevra* Macquart,1829
- 285. Oxyaciura Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *Oxyaciura* Robineau-Desvoidy,1830
- 286. Oxycera (Camptopelta) Williston,1917** (Stratiomyidae) Synonym(s): *Camptopelta* Williston,1917; *Nemotelinus* Enderlein,1936
- 287. Oxycera Meigen,1803** (Stratiomyidae) Synonym(s): #*Hermione* Meigen,1800; *Oxycera* Meigen,1803; *Hypoleon* Dumeril,1806; *Heteroxycera* Bigot,1856; *Euoxycera* Pleske,1925; *Paroxycera* Pleske,1925; *Macroxyccera* Pleske,1925; *Metoxyccera* Pleske,1925; *Alphoxycera* Pleske,1925; *Betoxycera* Pleske,1925; *Microxyccera*...
- 288. Oxyna Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *Oxyna* Robineau-Desvoidy,1830
- 289. Ozirhincus Rondani,1840** (Cecidomyiidae) Synonym(s): *Ozirhincus* Rondani,1840; #*Ozirhinchus* Kieffer,1901
- 290. Pachygaster Meigen,1803** (Stratiomyidae) Synonym(s): *Pachygaster* Meigen,1803; *Vappo* Latreille,1804; *Praomyia* Kertesz,1916; *Alphapachygaster* Pleske,1922
- 291. Pales Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Pales* Robineau-Desvoidy,1830
- 292. Palesisa Villeneuve,1929** (Tachinidae) Synonym(s): *Palesisa* Villeneuve,1929
- 293. Pandivirilia Irwin & Lyneborg,1981** (Therevidae) Synonym(s): *Pandivirilia* Irwin & Lyneborg,1981
- 294. Pangonius (Melanopangonius) Szilady,1923** (Tabanidae) Synonym(s): *Melanopangonius* Szilady,1923
- 295. Pangonius (s.str.) Latreille,1802** (Tabanidae) Synonym(s): *Pangonius* Latreille,1802
- 296. Pangonius Latreille,1802** (Tabanidae) Synonym(s): *Pangonius* Latreille,1802
- 297. Parageron Paramonov,1929** (Bombyliidae) Synonym(s): *Parageron* Paramonov,1929
- 298. Paragus Latreille,1804** (Syrphidae) Synonym(s): *Paragus* Latreille,1804
- 299. Paraphamartania Engel,1930** (Asilidae) Synonym(s): *Paraphamartania* Engel,1930
- 300. Parasyrphus Matsumura,1917** (Syrphidae) Synonym(s): *Parasyrphus* Matsumura,1917
- 301. Pelecocera Meigen,1822** (Syrphidae) Synonym(s): *Pelecocera* Meigen,1822
- 302. Peleteria Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Peleteria* Robineau-Desvoidy,1830
- 303. Penicillidia Kolenati,1863** (Nycteribiidae) Synonym(s): *Penicillidia* Kolenati,1863
- 304. Pericomia Walker,1856** (Psychodidae) Synonym(s): *Pericomia* Walker,1856
- 305. Phaonia Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *Phaonia* Robineau-Desvoidy,1830; *Wahlgrenia* Ringdahl,1929; *Dialytina* Ringdahl,1945
- 306. Pherbellia Robineau-Desvoidy,1830** (Sciomyzidae) Synonym(s): *Pherbellia* Robineau-Desvoidy,1830
- 307. Pherbina Robineau-Desvoidy,1830** (Sciomyzidae) Synonym(s): *Pherbina* Robineau-Desvoidy,1830
- 308. Philipomyia Olsufjev,1964** (Tabanidae) Synonym(s): *Philipomyia* Olsufjev,1964
- 309. Philodicus Loew,1847** (Asilidae) Synonym(s): *Philodicus* Loew,1847
- 310. Philonicus Loew,1849** (Asilidae) Synonym(s): *Philonicus* Loew,1849
- 311. Philosepedon Eaton,1904** (Psychodidae) Synonym(s): *Philosepedon* Eaton,1904
- 312. Phlebotomus (Adlerius) Nitzulescu,1931** (Psychodidae) Synonym(s): *Adlerius* Nitzulescu,1931
- 313. Phlebotomus (Paraphlebotomus) Theodor,1948** (Psychodidae) Synonym(s): *Paraphlebotomus* Theodor,1948
- 314. Phlebotomus Loew,1845** (Psychodidae) Synonym(s): *Phlebotomus* Loew,1845

- 315. Phorbia Robineau-Desvoidy,1830** (Anthomyiidae)      Synonym(s): *Phorbia Robineau-Desvoidy,1830*
- 316. Phrosinella Robineau-Desvoidy,1863** (Sarcophagidae)      Synonym(s): *Phrosinella Robineau-Desvoidy,1863*
- 317. Phryno Robineau-Desvoidy,1830** (Tachinidae)      Synonym(s): *Phryno Robineau-Desvoidy,1830*
- 318. Phthiria Meigen,1803** (Bombyliidae)      Synonym(s): *Phthiria Meigen,1803; Ptimia Rafinesque,1815*
- 319. Phthiridium Hermann,1804** (Nycteribiidae)      Synonym(s): *Phthiridium Hermann,1804*
- 320. Phycus Walker,1850** (Therevidae)      Synonym(s): *Phycus Walker,1850*
- 321. Phyllolabis Osten Sacken,1877** (Limoniidae)      Synonym(s): *Phyllolabis Osten Sacken,1877; #Phyllolabis Koç,2004*
- 322. Phylloteles Loew,1844** (Sarcophagidae)      Synonym(s): *Phylloteles Loew,1844*
- 323. Physemocecis Rübsaamen,1914** (Cecidomyiidae)      Synonym(s): *Physemocecis Rübsaamen,1914*
- 324. Physiphora Fallén,1810** (Ulidiidae)      Synonym(s): *Physiphora Fallén,1810*
- 325. Physocephala Schiner,1861** (Conopidae)      Synonym(s): *Physocephala Schiner,1861*
- 326. Phytoliriomyza Hendel,1931** (Agromyzidae)      Synonym(s): *Phytoliriomyza Hendel,1931*
- 327. Phytomyza Fallén,1810** (Agromyzidae)      Synonym(s): *Phytomyza Fallén,1810*
- 328. Pipizella Rondani,1856** (Syrphidae)      Synonym(s): *Pipizella Rondani,1856; Pizipella Schiner,1862*
- 329. Platycerius Lepeletier & Audinet-Serville,1828** (Syrphidae)      Synonym(s): *Platycerius Lepeletier & Audinet-Serville,1828*
- 330. Platypygus Loew,1844** (Mythicomyiidae)      Synonym(s): *Platypygus Loew,1844; Popsia Costa,1863*
- 331. Platystoma Meigen,1803** (Platystomatidae)      Synonym(s): *Platystoma Meigen,1803; Hesyquillia Robineau-Desvoidy,1830; #Platystoma Guérin-Méneville,1831; Megaglossa Rondani,1869*
- 332. Pogonosoma Rondani,1856** (Asilidae)      Synonym(s): *Pogonosoma Rondani,1856*
- 333. Pollenia Robineau-Desvoidy,1830** (Calliphoridae)      Synonym(s): *Pollenia Robineau-Desvoidy,1830*
- 334. Polyphonius Loew,1848** (Asilidae)      Synonym(s): *Polyphonius Loew,1848*
- 335. Polysarca Schiner,1866** (Asilidae)      Synonym(s): *Polysarca Schiner,1866*
- 336. Probruggmanniella Möhn,1961** (Cecidomyiidae)      Synonym(s): *Probruggmanniella Möhn,1961*
- 337. Promachus Loew,1848** (Asilidae)      Synonym(s): *Promachus Loew,1848*
- 338. Prosimulium (s.str.) Rouband,1906** (Simuliidae)      Synonym(s): *Prosimulium Rouband,1906; Hellichia Enderlein,1925; Taeniopterna Enderlein,1925; Mallochella Enderlein,1930 (praeocc.); Mallochianella Vargas & Diaz Najera,1948; Piezosimulium Peterson,1989*
- 339. Prosimulium Rouband,1906** (Simuliidae)      Synonym(s): *Prosimulium Rouband,1906; Hellichia Enderlein,1925; Taeniopterna Enderlein,1925; Mallochella Enderlein,1930 (praeocc.); Mallochianella Vargas & Diaz Najera,1948; Piezosimulium Peterson,1989*
- 340. Protomiltogramma Townsend,1916** (Sarcophagidae)      Synonym(s): *Protomiltogramma Townsend,1916*
- 341. Psacadina Enderlein,1939** (Sciomyzidae)      Synonym(s): *Psacadina Enderlein,1939*
- 342. Pseudolynchia Bequaert,1925** (Hippoboscidae)      Synonym(s): *Pseudolynchia Bequaert,1925*
- 343. Pseudonapomyza Hendel,1920** (Agromyzidae)      Synonym(s): *Pseudonapomyza Hendel,1920*
- 344. Psychoda Latreille,1796** (Psychodidae)      Synonym(s): *Psychoda Latreille,1796; Psicoda Rondani,1856*
- 345. Pterella Robineau-Desvoidy,1863** (Sarcophagidae)      Synonym(s): *Pterella Robineau-Desvoidy,1863*
- 346. Pycnomalla Gerstaecker,1857** (Stratiomyidae)      Synonym(s): *Pycnomalla Gerstaecker,1857*
- 347. Pycnopogon Loew,1847** (Asilidae)      Synonym(s): *Pycnopogon Loew,1847*
- 348. Pyrellia Robineau-Desvoidy,1830** (Muscidae)      Synonym(s): *Pyrellia Robineau-Desvoidy,1830*
- 349. Ravinia Robineau-Desvoidy,1863** (Sarcophagidae)      Synonym(s): *Ravinia Robineau-Desvoidy,1863*
- 350. Resseliella Seitner,1906** (Cecidomyiidae)      Synonym(s): *Resseliella Seitner,1906*
- 351. Rhabdophaga Westwood,1847** (Cecidomyiidae)      Synonym(s): *Rhabdophaga Westwood,1847*
- 352. Rhagio Fabricius,1775** (Rhagionidae)      Synonym(s): *Rhagio Fabricius,1775; Leptis Fabricius,1805*
- 353. Rhagoletis Loew,1862** (Tephritidae)      Synonym(s): *Rhagoletis Loew,1862*
- 354. Rhamphomyia (Lundstroemiella) Frey,1922** (Empididae)      Synonym(s): *Lundstroemiella Frey,1922*

- 355. *Rhamphomyia* Meigen,1822** (Empididae) Synonym(s): *Rhamphomyia* Meigen,1822
- 356. *Rhingia* Scopoli,1763** (Syrphidae) Synonym(s): *Rhingia* Scopoli,1763
- 357. *Rhopalomyia* Rübsaamen,1892** (Cecidomyiidae)      Synonym(s): *Rhopalomyia* Rübsaamen,1892
- 358. *Rondania* Robineau-Desvoidy,1850** (Tachinidae)      Synonym(s): *Rondania* Robineau-Desvoidy,1850
- 359. *Salentia* A.Costa,1857** (Therevidae) Synonym(s): *Salentia* A.Costa,1857
- 360. *Salticella* Robineau-Desvoidy,1830** (Sciomyzidae)      Synonym(s): *Salticella* Robineau-Desvoidy,1830
- 361. *Sapromyza* Fallén,1810** (Leuxaniidae) Synonym(s): *Sapromyza* Fallén,1810
- 362. *Sarcophaga* (Bercea) Robineau-Desvoidy,1863** (Sarcophagidae)      Synonym(s): *Bercea* Robineau-Desvoidy,1863
- 363. *Sarcophaga* (Discachaeta) Enderlein,1928** (Sarcophagidae)      Synonym(s): *Discachaeta* Enderlein,1928
- 364. *Sarcophaga* (Helicophagella) Enderlein,1928** (Sarcophagidae)      Synonym(s): *Helicophagella* Enderlein,1928
- 365. *Sarcophaga* (Heteronychia) Brauer & Bergenstamm,[1889]** (Sarcophagidae)      Synonym(s): *Heteronychia* Brauer & Bergenstamm,[1889]
- 366. *Sarcophaga* (Krameromyia) Verves,1982** (Sarcophagidae)      Synonym(s): *Kramerella* Rohdendorf,1937 (praeocc.); *Krameromyia* Verves,1982
- 367. *Sarcophaga* (Liopygia) Enderlein,1928** (Sarcophagidae)      Synonym(s): *Liopygia* Enderlein,1928
- 368. *Sarcophaga* (Liosarcophaga) Enderlein,1928** (Sarcophagidae)      Synonym(s): *Liosarcophaga* Enderlein,1928
- 369. *Sarcophaga* (Mehria) Enderlein,1928** (Sarcophagidae)      Synonym(s): *Mehria* Enderlein,1928
- 370. *Sarcophaga* (Myorrhina) Robineau-Desvoidy,1830** (Sarcophagidae)      Synonym(s): *Myorrhina* Robineau-Desvoidy,1830
- 371. *Sarcophaga* (Pandelleisca) Rohdendorf,1937** (Sarcophagidae)      Synonym(s): *Pandelleisca* Rohdendorf,1937
- 372. *Sarcophaga* (Parasarcophaga) Johnston & Tiegs,1922** (Sarcophagidae)      Synonym(s): *Parasarcophaga* Johnston & Tiegs,1922
- 373. *Sarcophaga* (Phytosarcophaga) Rohdendorf,1937** (Sarcophagidae)      Synonym(s): *Phytosarcophaga* Rohdendorf,1937
- 374. *Sarcophaga* (Pseudothrysocnema) Rohdendorf,1937** (Sarcophagidae)      Synonym(s): *Pseudothrysocnema* Rohdendorf,1937
- 375. *Sarcophaga* (Rosellea) Rohdendorf,1937** (Sarcophagidae)      Synonym(s): *Rosellea* Rohdendorf,1937
- 376. *Sarcophaga* (s.str.) Meigen,1826** (Sarcophagidae) Synonym(s): *Sarcophaga* Meigen,1826
- 377. *Sarcophaga* (Sarcotachinella) Townsend,1892** (Sarcophagidae)      Synonym(s): *Sarcotachinella* Townsend,1892
- 378. *Sarcophaga* (Thrysocnema) Enderlein,1928** (Sarcophagidae)      Synonym(s): *Thrysocnema* Enderlein,1928
- 379. *Sarcophaga* Meigen,1826** (Sarcophagidae) Synonym(s): *Sarcophaga* Meigen,1826
- 380. *Sarcophila* Rondani,1856** (Sarcophagidae) Synonym(s): *Sarcophila* Rondani,1856
- 381. *Sargus* Fabricius,1798** (Stratiomyidae)      Synonym(s): *Sargus* Fabricius,1798; *Chrysonotus* Loew,1855; *Chrysochroma* Williston,1896; *Chrysonotomyia* Hunter,1900; *Geosargus* Bezzi,1907
- 382. *Saropogon* Loew,1847** (Asilidae) Synonym(s): *Saropogon* Loew,1847
- 383. *Satanas* Jacobson,1908** (Asilidae) Synonym(s): *Satanas* Jacobson,1908
- 384. *Satchelliella* Vaillant,1979** (Psychodidae) Synonym(s): *Satchelliella* Vaillant,1979
- 385. *Scaeva* Fabricius,1805** (Syrphidae)      Synonym(s): *Scaeva* Fabricius,1805; *Lasiopticlus* Rondani,1845; *Catabomba* Osten-Sacken,1877
- 386. *Scathophaga* Meigen,1803** (Scathophagidae)      Synonym(s): *Scathophaga* Meigen,1803; #*Scopeuma* Meigen,1800; #*Scatophaga* Fabricius,1805; *Pyropa* Illiger,1807; *Scatomyza* Fallén,1810; *Amina* Robineau-Desvoidy,1830; *Scatina* Robineau-Desvoidy,1830; *Pseudopogonota* Malloch,1920; *Scaophagella* Szilady,1926
- 387. *Schoenomyza* Haliday,1833** (Muscidae) Synonym(s): *Schoenomyza* Haliday,1833
- 388. *Schoutedenomyia* Kröber,1936** (Therevidae) Synonym(s): *Schoutedenomyia* Kröber,1936
- 389. *Sciomyza* Fallén,1820** (Sciomyzidae) Synonym(s): *Sciomyza* Fallén,1820
- 390. *Scoliophthalmus* Becker,1903** (Chloropidae) Synonym(s): *Scoliophthalmus* Becker,1903
- 391. *Scytomedes* Röder,1882** (Asilidae) Synonym(s): *Scytomedes* Röder,1882

- 392. Seioptera Kirby, 1817** (Ulidiidae) Synonym(s): *Seioptera Kirby, 1817*
- 393. Senometopia Macquart, 1834** (Tachinidae) Synonym(s): *Carcelia Robineau-Desvoidy, 1830; Senometopia Macquart, 1834*
- 394. Senotainia Macquart, 1846** (Sarcophagidae) Synonym(s): *Megaera Robineau-Desvoidy, 1830 (praeocc.); Senotainia Macquart, 1846; Chaetometopia Malloch, 1930*
- 395. Sepedon Latreille, 1804** (Sciomyzidae) Synonym(s): *Sepedon Latreille, 1804*
- 396. Sericomyia Meigen, 1803** (Syrphidae) Synonym(s): *Sericomyia Meigen, 1803*
- 397. Sicus Scopoli, 1763** (Conopidae) Synonym(s): *Sicus Scopoli, 1763*
- 398. Silvius (Heterosilvius) Olsufjev, 1970** (Tabanidae) Synonym(s): *Heterosivius Olsufjev, 1970; #Heterosivius Kılıç, 1999*
- 399. Silvius Meigen, 1830** (Tabanidae) Synonym(s): *Silvius Meigen, 1830*
- 400. Simulium (Boophthora) Enderlein, 1925** (Simuliidae) Synonym(s): *Boophthora Enderlein, 1925; Pseudosimulium Baranov, 1926*
- 401. Simulium (Eusimulium) Roubaud, 1906** (Simuliidae) Synonym(s): *Eusimulium Roubaud, 1906*
- 402. Simulium (Montisimulium) Rubtsov, 1974** (Simuliidae) Synonym(s): *Montisimulium Rubtsov, 1974*
- 403. Simulium (Nevermannia) Enderlein, 1921** (Simuliidae) Synonym(s): *Nevermannia Enderlein, 1921*
- 404. Simulium (Obuchovia) Rubtsov, 1947** (Simuliidae) Synonym(s): *Obuchovia Rubtsov, 1947*
- 405. Simulium (s.str.) Latreille, 1802** (Simuliidae) Synonym(s): *Simulium Latreille, 1802*
- 406. Simulium (Wilhelmia) Enderlein, 1921** (Simuliidae) Synonym(s): *Wilhelmia Enderlein, 1921*
- 407. Simulium Latreille, 1802** (Simuliidae) Synonym(s): *Simulium Latreille, 1802*
- 408. Solva Walker, 1860** (Xylomyidae) Synonym(s): *Solva Walker, 1860; Hanauia Enderlein, 1920*
- 409. Spallanzania Robineau-Desvoidy, 1830** (Tachinidae) Synonym(s): *Spallanzania Robineau-Desvoidy, 1830*
- 410. Spathulina Rondani, 1856** (Tephritidae) Synonym(s): *Spathulina Rondani, 1856*
- 411. Spazigaster Rondani, 1843** (Syrphidae) Synonym(s): *Spazigaster Rondani, 1843; Spathegaster Schiner, 1868; Spathiogaster Loew, 1876; Spathidogaster Loew, 1876*
- 412. Sphaerophoria Lepeletier & Audinet-Serville, 1828** (Syrphidae) Synonym(s): *Sphaerophoria Lepeletier & Audinet-Serville, 1828; Melithreptus Loew, 1840; Nesosyrphus Frey, 1845*
- 413. Sphegina Meigen, 1822** (Syrphidae) Synonym(s): *Sphegina Meigen, 1822; Sphecina Agassiz, 1846*
- 414. Sphenella Robineau-Desvoidy, 1830** (Tephritidae) Synonym(s): *Sphenella Robineau-Desvoidy, 1830*
- 415. Sphenometopa Townsend, 1908** (Sarcophagidae) Synonym(s): *Sphenometopa Townsend, 1908*
- 416. Sphenometopa Townsend, 1908** (Sarcophagidae) Synonym(s): *Sphenometopa Townsend, 1908*
- 417. Spilogona Schnabl, 1911** (Muscidae) Synonym(s): *Spilogona Schnabl, 1911*
- 418. Stenopogon Loew, 1847** (Asilidae) Synonym(s): *Stenopogon Loew, 1847*
- 419. Stichopogon Loew, 1847** (Asilidae) Synonym(s): *Stichopogon Loew, 1847*
- 420. Stiphrolamyra Engel, 1928** (Asilidae) Synonym(s): *Stiphrolamyra Engel, 1928*
- 421. Stomina Robineau-Desvoidy, 1830** (Tachinidae) Synonym(s): *Stomina Robineau-Desvoidy, 1830*
- 422. Stomoxyx Geoffroy, 1762** (Muscidae) Synonym(s): *Stomoxyx Geoffroy, 1762*
- 423. Stonemyia Brennan, 1935** (Tabanidae) Synonym(s): *Stonemyia Brennan, 1935*
- 424. Stratiomys Geoffroy, 1762** (Stratiomyidae) Synonym(s): *Stratiomys Geoffroy, 1762; Hirtea Scopoli, 1763; Stratiomyia Macquart, 1838; Hoplomyia Zeller, 1842; Thyreodontha Rondani, 1863; Stratiotomyia Lynch Arribalzaga, 1882; Oreomyia Pleske, 1922; Holopyrrhoceromyia Pleske, 1922; Hemipyrrhoceromyia Pleske, 1922;*
- 425. Suillia Robineau-Desvoidy, 1830** (Heleomyzidae) Synonym(s): *Suillia Robineau-Desvoidy, 1830*
- 426. Sulcicnephia Rubtsov, 1971** (Simuliidae) Synonym(s): *Sulcicnephia Rubtsov, 1971*
- 427. Syritta Lepeletier & Audinet-Serville, 1828** (Syrphidae) Synonym(s): *Syritta Lepeletier & Audinet-Serville, 1828*
- 428. Syrphus Fabricius, 1775** (Syrphidae) Synonym(s): *Syrphus Fabricius, 1775*
- 429. Systoechus Loew, 1855** (Bombyliidae) Synonym(s): *Systoechus Loew, 1855*
- 430. Tabanus Linnaeus, 1758** (Tabanidae) Synonym(s): *Tabanus Linnaeus, 1758*
- 431. Tachina (Echinogaster) Lioy, 1864** (Tachinidae) Synonym(s): *Echinogaster Lioy, 1864*

- 432.** **Tachina (Eudoromyia) Bezzi, 1906** (Tachinidae)      Synonym(s): *Eudora Robineau-Desvoidy, 1863 (praeocc.)*; *Eudoromyia Bezzi, 1906*
- 433.** **Tachina Meigen, 1803** (Tachinidae)      Synonym(s): *Tachina Meigen, 1803*; #*Tachna Walker, 1849*
- 434.** **Tachytrechus Stannius, 1831** (Dolichopodidae)      Synonym(s): *Tachytrechus Stannius, 1831*
- 435.** **Taxigramma Macquart, 1849** (Sarcophagidae)      Synonym(s): *Taxigramma Macquart, 1849*
- 436.** **Taxomyia Rübsaamen, 1912** (Cecidomyiidae)      Synonym(s): *Taxomyia Rübsaamen, 1912*
- 437.** **Tephritis Latreille, 1804** (Tephritidae)      Synonym(s): *Tephritis Latreille, 1804*
- 438.** **Tephritis Hendel, 1927** (Tephritidae)      Synonym(s): *Tephritis Hendel, 1927*
- 439.** **Terellia (Cerajocera) Rondani, 1856** (Tephritidae)      Synonym(s): *Cerajocera Rondani, 1856*; #*Ceriocera Rondani, 1870*
- 440.** **Terellia (s.str.) Robineau-Desvoidy, 1830** (Tephritidae)      Synonym(s): *Terellia Robineau-Desvoidy, 1830*
- 441.** **Terellia Robineau-Desvoidy, 1830** (Tephritidae)      Synonym(s): *Terellia Robineau-Desvoidy, 1830*
- 442.** **Tetanocera Latreille, 1804** (Sciomyzidae)      Synonym(s): *Tetanocera Latreille, 1804*
- 443.** **Thecodiplosis Kieffer, 1895** (Cecidomyiidae)      Synonym(s): *Thecodiplosis Kieffer, 1895*
- 444.** **Thecophora Rondani, 1845** (Conopidae)      Synonym(s): *Thecophora Rondani, 1845*
- 445.** **Thelymorpha Brauer & Bergenstamm, 1889** (Tachinidae)      Synonym(s): *Thelymorpha Brauer & Bergenstamm, 1889*
- 446.** **Thereva Latreille, 1796** (Therevidae)      Synonym(s): *Thereva Latreille, 1796*
- 447.** **Therioplectes Zeller, 1842** (Tabanidae)      Synonym(s): *Therioplectes Zeller, 1842*
- 448.** **Thornburghiella Vaillant, 1973** (Psychodidae)      Synonym(s): *Thornburghiella Vaillant, 1973*; *Thornburghiella Vaillant, 1982*
- 449.** **Thricops Rondani, 1856** (Muscidae)      Synonym(s): *Thricops Rondani, 1856*
- 450.** **Thyridanthrax Osten Sacken, 1886** (Bombyliidae)      Synonym(s): *Thyridanthrax Osten Sacken, 1886*
- 451.** **Tipula (Acutipula) Alexander, 1924** (Tipulidae)      Synonym(s): *Acutipula Alexander, 1924*
- 452.** **Tipula (Beringotipula) Savchenko, 1961** (Tipulidae)      Synonym(s): *Beringotipula Savchenko, 1961*
- 453.** **Tipula (Dendrotipula) Savchenko, 1961** (Tipulidae)      Synonym(s): *Dendrotipula Savchenko, 1961*
- 454.** **Tipula (Emodotipula) Alexander, 1965** (Tipulidae)      Synonym(s): *Emodotipula Alexander, 1965*
- 455.** **Tipula (Lunatipula) Edwards, 1931** (Tipulidae)      Synonym(s): *Lunatipula Edwards, 1931*
- 456.** **Tipula (Mediotipula) Pierre, 1924** (Tipulidae)      Synonym(s): *Meditotipula Pierre, 1924*
- 457.** **Tipula (Pterelachisus) Rondani, 1842** (Tipulidae)      Synonym(s): *Pterelachisus Rondani, 1842*
- 458.** **Tipula (Savtshenkia) Mannheims, 1962** (Tipulidae)      Synonym(s): *Savtshenkia Mannheims, 1962*
- 459.** **Tipula (Schummelia) Edwards, 1931** (Tipulidae)      Synonym(s): *Schummelia Edwards, 1931*
- 460.** **Tipula (Vestiplex) Bezzii, 1924** (Tipulidae)      Synonym(s): *Vestiplex Bezzii, 1924*
- 461.** **Tipula (Yamatotipula) Matsumura, [1916]** (Tipulidae)      Synonym(s): *Yamatotipula Matsumura, [1916]*
- 462.** **Tipula Linnaeus, 1758** (Tipulidae)      Synonym(s): *Tipula Linnaeus, 1758*
- 463.** **Tolmerus Loew, 1849** (Asilidae)      Synonym(s): *Tolmerus Loew, 1849*
- 464.** **Tonnoiriella Vaillant, 1982** (Psychodidae)      Synonym(s): *Tonnoiriella Vaillant, 1982*
- 465.** **Townsendiellomyia Baranoff, 1932** (Tachinidae)      Synonym(s): *Townsendiellomyia Baranoff, 1932*
- 466.** **Triclis Loew, 1851** (Asilidae)      Synonym(s): *Triclis Loew, 1851*
- 467.** **Trixoscelis Rondani, 1856** (Trixoscelidae)      Synonym(s): *Trixoscelis Rondani, 1856*
- 468.** **Tropidomyia Williston, 1888** (Conopidae)      Synonym(s): *Tropidomyia Williston, 1888*
- 469.** **Trupanea Schrank, 1795** (Tephritidae)      Synonym(s): *Trupanea Schrank, 1795*; *Trypanea Agassiz, 1846*
- 470.** **Trypetoptera Hendel, 1900** (Sciomyzidae)      Synonym(s): *Trypetoptera Hendel, 1900*
- 471.** **Turka Özdi̇kmen, 2008** (Asilidae)      Synonym(s): *Turkiella Lehr, 1996 nec Zumpt & Till, 1953*; *Turka Özdi̇kmen, 2008*
- 472.** **Ulidia Meigen, 1826** (Ulidiidae)      Synonym(s): *Ulidia Meigen, 1826*
- 473.** **Ulidiopsis Henning, 1939** (Ulidiidae)      Synonym(s): *Ulidiopsis Henning, 1939*
- 474.** **Urophora Robineau-Desvoidy, 1830** (Tephritidae)      Synonym(s): *Urophora Robineau-Desvoidy, 1830*
- 475.** **Usia (Micrusia) Evenhuis, 1990** (Bombyliidae)      Synonym(s): *Micrusia Evenhuis, 1990*

- 476. Usia (s.str.) Latreille, 1802** (Bombyliidae)      Synonym(s): #*Voluccella Fabricius, 1794; Usia Latreille, 1802; Zerynthia Rafinesque, 1815*
- 477. Usia Latreille, 1802** (Bombyliidae)      Synonym(s): #*Voluccella Fabricius, 1794; Usia Latreille, 1802; Zerynthia Rafinesque, 1815*
- 478. Villa Lioy, 1864** (Bombyliidae)      Synonym(s): *Villa Lioy, 1864*
- 479. Volucella Geoffroy, 1762** (Syrphidae)      Synonym(s): *Volucella Geoffroy, 1762*
- 480. Wachtiella Rübsaamen, 1915** (Cecidomyiidae)      Synonym(s): *Wachtiella Rübsaamen, 1915*
- 481. Wohlfahrtia Brauer & Bergenstamm, 1889** (Sarcophagidae)      Synonym(s): *Wohlfahrtia Brauer & Bergenstamm, 1889; #Wohlfahrtia Kara & Pape, 2002*
- 482. Xanthogramma Schiner, 1860** (Syrphidae)      Synonym(s): *Xanthogramma Schiner, 1860*
- 483. Xeramoeba Hesse, 1956** (Bombyliidae)      Synonym(s): *Xeramoeba Hesse, 1956*
- 484. Xylomya Rondani, 1861** (Xylomyidae)      Synonym(s): *Xylomya Rondani, 1861; Subula Meigen, 1820; #Xlomyia Üstüner & Kalyoncu, 2005*
- 485. Xylota Meigen, 1822** (Syrphidae)      Synonym(s): *Xylota Meigen, 1822*
- 486. Xyphosia Robineau-Desvoidy, 1830** (Tephritidae)      Synonym(s): *Xyphosia Robineau-Desvoidy, 1830*
- 487. Zaira Robineau-Desvoidy, 1830** (Tachinidae)      Synonym(s): *Zaira Robineau-Desvoidy, 1830; Fabricia Meigen, 1838 nec Blainv., 1828; Sitophaga Gistel, 1848; Biomyia Rondani, 1856; Viviania Rondani, 1861; Pseudotracocera Townsend, 1892; Eubiomya Townsend, 1916; Thematheca Reinhard, 1961; Nearctus Reinhard, 1964*
- 488. Zeuxia Meigen, 1826** (Tachinidae)      Synonym(s): *Zeuxia Meigen, 1826*
- 489. Zodion Latreille, 1796** (Conopidae)      Synonym(s): *Zodion Latreille, 1796*
- 490. Zygiobia Kieffer, 1913** (Cecidomyiidae)      Synonym(s): *Zygiobia Kieffer, 1913*

## List of the 1720 species of the dipteran fauna of Turkey

The following temporary list comprises the valid 1720 species of the Diptera fauna of Turkey. To each species, their families and chronologically arranged synonym(s) are added. Nomenclaturally unavailable names and incorrect subsequent spellings are marked with #. Provincial distribution in Turkey are mentioned in green colour and as codes (see below).

<b>01</b> Adana	<b>22</b> Edirne	<b>43</b> Kütahya	<b>64</b> Uşak
<b>02</b> Adiyaman	<b>23</b> Elazığ	<b>44</b> Malatya	<b>65</b> Van
<b>03</b> Afyonkarahisar	<b>24</b> Erzincan	<b>45</b> Manisa	<b>66</b> Yozgat
<b>04</b> Ağrı	<b>25</b> Erzurum	<b>46</b> Kahramanmaraş	<b>67</b> Zonguldak
<b>05</b> Amasya	<b>26</b> Eskisehir	<b>47</b> Mardin	<b>68</b> Aksaray
<b>06</b> Ankara	<b>27</b> Gaziantep	<b>48</b> Muğla	<b>69</b> Bayburt
<b>07</b> Antalya	<b>28</b> Giresun	<b>49</b> Muş	<b>70</b> Karaman
<b>08</b> Artvin	<b>29</b> Gümüşhane	<b>50</b> Nevşehir	<b>71</b> Kırıkkale
<b>09</b> Aydın	<b>30</b> Hakkari	<b>51</b> Niğde	<b>72</b> Batman
<b>10</b> Balıkesir	<b>31</b> Hatay	<b>52</b> Ordu	<b>73</b> Şırnak
<b>11</b> Bilecik	<b>32</b> Isparta	<b>53</b> Rize	<b>74</b> Bartın
<b>12</b> Bingöl	<b>33</b> İçel (Mersin)	<b>54</b> Sakarya	<b>75</b> Ardahan
<b>13</b> Bitlis	<b>34</b> İstanbul	<b>55</b> Samsun	<b>76</b> İğdir
<b>14</b> Bolu	<b>35</b> İzmir	<b>56</b> Siirt	<b>77</b> Yalova
<b>15</b> Burdur	<b>36</b> Kars	<b>57</b> Sinop	<b>78</b> Karabük
<b>16</b> Bursa	<b>37</b> Kastamonu	<b>58</b> Sivas	<b>79</b> Kilis
<b>17</b> Çanakkale	<b>38</b> Kayseri	<b>59</b> Tekirdağ	<b>80</b> Osmaniye
<b>18</b> Çankırı	<b>39</b> Kırklareli	<b>60</b> Tokat	
<b>19</b> Çorum	<b>40</b> Kirşehir	<b>61</b> Trabzon	
<b>20</b> Denizli	<b>41</b> Kocaeli (İzmit)	<b>62</b> Tunceli	
<b>21</b> Diyarbakır	<b>42</b> Konya	<b>63</b> Şanlıurfa	

- 1. Acanthiophilus helianthi (Rossi,1790)** (Tephritidae)    Synonym(s): *helianthi Rossi,1790; eluta Meigen,1826* **01 03 06 07 10 16 20 21 32 33 35 38 41 42 45 46 48 51 58 65 70**
- 2. Acanthiophilus ramulosus Loew,1844** (Tephritidae)    Synonym(s): *ramulosus Loew,1844* **47 48**
- 3. Aciura coryli (Rossi,1790)** (Tephritidae)    Synonym(s): *coryli Rossi,1790; rotundiventris Meigen,1826; femoralis Robineau-Desvoidy,1830; powelli Seguy,1930* **01 07 32 35 38 42 51 68**
- 4. Acrochordomerus aeneus Hermann,1920** (Asilidae)    Synonym(s): *aeneus Hermann,1920*
- 5. Acrochordomerus mediterraneus Kovár & Hradski,1995** (Asilidae)    Synonym(s): *mediterraneus Kovár & Hradski,1995*
- 6. Actinoptera discoidea (Fallén,1814)** (Tephritidae)    Synonym(s): *discoidea Fallén,1814; aestiva Meigen,1826; gnaphalii Loew,1844* **07 32 46 48 58 66**
- 7. Adoxomyia obscuripennis (Loew,1873)** (Stratiomyidae)    Synonym(s): *obscuripennis Loew,1873; maschouk Pleske,1925* **01**
- 8. Adoxomyia ruficornis (Loew,1873)** (Stratiomyidae)    Synonym(s): *ruficornis Loew,1873* **38**
- 9. Agria affinis (Fallén,1817)** (Sarcophagidae)    Synonym(s): *affinis Fallén,1817* **32 60**
- 10. Agria mamillata (Pandellé,1896)** (Sarcophagidae)    Synonym(s): *mamillata Pandellé,1896* **06 26**
- 11. Agromyza abiens Zetterstedt,1848** (Agromyzidae)    Synonym(s): *abiens Zetterstedt,1848* **47**
- 12. Agromyza ambigua Fallén,1823** (Agromyzidae)    Synonym(s): *ambigua Fallén,1823* **09**
- 13. Agromyza anderssoni Spencer,1976** (Agromyzidae)    Synonym(s): *anderssoni Spencer,1976* **39**
- 14. Agromyza anthracina Meigen,1830** (Agromyzidae)    Synonym(s): *anthracina Meigen,1830* **25**
- 15. Agromyza apfelbecki Strobl,1902** (Agromyzidae)    Synonym(s): *apfelbecki Strobl,1902* **35**
- 16. Agromyza bromi Spencer,1966** (Agromyzidae)    Synonym(s): *bromi Spencer,1966* **25**
- 17. Agromyza felleri M.Hering,1941** (Agromyzidae)    Synonym(s): *felleri M.Hering,1941* **21 47**
- 18. Agromyza flavipennis Hendel,1920** (Agromyzidae)    Synonym(s): *flavipennis Hendel,1920* **32**
- 19. Agromyza frontella (Rondani,1875)** (Agromyzidae)    Synonym(s): *frontella Rondani,1875* **35**
- 20. Agromyza graminicola Hendel,1931** (Agromyzidae)    Synonym(s): *graminicola Hendel,1931* **25**
- 21. Agromyza hiemalis Becker,1908** (Agromyzidae)    Synonym(s): *hiemalis Becker,1908* **01 31 35**
- 22. Agromyza idaeiana Hardy,1853** (Agromyzidae)    Synonym(s): *idaeiana Hardy,1853* **08**
- 23. Agromyza intermittens Becker,1907** (Agromyzidae)    Synonym(s): *intermittens Becker,1907* **35**
- 24. Agromyza marionae Griffiths,1963** (Agromyzidae)    Synonym(s): *marionae Griffiths,1963* **31**
- 25. Agromyza megalopis M.Hering,1933** (Agromyzidae)    Synonym(s): *megalopis M.Hering,1933*
- 26. Agromyza myosotidis Kaltenbach,1864** (Agromyzidae)    Synonym(s): *myosotidis Kaltenbach,1864* **32**
- 27. Agromyza nana Meigen,1830** (Agromyzidae)    Synonym(s): *nana Meigen,1830* **35**
- 28. Agromyza nigrescens Hendel,1920** (Agromyzidae)    Synonym(s): *nigrescens Hendel,1920*
- 29. Agromyza nigripes Meigen,1830** (Agromyzidae)    Synonym(s): *nigripes Meigen,1830*
- 30. Agromyza phylloposthia Sasakawa,2008** (Agromyzidae)    Synonym(s): *phylloposthia Sasakawa,2008* **02**
- 31. Agromyza pittodes Hendel,1931** (Agromyzidae)    Synonym(s): *pittodes Hendel,1931* **48**
- 32. Agromyza prespana Spencer,1957** (Agromyzidae)    Synonym(s): *prespana Spencer,1957*
- 33. Agromyza reptans Fallén,1823** (Agromyzidae)    Synonym(s): *reptans Fallén,1823* **63**
- 34. Agromyza rondensis Strobl,1900** (Agromyzidae)    Synonym(s): *rondensis Strobl,1900* **35 63**
- 35. Agromyza trebinjensis Strobl,1900** (Agromyzidae)    Synonym(s): *trebinjensis Strobl,1900* **35**
- 36. Amauromyza (Cephalomyza) flavifrons (Meigen,1830)** (Agromyzidae)    Synonym(s): *flavifrons Meigen,1830* **35**
- 37. Amauromyza (Cephalomyza) luteiceps (Hendel,1920)** (Agromyzidae)    Synonym(s): *luteiceps Hendel,1920* **48**

- 38. Amauromyza (s.str.) morionella (Zetterstedt,1848)** (Agromyzidae)      Synonym(s):  
*morionella* Zetterstedt,1848 **35**
- 39. Ammothereva splendida (Kröber,1912)** (Therevidae)      Synonym(s): *splendida* Kröber,1912;  
*caucasica* Zaitzev,1973 **01 38 51 58**
- 40. Amobia oculata (Zetterstedt,1844)** (Sarcophagidae)      Synonym(s): *oculata* Zetterstedt,1844  
**07**
- 41. Amobia signata (Meigen,1824)** (Sarcophagidae)      Synonym(s): *signata* Meigen,1824 **07 60**
- 42. Amphisbetetus dorsatus Becker,1913** (Asilidae)      Synonym(s): *dorsatus* Becker,1913; *rufipes*  
*Engel,1930*
- 43. Amphisbetetus favillaceus (Loew,1856)** (Asilidae)      Synonym(s): *favillaceus* Loew,1856
- 44. Anarolius fronto Loew,1873** (Asilidae)      Synonym(s): *fronto* Loew,1873
- 45. Anarolius jamshidi Abbassian-Lintzen,1964** (Asilidae)      Synonym(s): *jamshidi* Abbassian-  
*Lintzen,1964*
- 46. Anarolius jubatus Loew,1844** (Asilidae)      Synonym(s): *jubatus* Loew,1844
- 47. Anastoechus araxis Paramonov,1926** (Bombyliidae)      Synonym(s): *araxis* Paramonov,1926
- 48. Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae)      Synonym(s): *nitidulus*  
*Fabricius,1794*
- 49. Aencylorhynchus brussensis (Schiner,1867)** (Asilidae)      Synonym(s): *brussensis*  
*Schiner,1867* **16**
- 50. Aencylorhynchus glaucius (Rossi,1790)** (Asilidae)      Synonym(s): *glaucus* Rossi,1790;  
*variegatus* Wiedemann,1818; *pictus* Wiedemann,1821 **35**
- 51. Aencylorhynchus longicornis (Schiner,1867)** (Asilidae)      Synonym(s): *longicornis*  
*Schiner,1867*
- 52. Andrenosoma albibarbe (Meigen,1820)** (Asilidae)      Synonym(s): *albibarbe* Meigen,1820;  
*adustiventris* Costa,1863; *erythrurum* Loew,1847
- 53. Andrenosoma atrum (Linnaeus,1758)** (Asilidae)      Synonym(s): *atrum* Linnaeus,1758;  
*prostratum* Scopoli,1763
- 54. Andrenosoma cornuta Oldroyd,1972** (Asilidae)      Synonym(s): *cornuta* Oldroyd,1972
- 55. Andrenosoma serratum Hermann,1906** (Asilidae)      Synonym(s): *serratum* Hermann,1906
- 56. Aneomochtherus acratus (Tsacas,1968)** (Asilidae)      Synonym(s): *acratus* Tsacas,1968 **17**  
**59**
- 57. Aneomochtherus aerifacies (Tsacas,1968)** (Asilidae)      Synonym(s): *aerifacies* Tsacas,1968;  
*celaenophanes* Janssens,1968 **35**
- 58. Aneomochtherus grisescens (Tsacas,1968)** (Asilidae)      Synonym(s): *grisescens*  
*Tsacas,1968* **05**
- 59. Aneomochtherus illustris (Schiner,1867)** (Asilidae)      Synonym(s): *illustris* Schiner,1867 **16**
- 60. Aneomochtherus micrasiaticus (Tsacas,1968)** (Asilidae)      Synonym(s): *micrasiaticus*  
*Tsacas,1968* **18 42**
- 61. Aneomochtherus mundus (Loew,1849)** (Asilidae)      Synonym(s): *mundus* Loew,1849;  
*rhodius* Tsacas,1963
- 62. Aneomochtherus perplexus (Becker,1923)** (Asilidae)      Synonym(s): *perplexus*  
*Becker,1923; repentinus* Richter,1963
- 63. Aneomochtherus soleus (Tsacas,1968)** (Asilidae)      Synonym(s): *soleus* Tsacas,1968
- 64. Anisopogon hermanni (Engel,1930)** (Asilidae)      Synonym(s): *hermanni* Engel,1930;  
*modestus* Lehr,1964
- 65. Anthrax anthrax (Schrink,1781)** (Bombyliidae)      Synonym(s): *anthrax* Schrank,1781
- 66. Anthrax binotatus Wiedemann,1820** (Bombyliidae)      Synonym(s): *binotatus*  
*Wiedemann,1820*
- 67. Anthrax flavipes (Röder,1896)** (Bombyliidae)      Synonym(s): *flavipes* Röder,1896
- 68. Anthrax flavus (Sack,1909)** (Bombyliidae)      Synonym(s): *flavus* Sack,1909
- 69. Anthrax leucogaster Wiedemann,1820** (Bombyliidae)      Synonym(s): *leucogaster*  
*Wiedemann,1820*
- 70. Anthrax pilosulus Strobl,1902** (Bombyliidae)      Synonym(s): *pilosulus* Strobl,1902
- 71. Anthrax sticticus Klug,1832** (Bombyliidae)      Synonym(s): *sticticus* Klug, 1832
- 72. Anthrax trifasciatus Meigen,1804** (Bombyliidae)      Synonym(s): *trifasciatus* Meigen,1804
- 73. Anthrax virgo Egger,1859** (Bombyliidae)      Synonym(s): *virgo* Egger,1859
- 74. Antipalus truncatus (Loew,1849)** (Asilidae)      Synonym(s): *truncatus* Loew,1849 **09**
- 75. Antiphrisson adpressus (Loew,1849)** (Asilidae)      Synonym(s): *adpressus* Loew,1849
- 76. Antiphrisson angustifrons Loew,1849** (Asilidae)      Synonym(s): *angustifrons* Loew,1849

- 77. Antiphrisson trifarius (Loew,1849)** (Asilidae) Synonym(s): *trifarius Loew,1849; sareptanus Lichtwardt,1903; thalhammeri Lichtwardt,1903* **35**
- 78. Antocha (Orimargula) alpigena (Mik,1883)** (Limoniiidae) Synonym(s): *alpigena Mik,1883*
- 79. Antocha vitripennis (Meigen,1830)** (Limoniiidae) Synonym(s): *vitripennis Meigen,1830* **48**
- 80. Aphidoletes aphidimyza (Rondani,1847)** (Cecidomyiidae) Synonym(s): *aphidimyza Rondani,1847* **01 31 33 35**
- 81. Aphrosylus Haliday,1851** (Dolichopodidae) Synonym(s): *Aphrosylus Haliday,1851*
- 82. Aphrosylus parcearmatus Parent,1925** (Dolichopodidae) Synonym(s): *parcearmatus Parent,1925* **07**
- 83. Apiomyia bergenstammi (Wachtl,1882)** (Cecidomyiidae) Synonym(s): *bergenstammi Wachtl,1882* **34**
- 84. Apoclea algira (Linnaeus,1767)** (Asilidae) Synonym(s): *algira Linnaeus,1767; alginis Fabricius,1787; vegeta Wiedemann,1828; pallida Macquart,1838; fuscana Macquart,1838; aberrans Schiner,1867; deformis Walker,1871*
- 85. Apoclea helvipes Loew,1873** (Asilidae) Synonym(s): *helvipes Loew,1873*
- 86. Apoclea trivialis Loew,1873** (Asilidae) Synonym(s): *trivialis Loew,1873*
- 87. Apolysis fumipennis (Loew,1844)** (Bombyliidae) Synonym(s): *fumipennis Loew,1844*
- 88. Arctoconopa melampodia (Loew,1873)** (Limoniiidae) Synonym(s): *melampodia Loew,1873*
- 89. Argyra leucocephala (Meigen,1824)** (Dolichopodidae) Synonym(s): *leucocephala Meigen,1824; fulviventris Macquart,1827; fulgens Haliday,1832; pellucens Zetterstedt,1838*
- 90. Arthrocnodax coryligallarum (Targioni-Tozetti,1887)** (Cecidomyiidae) Synonym(s): *coryligallarum Targioni-Tozetti,1887*
- 91. Asiloephesus excisus (Loew,1848)** (Asilidae) Synonym(s): *excisus Loew,1848*
- 92. Asilus crabroniformis Linnaeus,1758** (Asilidae) Synonym(s): *crabroniformis Linnaeus,1758*
- 93. Asphondylia anatolica Skuhrava & Çam,1998** (Cecidomyiidae) Synonym(s): *anatolica Skuhrava & Çam,1998* **60**
- 94. Asphondylia gennadii (Marchal,1904)** (Cecidomyiidae) Synonym(s): *gennadii Marchal,1904; caspici Barnes,1932* **31 33**
- 95. Asphondylia verbasci (Vallot,1827)** (Cecidomyiidae) Synonym(s): *verbasci Vallot,1827* **16 54**
- 96. Asynapta strobi (Kieffer,1920)** (Cecidomyiidae) Synonym(s): *strobi Kieffer,1920* **35**
- 97. Athrycia impressa (van der Wulp,1869)** (Tachinidae) Synonym(s): *impressa van der Wulp,1869* **25**
- 98. Atricops apollinis Lindler,1923** (Athericidae) Synonym(s): *apollinis Lindler,1923* **33**
- 99. Atylotus agricola (Wiedemann,1826)** (Tabanidae) Synonym(s): *agricola Wiedemann,1826* **23 42 66**
- 100. Atylotus austeni (Szilady,1915)** (Tabanidae) Synonym(s): *austeni Szilady,1915; trifasciatus Szilady,1915* **25**
- 101. Atylotus flavoguttatus (Szilady,1915)** (Tabanidae) Synonym(s): *flavoguttatus Szilady,1915* **06 22 26 32 34 39 40 42 50 59 66**
- 102. Atylotus fulvus (Meigen,1820)** (Tabanidae) Synonym(s): *fulvus Meigen,1820* **03 16 34 26 45 57**
- 103. Atylotus hendrixi Leclercq,1967** (Tabanidae) Synonym(s): *hendrixi Leclercq,1967* **01 03 06 26 30 38 42 65**
- 104. Atylotus kerteszi (Szilady,1915)** (Tabanidae) Synonym(s): *kerteszi Szilady,1915* **01**
- 105. Atylotus latistriatus Brauer,1879** (Tabanidae) Synonym(s): *latistriatus Brauer,1879* **34**
- 106. Atylotus loewianus (Vileneue,1920)** (Tabanidae) Synonym(s): *loewianus Vileneue,1920* **11 22 26 34 39 55 57 59**
- 107. Atylotus plebejus (Fallén,1817)** (Tabanidae) Synonym(s): *plebejus Fallén,1817* **42**
- 108. Atylotus protidor (Bogatschev & Samedov,1949)** (Tabanidae) Synonym(s): *protidor Bogatschev & Samedov,1949* **25 36**
- 109. Atylotus pulchellus (Loew,1858)** (Tabanidae) Synonym(s): *pulchellus Loew,1858; cyprianus Ricardo,1911; karybenthinus Szilady,1915* **01 07 26 33**
- 110. Atylotus quadrifarius (Loew,1874)** (Tabanidae) Synonym(s): *quadrifarius Loew,1874; agrestis Wiedemann,1828* **11 25 26 39 42**
- 111. Atylotus rusticus (Linnaeus,1767)** (Tabanidae) Synonym(s): *rusticus Linnaeus,1767* **06 26**
- 112. Atylotus venturii Leclercq,1966** (Tabanidae) Synonym(s): *venturii Leclercq,1966* **59**

- 113.** *Aulagromyza buhri* (De Meijere,1938) (Agromyzidae)      Synonym(s):      *buhri* De Meijere,1938 **48**
- 114.** *Aulagromyza hamata* (Hendel,1932) (Agromyzidae)      Synonym(s):      *hamata* Hendel,1932 **35**
- 115.** *Aulagromyza heringii* (Hendel,1920) (Agromyzidae)      Synonym(s):      *heringii* Hendel,1920 **48**
- 116.** *Aulagromyza orphana* (Hendel,1920) (Agromyzidae)      Synonym(s):      *orphana* Hendel,1920 **35**
- 117.** *Aulagromyza populi* (Kaltenbach,1864) (Agromyzidae)      Synonym(s):      *populi* Kaltenbach,1864 **32 35**
- 118.** *Aulagromyza trivittata* (Loew,1873) (Agromyzidae)      Synonym(s):      *trivittata* Loew,1873 **10**
- 119.** *Austrolimnophila* (s.str.) *brevicellula* Stary,1977 (Limoniidae)      Synonym(s):      *brevicellula* Stary,1977 **48**
- 120.** *Azelia gibbera* (Meigen,1826) (Muscidae)      Synonym(s):      *gibbera* Meigen,1826
- 121.** *Baccha elongata* (Fabricius,1775) (Syrphidae)      Synonym(s):      *elongata* Fabricius,1775 **37 46**
- 122.** *Baeoura alexanderi* Mendl & Tjeder,1974 (Limoniidae)      Synonym(s):      *alexanderi* Mendl & Tjeder,1974 **48**
- 123.** *Baeoura schachti* Mendl,1986 (Limoniidae)      Synonym(s):      *schachti* Mendl,1986
- 124.** *Baryphora speciosa* Loew,1844 (Therevidae)      Synonym(s):      *speciosa* Loew,1844 **07 20 32 33 35 42 48**
- 125.** *Basilia mongolensis* Theodor,1966 (Nycteribiidae)      Synonym(s):      *mongolensis* Theodor,1966 **15 49**
- 126.** *Basilia nana* Theodor & Moscona,1954 (Nycteribiidae)      Synonym(s):      *nana* Theodor & Moscona,1954 **07 20 80**
- 127.** *Bazarella subneglecta* (Tonnoir,1922) (Psychodidae)      Synonym(s):      *subneglecta* Tonnoir,1922 **25**
- 128.** *Beckerellus androgynus* (Loew,1855) (Bombyliidae)      Synonym(s):      *androgynus* Loew,1855
- 129.** *Beris clavipes* (Linnaeus,1767) (Stratiomyidae)      Synonym(s):      *clavipes* Linnaeus,1767; *nigroptera* Geoffroy,1785; *nigritarsis* Latreille,1805 **32 38**
- 130.** *Bibio hortulanus* (Linnaeus,1758) (Bibionidae)      Synonym(s):      *hortulanus* Linnaeus,1758
- 131.** *Bithia immaculata* (Herting,1971) (Tachinidae)      Synonym(s):      *immaculata* Herting,1971 **25**
- 132.** *Bithia maculifacies* Tschorasnig & Kara,2002 (Tachinidae)      Synonym(s):      *maculifacies* Tschorasnig & Kara,2002 **50 60**
- 133.** *Bithia modesta* (Meigen,1824) (Tachinidae)      Synonym(s):      *modesta* Meigen,1824; *invaria* Walker,1849; *grisea* Perris,1852; *vetusa* Pandelle,1896 **25**
- 134.** *Blaesoxipha calliste* Pape,1994 (Sarcophagidae)      Synonym(s):      *calliste* Pape,1994
- 135.** *Blaesoxipha cochlearis* (Pandellé,1894) (Sarcophagidae)      Synonym(s):      *cochlearis* Pandellé,1894 **05**
- 136.** *Blaesoxipha lapidosa* Pape,1994 (Sarcophagidae)      Synonym(s):      *lapidosa* Pape,1994
- 137.** *Blaesoxipha laticornis* (Meigen,1826) (Sarcophagidae)      Synonym(s):      *laticornis* Meigen,1826
- 138.** *Blaesoxipha lautaretensis* (Villeneuve,1928) (Sarcophagidae)      Synonym(s):      *lautaretensis* Villeneuve,1928
- 139.** *Blaesoxipha lindneri* Rohdendorf,1937 (Sarcophagidae)      Synonym(s):      *lindneri* Rohdendorf,1937
- 140.** *Blaesoxipha litoralis* (Villeneuve,1911) (Sarcophagidae)      Synonym(s):      *litoralis* Villeneuve,1911
- 141.** *Blaesoxipha plumicornis* (Zetterstedt,1859) (Sarcophagidae)      Synonym(s):      *plumicornis* Zetterstedt,1859
- 142.** *Blaesoxipha pygmaea* (Zetterstedt,1845) (Sarcophagidae)      Synonym(s):      *pygmaea* Zetterstedt,1845
- 143.** *Blaesoxipha rufipes* (Macquart,1839) (Sarcophagidae)      Synonym(s):      *rufipes* Macquart,1839 **07**
- 144.** *Blaesoxipha ungulata* (Pandellé,1896) (Sarcophagidae)      Synonym(s):      *ungulata* Pandellé,1896

- 145. *Blepharipa scutellata* (Robineau-Desvoidy,1830)** (Tachinidae)      Synonym(s):  
*scutellata Robineau-Desvoidy,1830* **12**
- 146. *Blondelia nigripes* (Fallén,1810)** (Tachinidae)      Synonym(s): *nigripes Fallén,1810* **25**
- 147. *Bombomyia discoidea* (Fabricius,1794)** (Bombyliidae)      Synonym(s): *discoidea*  
*Fabricius,1794*
- 148. *Bombomyia stictica* (Boisduval,1835)** (Bombyliidae)      Synonym(s): *stictica*  
*Boisduval,1835*
- 149. *Bombyella atra* (Scopoli,1763)** (Bombyliidae)      Synonym(s): *atra Scopoli,1763* **65**
- 150. *Bombylisoma breviusculum* (Loew,1855)** (Bombyliidae)      Synonym(s): *breviusculum*  
*Loew,1855*
- 151. *Bombylisoma croaticum* (Kertesz,1901)** (Bombyliidae)      Synonym(s): *croaticum*  
*Kertesz,1901*
- 152. *Bombylisoma melanocephalum* (Fabricius,1794)** (Bombyliidae)      Synonym(s):  
*melanocephalum Fabricius,1794*
- 153. *Bombylisoma minimum* (Scopoli,1772)** (Bombyliidae)      Synonym(s): *minimum*  
*Scopoli,1772*
- 154. *Bombylisoma nigriceps* (Loew,1862)** (Bombyliidae)      Synonym(s): *nigriceps Loew,1862*
- 155. *Bombylisoma simulator* (Loew,1855)** (Bombyliidae)      Synonym(s): *simulator*  
*Loew,1855*
- 156. *Bombylisoma turkmenicum* (Paramonov,1926)** (Bombyliidae)      Synonym(s):  
*turkmenicum Paramonov,1926*
- 157. *Bombylisoma unicolor* (Loew,1855)** (Bombyliidae)      Synonym(s): *unicolor Loew,1855*
- 158. *Bombylius aksarayensis* Hasbenli & Zaitzev,2000** (Bombyliidae)      Synonym(s):  
*aksarayensis Hasbenli & Zaitzev,2000* **68**
- 159. *Bombylius ambustus* Pallas & Wiedemann,1818** (Bombyliidae)      Synonym(s):  
*ambustus Pallas & Wiedemann,1818; dispar Meigen,1820*
- 160. *Bombylius analis* Olivier,1789** (Bombyliidae)      Synonym(s): *analis Olivier,1789; undatus*  
*Mikan,1796*
- 161. *Bombylius candidus* Loew,1855** (Bombyliidae)      Synonym(s): *candidus Loew,1855*
- 162. *Bombylius canescens* Mikan,1796** (Bombyliidae)      Synonym(s): *canescens Mikan,1796;*  
*cinereus Meigen,1804; variabilis Loew,1855*
- 163. *Bombylius cinerarius* (Pallas & Wiedemann,1818)** (Bombyliidae)      Synonym(s):  
*cinerarius Pallas & Wiedemann,1818*
- 164. *Bombylius cinerascens* Mikan,1796** (Bombyliidae)      Synonym(s): *cinerascens*  
*Mikan,1796; floralis Meigen,1820*
- 165. *Bombylius citrinus* Loew,1855** (Bombyliidae)      Synonym(s): *citrinus Loew,1855*
- 166. *Bombylius spinulosus* Hasbenli & Zaitzev,2000** (Bombyliidae)      Synonym(s):  
*spinulosus Hasbenli & Zaitzev,2000*
- 167. *Brachineura squamigera* (Winnertz,1853)** (Cecidomyiidae)      Synonym(s):  
*squamigera Winnertz,1853* **06**
- 168. *Brachyceraea brevicornis* (Loew,1847)** (Conopidae)      Synonym(s): *brevicornis*  
*Loew,1847* **08 24 25 36**
- 169. *Brachytarsina flavipennis* Macquart,1851** (Streblidae)      Synonym(s): *flavipennis*  
*Macquart,1851* **01 07 10 31 80**
- 170. *Callostoma oezbeki* Dils & Özbek,2006** (Bombyliidae)      Synonym(s): *oezbeki Dils &*  
*Özbek,2006* **44 73**
- 171. *Calycomyza humeralis* (von Roser,1840)** (Agromyzidae)      Synonym(s): *humeralis von*  
*Roser,1840* **35 47 63**
- 172. *Campiglossa absinthii* (Fabricius,1805)** (Tephritidae)      Synonym(s): *absinthii*  
*Fabricius,1805; maculata Robineau-Desvoidy,1830; elongatula Loew,1862; parvula Loew,1862; cilicornis*  
*M.Hering,1941* **08**
- 173. *Campiglossa difficilis* Hendel,1927** (Tephritidae)      Synonym(s): *difficilis Hendel,1927;*  
*tessellata Zetterstedt,1847* **32**
- 174. *Campiglossa lederi* (Hendel,1927)** (Tephritidae)      Synonym(s): *lederi Hendel,1927* **07**  
**38 39**
- 175. *Campiglossa producta* Loew,1844** (Tephritidae)      Synonym(s): *producta Loew,1844* **01**  
**06 07 08 15 25 29 32 33 41 42 45 51 38 48 58 65 66 70**
- 176. *Campiglossa tesellata* (Loew,1844)** (Tephritidae)      Synonym(s): *tesellata Loew,1844;*  
*producta Loew,1844* **04 07 35 38 45 48 65**
- 177. *Camptomyia pinicola* Mamaev,1961** (Cecidomyiidae)      Synonym(s): *pinicola*  
*Mamaev,1961* **35 45**

- 178.** *Capitetes ramulosa* (Loew,1844) (Tephritidae)      Synonym(s): *ramulosa* Loew,1844;  
*radiata* Macquart,1849 **58**
- 179.** *Ceratitis* (s.str.) *capitata* (Wiedemann,1824) (Tephritidae)      Synonym(s): *capitata*  
 Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924
- 180.** *Ceratitis* (s.str.) *Mac Leay,1829* (Tephritidae)      Synonym(s): *Ceratitis* Mac Leay,1829;  
*Pinacochaeta* Munro,1933
- 181.** *Cerdistus dactylopygus* Janssens,1968 (Asilidae)      Synonym(s): *dactylopygus*  
 Janssens,1968
- 182.** *Cerdistus debilis* Becker,1923 (Asilidae)      Synonym(s): *debilis* Becker,1923
- 183.** *Cerdistus denticulatus* Loew,1849 (Asilidae)      Synonym(s): *denticulatus* Loew,1849 **22**
- 184.** *Cerdistus erythruroides* Theodor,1980 (Asilidae)      Synonym(s): *erythruroides*  
 Theodor,1980
- 185.** *Cerdistus manii* Schiner,1867 (Asilidae)      Synonym(s): *manii* Schiner,1867
- 186.** *Cerodontha* (*Butomomyza*) *angulata* (Loew,1869) (Agromyzidae)      Synonym(s):  
*angulata* Loew,1869
- 187.** *Cerodontha* (*Butomomyza*) *pseuderrans* (Hendel,1931) (Agromyzidae)  
 Synonym(s): *pseuderrans* Hendel,1931 **53**
- 188.** *Cerodontha* (*Butomomyza*) *scutellaris* (von Roser,1840) (Agromyzidae)  
 Synonym(s): *scutellaris* von Roser,1840 **63**
- 189.** *Cerodontha* (*Dizygomyza*) *bimaculata* (Meigen,1830) (Agromyzidae)  
 Synonym(s): *bimaculata* Meigen,1830 **32**
- 190.** *Cerodontha* (*Poemyza*) *imbuta* (Meigen,1838) (Agromyzidae)      Synonym(s): *imbuta*  
 Meigen,1838 **53**
- 191.** *Cerodontha* (*Poemyza*) *incisa* (Meigen,1830) (Agromyzidae)      Synonym(s): *incisa*  
 Meigen,1830 **33**
- 192.** *Cerodontha* (*Poemyza*) *lateralis* (Macquart,1835) (Agromyzidae)      Synonym(s):  
*lateralis* Macquart,1835
- 193.** *Cerodontha* (*Poemyza*) *pygmaea* (Meigen,1830) (Agromyzidae)      Synonym(s):  
*pygmaea* Meigen,1830
- 194.** *Cerodontha* (s.str.) *denticornis* (Panzer,1806) (Agromyzidae)      Synonym(s):  
*denticornis* Panzer,1806 **21 35 47 63**
- 195.** *Cerodontha* (s.str.) *fulvipes* (Meigen,1830) (Agromyzidae)      Synonym(s): *fulvipes*  
 Meigen,1830 **08 53 61**
- 196.** *Cerodontha* (s.str.) *Rondani,1861* (Agromyzidae)      Synonym(s): *Cerodontha*  
 Rondani,1861
- 197.** *Chaetorellia carthami* Stackelberg,1929 (Tephritidae)      Synonym(s): *carthami*  
 Stackelberg,1929 **38 58**
- 198.** *Chaetorellia loricata* (Rondani,1870) (Tephritidae)      Synonym(s): *loricata*  
 Rondani,1870 **38 58**
- 199.** *Chaetostomella cylindrica* (Robineau-Desvoidy,1830) (Tephritidae)      Synonym(s):  
*cylindrica* Robineau-Desvoidy,1830 **38 58**
- 200.** *Cheilosia aerea* Dufour,1848 (Syrphidae)      Synonym(s): *aerea* Dufour,1848 **37**
- 201.** *Cheilosia albiparsis* (Meigen,1822) (Syrphidae)      Synonym(s): *albitarsis* Meigen,1822 **37**
- 202.** *Cheilosia canicularis* (Panzer,1801) (Syrphidae)      Synonym(s): *canicularis* Panzer,1801  
**37**
- 203.** *Cheilosia illustrata* (Harris,1776) (Syrphidae)      Synonym(s): *illustrata* Harris,1776 **75**
- 204.** *Cheilosia proxima* (Zetterstedt,1843) (Syrphidae)      Synonym(s): *proxima*  
 Zetterstedt,1843 **37**
- 205.** *Cheilosia rufipes* (Preyssler,1793) (Syrphidae)      Synonym(s): *rufipes* Preyssler,1793 **38**
- 206.** *Cheilosia scutellata* (Fallén,1817) (Syrphidae)      Synonym(s): *scutellata* Fallén,1817 **37**
- 207.** *Cheilosia soror* (Zetterstedt,1843) (Syrphidae)      Synonym(s): *soror* Zetterstedt,1843 **37**
- 208.** *Cheilosia urbana* (Meigen,1822) (Syrphidae)      Synonym(s): *urbana* Meigen,1822 **37**
- 209.** *Cheilosia variabilis* (Panzer,1798) (Syrphidae)      Synonym(s): *variabilis* Panzer,1798 **37**
- 210.** *Cheilotrichia* (*Empeda*) *cinerascens* (Meigen,1804) (Limoniidae)      Synonym(s):  
*cinerascens* Meigen,1804
- 211.** *Chloromyia speciosa* (Macquart,1834) (Stratiomyidae)      Synonym(s): *speciosa*  
 Macquart,1834; *melampogon* Zeller,1842; *subalpina* Strobl,1910; *nigripes* Pleske,1926 **65**
- 212.** *Choerades fimbriata* (Meigen,1820) (Asilidae)      Synonym(s): *fimbriata* Meigen,1820
- 213.** *Choerades fuliginosa* (Panzer,1798) (Asilidae)      Synonym(s): *fuliginosa* Panzer,1798

- 214.** **Choerades loewi Lehr,1991** (Asilidae) Synonym(s): *loewi Lehr,1991*
- 215.** **Choerades ursula (Loew,1851)** (Asilidae) Synonym(s): *ursula Loew,1851*
- 216.** **Chromatomyia ciliata (Hendel,1935)** (Agromyzidae) Synonym(s): *ciliata Hendel,1935*
- 25
- 217.** **Chromatomyia fuscula (Zetterstedt,1838)** (Agromyzidae) Synonym(s): *fuscula Zetterstedt,1838* **46**
- 218.** **Chromatomyia horticola (Goureau,1851)** (Agromyzidae) Synonym(s): *horticola Goureau,1851* **01 06 21 31 34 35 47 48 63**
- 219.** **Chromatomyia luzulae (M.Hering,1924)** (Agromyzidae) Synonym(s): *luzulae M.Hering,1924* **53**
- 220.** **Chromatomyia milii (Kaltenbach,1864)** (Agromyzidae) Synonym(s): *mili Kaltenbach,1864* **35**
- 221.** **Chromatomyia nigra (Meigen,1830)** (Agromyzidae) Synonym(s): *nigra Meigen,1830* **23**
- 222.** **Chromatomyia scolopendri (Robineau-Desvoidy,1851)** (Agromyzidae) Synonym(s): *scolopendri Robineau-Desvoidy,1851* **48**
- 223.** **Chromatomyia succisae (M.Hering,1922)** (Agromyzidae) Synonym(s): *succisae M.Hering,1922*
- 224.** **Chrysogaster chalybeata Meigen,1822** (Syrphidae) Synonym(s): *chalybeata Meigen,1822* **38**
- 225.** **Chrysogaster coemiteriorum (Linnaeus,1758)** (Syrphidae) Synonym(s): *coemiteriorum Linnaeus,1758* **37**
- 226.** **Chrysogaster tumescens (Loew,1854)** (Syrphidae) Synonym(s): *tumescens Loew,1854* **25**
- 227.** **Chrysopilus pallipes (Loew,1869)** (Rhagionidae) Synonym(s): *pallipes Loew,1869* **48**
- 228.** **Chrysops (Petersenichrysops) buxtoni Austen,1922** (Tabanidae) Synonym(s): *buxtoni Austen,1922* **06 23 26 33 40 42**
- 229.** **Chrysops (Petersenichrysops) compactus Austen,1924** (Tabanidae) Synonym(s): *compactus Austen,1924* **07 20**
- 230.** **Chrysops (Petersenichrysops) hamatus Loew,1858** (Tabanidae) Synonym(s): *hamatus Loew,1858* **06 07 18 20 23 26 31 35 48**
- 231.** **Chrysops (s.str.) caecutiens (Linnaeus,1761)** (Tabanidae) Synonym(s): *caecutiens (Linnaeus,1761)* **03 11 12 14 17 22 25 26 34 39 48 55 58 59**
- 232.** **Chrysops (s.str.) flavipes Meigen,1804** (Tabanidae) Synonym(s): *flavipes Meigen,1804; punctifer Loew,1858; #favipes Kılıç,1999* **01 03 04 06 07 10 11 13 14 16 17 18 20 21 22 23 24 25 26 30 31 33 34 35 36 38 40 42 44 45 48 50 58 59 65 66**
- 233.** **Chrysops (s.str.) italicus Meigen,1804** (Tabanidae) Synonym(s): *italicus Meigen,1804; nigriventris Loew,1856* **06 07 17 35**
- 234.** **Chrysops (s.str.) relictus Meigen,1820** (Tabanidae) Synonym(s): *relictus Meigen,1820* **39**
- 235.** **Chrysops (s.str.) sejunctus Szilady,1917** (Tabanidae) Synonym(s): *sejunctus Szilady,1917* **04 25 30 36 53**
- 236.** **Chrysops (s.str.) viduatus (Fabricius,1794)** (Tabanidae) Synonym(s): *viduatus Fabricius,1794; pictus Meigen,1820* **03 14 22 34 38 39 42 59 75**
- 237.** **Chrysotoxum festivum (Linnaeus,1758)** (Syrphidae) Synonym(s): *festivum Linnaeus,1758* **25 37 38 75**
- 238.** **Chrysotoxum intermedium Meigen,1822** (Syrphidae) Synonym(s): *intermedium Meigen,1822* **37 38**
- 239.** **Chrysotoxum parvum Rondani,1845** (Syrphidae) Synonym(s): *parvum Rondani,1845* **38**
- 240.** **Chrysotus albobarbus Loew,1857** (Dolichopodidae) Synonym(s): *albobarbus Loew,1857*
- 241.** **Chrysotus alpicola Strobl,1893** (Dolichopodidae) Synonym(s): *alpicola Strobl,1893; nigerrimus Becker,1918*
- 242.** **Chrysotus cilipes Meigen,1824** (Dolichopodidae) Synonym(s): *cilipes Meigen,1824; subfemoratus Frey,1839; callidus Parent,1944*
- 243.** **Chrysotus obscuripes Zetterstedt,1838** (Dolichopodidae) Synonym(s): *obscuripes Zetterstedt,1838; amplicornis Lowarz,1874; kowarzi Lundbeck,1912*
- 244.** **Chrysotus pennatus Lichtwardt,1902** (Dolichopodidae) Synonym(s): *pennatus Lichtwardt,1902*
- 245.** **Chrysotus suavis Loew,1857** (Dolichopodidae) Synonym(s): *suavis Loew,1857*

- 246.** **Clinodiplosis botularia (Winnertz,1853)** (Cecidomyiidae)    Synonym(s): *botularia Winnertz,1853* **34**
- 247.** **Coenosia agromyzina (Fallén,1825)** (Muscidae)    Synonym(s): *agromyzina Fallén,1825*
- 248.** **Coenosia nigridigita Rondani,1866** (Muscidae)    Synonym(s): *nigridigita Rondani,1866*
- 249.** **Coenosia testacea (Robineau-Desvoidy,1830)** (Muscidae)    Synonym(s): *testacea Robineau-Desvoidy,1830*
- 250.** **Coenosia tigrina (Fabricius,1775)** (Muscidae)    Synonym(s): *tigrina Fabricius,1775*
- 251.** **Colobaea punctata (Lundbeck,1923)** (Sciomyzidae)    Synonym(s): *punctata Lundbeck,1923*
- 252.** **Compsilura concinnata (Meigen,1824)** (Tachinidae)    Synonym(s): *concinnata Meigen,1824* **25**
- 253.** **Coniosternum moceki Sifner,2004** (Scathophagidae)    Synonym(s): *moceki Sifner,2004* **68**
- 254.** **Conogaster pruinosa (Meigen,1824)** (Tachinidae)    Synonym(s): *pruinosa Meigen,1824* **25**
- 255.** **Conophorus aktashi Hasbenli, Koç & Zaitzev,1998** (Bombyliidae)    Synonym(s): *aktashi Hasbenli, Koç & Zaitzev,1998*
- 256.** **Conophorus anatolicus Zaitzev,1981** (Bombyliidae)    Synonym(s): *anatolicus Zaitzev,1981*
- 257.** **Conophorus asiaticus Paramonov,1929** (Bombyliidae)    Synonym(s): *asiaticus Paramonov,1929* **15 38**
- 258.** **Conophorus bivittatus (Loew,1862)** (Bombyliidae)    Synonym(s): *bivittatus Loew,1862*
- 259.** **Conophorus glaucescens (Loew,1863)** (Bombyliidae)    Synonym(s): *glaucescens Loew,1863; #glaucenses Hasbenli & Aktaş,1995* **06 15 32 38**
- 260.** **Conophorus gracilis Dils & Özbek,2006** (Bombyliidae)    Synonym(s): *gracilis Dils & Özbek,2006* **17 33 35 38 42 48 51 70**
- 261.** **Conophorus nobilis (Loew,1873)** (Bombyliidae)    Synonym(s): *nobilis Loew,1873* **06 07 38**
- 262.** **Conophorus rossicus Paramonov,1929** (Bombyliidae)    Synonym(s): *rossicus Paramonov,1929*
- 263.** **Conophorus simplex Loew,1869** (Bombyliidae)    Synonym(s): *simplex Loew,1869* **35 45**
- 264.** **Conophorus syriacus Paramonov,1929** (Bombyliidae)    Synonym(s): *syriacus Paramonov,1929*
- 265.** **Conophorus virescens (Fabricius,1787)** (Bombyliidae)    Synonym(s): *virescens Fabricius,1787* **06 38**
- 266.** **Conops flavicaudus (Bigot,1880)** (Conopidae)    Synonym(s): *flavicaudus Bigot,1880; euzonatus Bigot,1887; superbus Röder,1899; cypris Janssens,1955; #falcicaudus Stucke, Hayat & Özbek,2008* **48 65**
- 267.** **Conops flavifrons Meigen,1824** (Conopidae)    Synonym(s): *flavifrons Meigen,1824* **24 25 31 63**
- 268.** **Conops flavipes Linnaeus,1758** (Conopidae)    Synonym(s): *flavipes Linnaeus,1758* **25 75**
- 269.** **Conops insignis Loew,1848** (Conopidae)    Synonym(s): *insignis Loew,1848* **25 36**
- 270.** **Conops quadrifasciatus De Geer,1776** (Conopidae)    Synonym(s): *quadrifasciatus De Geer,1776* **06 25**
- 271.** **Conops silaceus Wiedemann,1824** (Conopidae)    Synonym(s): *silaceus Wiedemann,1824* **06 09 11 36 42**
- 272.** **Conops tomentosus Kröber,1916** (Conopidae)    Synonym(s): *tomentosus Kröber,1916* **76**
- 273.** **Conops vesicularis Linnaeus,1761** (Conopidae)    Synonym(s): *vesicularis Linnaeus,1761* **25**
- 274.** **Contarinia citri Barnes,1944** (Cecidomyiidae)    Synonym(s): *citri Barnes,1944*
- 275.** **Contarinia coryli (Kaltenbach,1859)** (Cecidomyiidae)    Synonym(s): *coryli Kaltenbach,1859; corylina Loew,1878*
- 276.** **Contarinia nasturtii (Kieffer,1888)** (Cecidomyiidae)    Synonym(s): *nasturtii Kieffer,1888*
- 277.** **Contarinia populi (Rübsaamen,1917)** (Cecidomyiidae)    Synonym(s): *populi Rübsaamen,1917* **10 34**
- 278.** **Contarinia pyrivora (Riley,1886)** (Cecidomyiidae)    Synonym(s): *pyrivora Riley,1886* **06**
- 279.** **Coremacera amoena (Loew,1853)** (Sciomyzidae)    Synonym(s): *amoena Loew,1853* **06 30 73**

- 280.** **Coremacera catenata** (Loew,1847) (Sciomyzidae) Synonym(s): *catenata Loew,1847* **02**  
**14 15 36 47**
- 281.** **Coremacera marginata** (Fabricius,1781) (Sciomyzidae) Synonym(s): *marginata Fabricius,1781* **14**
- 282.** **Coremacera obscuripennis** (Loew,1845) (Sciomyzidae) Synonym(s): *obscuripennis Loew,1845* **73**
- 283.** **Coremacera trivittata** (Loew,1860) (Sciomyzidae) Synonym(s): *trivittata Loew,1860*
- 284.** **Craticulina tabaniformis** (Fabricius,1805) (Sarcophagidae) Synonym(s): *tabaniformis Fabricius,1805* **07**
- 285.** **Crobilocerus engeli** Geller-Grimm & Hradski,1999 (Asilidae) Synonym(s): *engeli Geller-Grimm & Hradski,1999*
- 286.** **Crobilocerus megilliformis** (Loew,1847) (Asilidae) Synonym(s): *megilliformis Loew,1847*
- 287.** **Ctenophora (s.str.) guttata** Meigen,1818 (Tipulidae) Synonym(s): *guttata Meigen,1818*
- 288.** **Cylindromyia brassicaria** (Fabricius,1775) (Tachinidae) Synonym(s): *brassicaria Fabricius,1775; boscii Robineau-Desvoidy,1830; trinacrina Bigot,1878; sapporensis Matsumura,1916* **25**
- 289.** **Cylindromyia intermedia** (Meigen,1824) (Tachinidae) Synonym(s): *intermedia Meigen,1824* **25**
- 290.** **Cylindromyia montana** Kugler,1974 (Tachinidae) Synonym(s): *montana Kugler,1974* **25**
- 291.** **Cyllenia rustica** (Rossi,1790) (Bombyliidae) Synonym(s): *rustica Rossi,1790* **01**
- 292.** **Cyrtiopsis melleus** (Loew,1856) (Mythicomyiidae) Synonym(s): *melleus Loew,1856*
- 293.** **Cytherea obscura** Fabricius,1794 (Bombyliidae) Synonym(s): *obscura Fabricius,1794*
- 294.** **Cytherea pallidipennis** (Abbasian-Lintzen,1968) (Bombyliidae) Synonym(s): *pallidipennis Abbasian-Lintzen,1968* **12 30 73**
- 295.** **Cytherea speciosa** Loew,1844 (Bombyliidae) Synonym(s): *speciosa Loew,1844*
- 296.** **Dactylolabis (Dactylolabis) jonica** Lackschewitz,1940 (Limoniidae) Synonym(s): *jonica Lackschewitz,1940* **48**
- 297.** **Dalmannia marginata** (Meigen,1824) (Conopidae) Synonym(s): *marginata Meigen,1824* **42**
- 298.** **Dalmannia punctata** (Fabricius,1794) (Conopidae) Synonym(s): *punctata Fabricius,1794* **42**
- 299.** **Dasineura affinis** (Kieffer,1886) (Cecidomyiidae) Synonym(s): *affinis Kieffer,1886* **06**  
**35**
- 300.** **Dasineura crataegi** (Winnertz,1853) (Cecidomyiidae) Synonym(s): *crataegi Winnertz,1853* **06 16 54**
- 301.** **Dasineura oleae** (Loew,1885) (Cecidomyiidae) Synonym(s): *oleae Loew,1885* **07 16 20**  
**31**
- 302.** **Dasineura refescens** (Stefani,1896) (Cecidomyiidae) Synonym(s): *refescens Stefani,1896* **11 16**
- 303.** **Dasineura rosae** (Bremi,1847) (Cecidomyiidae) Synonym(s): *rosae Bremi,1847; rosarum Hardy,1850* **06 26**
- 304.** **Dasineura viciae** (Kieffer,1888) (Cecidomyiidae) Synonym(s): *viciae Kieffer,1888*
- 305.** **Dasyphora albofasciata** (Macquart,1839) (Muscidae) Synonym(s): *albofasciata Macquart,1839; aeneomicans Portschinsky,1881*
- 306.** **Dasyphora penicillata** (Egger,1865) (Muscidae) Synonym(s): *penicillata Egger,1865*
- 307.** **Dasyphora pratorum** (Meigen,1826) (Muscidae) Synonym(s): *pratorum Meigen,1826*
- 308.** **Dasypogon diadema** (Fabricius,1781) (Asilidae) Synonym(s): *diadema Fabricius,1781; punctatus Fabricius,1781; boemicus Preyssler,1790; analis Fabricius,1794; cylindrica Fabricius,1794; nervosus Meigen,1804; liburnicus Germar,1817; fasciatus Meigen,1820; umbrosus Brullé,1832; sicanus Costa,1853; rubidus Hermann,1906* **35 48**
- 309.** **Dasypogon geradi** Weinberg,1987 (Asilidae) Synonym(s): *geradi Weinberg,1987*
- 310.** **Dasypogon irinelae** Weinberg,1986 (Asilidae) Synonym(s): *irinelae Weinberg,1986*
- 311.** **Dasypogon octonotatus** Loew,1869 (Asilidae) Synonym(s): *octonotatus Loew,1869; melanopterus Loew,1869*
- 312.** **Dasyramphis anthracinus** (Meigen,1820) (Tabanidae) Synonym(s): *anthracinus Meigen,1820* **22**
- 313.** **Dasyramphis ater** (Austen,1925) (Tabanidae) Synonym(s): *ater Austen,1925* **17 25 34**  
**55 59**

- 314. *Dasyramphis carbonarius* (Meigen,1820)** (Tabanidae)      Synonym(s): *carbonarius*  
*Meigen,1820; gagates Loew,1858* **05 11 26 30 31 33 46 54**
- 315. *Dasyramphis nigritus* (Fabricius,1794)** (Tabanidae)      Synonym(s): *nigritus*  
*Fabricius,1794; alexandrinus Wiedemann,1830* **01 33 38**
- 316. *Dasyramphis umbrinus* (Meigen,1820)** (Tabanidae)      Synonym(s): *umbrinus*  
*Meigen,1820* **01 03 06 10 11 14 17 18 19 22 25 26 33 34 36 38 39 40 42 45 50 51 55 59 66**
- 317. *Dasysyrphus albotriatus* (Fallén,1817)** (Syrphidae)      Synonym(s): *albotriatus*  
*Fallén,1817* **37**
- 318. *Dasysyrphus lunulatus* (Meigen,1822)** (Syrphidae)      Synonym(s): *lunulatus*  
*Meigen,1822* **38**
- 319. *Dasysyrphus pinastri* (De Geer,1776)** (Syrphidae)      Synonym(s): *pinastri De Geer,1776*  
**37**
- 320. *Delia radicum* (Linnaeus,1758)** (Anthomyiidae)      Synonym(s): *radicum Linnaeus,1758*  
**25**
- 321. *Diaphorus varifrons* Becker,1918** (Dolichopodidae)      Synonym(s): *varifrons Becker,1918*
- 322. *Dichetophora oblitterata* (Fabricius,1805)** (Sciomyzidae)      Synonym(s): *oblitterata*  
*Fabricius,1805* **30 73**
- 323. *Dicranomyia (Glochina) sericata* (Meigen,1830)** (Limoniidae)      Synonym(s):  
*sericata Meigen,1830* **48**
- 324. *Dicranomyia (Glochina) transsilvanica* Lackschewitz,1928** (Limoniidae)  
 Synonym(s): *transsilvanica Lackschewitz,1928*
- 325. *Dicranomyia (Melanolimonia) hamata* Becker,1908** (Limoniidae)      Synonym(s):  
*hamata Becker,1908*
- 326. *Dicranomyia (Melanolimonia) morio* (Fabricius,1787)** (Limoniidae)  
 Synonym(s): *morio Fabricius,1787*
- 327. *Dicranomyia (Melanolimonia) rufiventris* (Strobl,1900)** (Limoniidae)  
 Synonym(s): *rufiventris Strobl,1900* **48**
- 328. *Dicranomyia (Numantia) fusca* (Meigen,1804)** (Limoniidae)      Synonym(s): *fusca*  
*Meigen,1804*
- 329. *Dicranomyia (s.str.) chorea* (Meigen,1818)** (Limoniidae)      Synonym(s): *chorea*  
*Meigen,1818* **48**
- 330. *Dicranomyia (s.str.) goritiensis* (Mik,1864)** (Limoniidae)      Synonym(s): *goritiensis*  
*Mik,1864* **48**
- 331. *Dicranomyia (s.str.) kamakensis* Stary,1993** (Limoniidae)      Synonym(s): *kamakensis*  
*Stary,1993* **48**
- 332. *Dicranomyia (s.str.) livornica* Lackschewitz,1928** (Limoniidae)      Synonym(s):  
*livornica Lackschewitz,1928*
- 333. *Dicranomyia (s.str.) lucida* De Meijere,1918** (Limoniidae)      Synonym(s): *lucida De*  
*Meijere,1918* **48**
- 334. *Dicranomyia (s.str.) mitis* (Meigen,1830)** (Limoniidae)      Synonym(s): *mitis*  
*Meigen,1830* **48**
- 335. *Dicranomyia (s.str.) modesta* (Meigen,1818)** (Limoniidae)      Synonym(s): *modesta*  
*Meigen,1818* **48**
- 336. *Dicranomyia (s.str.) ornata* (Meigen,1818)** (Limoniidae)      Synonym(s): *ornata*  
*Meigen,1818*
- 337. *Dicranomyia (s.str.) sera* (Walker,1848)** (Limoniidae)      Synonym(s): *sera*  
*Walker,1848*
- 338. *Dicranomyia (s.str.) signata* Lackschewitz & Pagast,1941** (Limoniidae)  
 Synonym(s): *modesta Lackschewitz & Pagast,1941 nec Meig.,1818; signata Lackschewitz & Pagast,1941* **48**
- 339. *Dicranomyia (s.str.) signatella* Stary & Freidberg,2007** (Limoniidae)  
 Synonym(s): *signatella Stary & Freidberg,2007*
- 340. *Dicranomyia (s.str.) ventralis* (Schummel,1829)** (Limoniidae)      Synonym(s):  
*ventralis Schummel,1829*
- 341. *Dicranophragma (Brachylinnophila) adjunctum* (Walker,1848)** (Limoniidae)  
 Synonym(s): *adjunctum Walker,1848*
- 342. *Dicranophragma (Brachylinnophila) nemorale* (Meigen,1818)** (Limoniidae)  
 Synonym(s): *nemorale Meigen,1818*
- 343. *Dicranoptycha (s.str.) fuscescens* (Schummel,1829)** (Limoniidae)      Synonym(s):  
*fuscescens Schummel,1829* **48**

- 344.** **Dicranoptycha (Ulugbekia) savtshenkoi Mendl,1976** (Limoniiidae)      Synonym(s):  
*savtshenkoi Mendl,1976* **48**
- 345.** **Dicranota (Ludicia) lucidipennis (Edwards,1921)** (Pediciidae)      Synonym(s):  
*lucidipennis Edwards,1921*
- 346.** **Dicranota (Paradicranota) robusta Lundstrom,1912** (Pediciidae)      Synonym(s):  
*robusta Lundstrom,1912*
- 347.** **Dicrodiplosis pseudococci (Felt,1914)** (Cecidomyiidae)      Synonym(s): *pseudococci*  
*Felt,1914*
- 348.** **Dictenidia bimaculata (Linnaeus,1760)** (Tipulidae)      Synonym(s): *bimaculata*  
*Linnaeus,1760*
- 349.** **Didysmachus picipes (Meigen,1820)** (Asilidae)      Synonym(s): *picipes Meigen,1820*
- 350.** **Dilophus bispinosus Lundström,1913** (Bibionidae)      Synonym(s): *bispinosus*  
*Lundström,1913*
- 351.** **Dioctria abdominalis Becker,1923** (Asilidae)      Synonym(s): *abdominalis Becker,1923* **33**  
**51** **70**
- 352.** **Dioctria arcana Richter,1966** (Asilidae)      Synonym(s): *arcana Richter,1966* **19** **32** **33** **38**  
**58**
- 353.** **Dioctria arthritica Loew,1871** (Asilidae)      Synonym(s): *arthritica Loew,1871*
- 354.** **Dioctria atricapilla Meigen,1804** (Asilidae)      Synonym(s): *atricapilla Meigen,1804; falleni*  
*Meigen,1820; atrata Meigen,1820; geniculata Meigen,1820* **41**
- 355.** **Dioctria bithynica Janssens,1968** (Asilidae)      Synonym(s): *bithynica Janssens,1968* **10**
- 356.** **Dioctria flavipennis Meigen,1820** (Asilidae)      Synonym(s): *flavipennis Meigen,1820;*  
*aurifrons Meigen,1820* **01** **06** **25** **32** **33** **38** **50** **51** **68** **70**
- 357.** **Dioctria gracilis Meigen,1820** (Asilidae)      Synonym(s): *gracilis Meigen,1820; hyalipennis*  
*sensu Meigen,1830; concinna Costa,1883* **33**
- 358.** **Dioctria lenta Becker,1923** (Asilidae)      Synonym(s): *lenta Becker,1923* **33**
- 359.** **Dioctria lugens Loew,1873** (Asilidae)      Synonym(s): *lugens Loew,1873*
- 360.** **Dioctria meyeri Nowicki,1867** (Asilidae)      Synonym(s): *meyeri Nowicki,1867* **14**
- 361.** **Dioctria rufonigra Theodor,1980** (Asilidae)      Synonym(s): *rufonigra Theodor,1980*
- 362.** **Dioctria striata Theodor,1980** (Asilidae)      Synonym(s): *striata Theodor,1980*
- 363.** **Dioctria valida Loew,1856** (Asilidae)      Synonym(s): *valida Loew,1856* **32** **33** **42** **70**
- 364.** **Diogma dmitrii Paramonov,2005** (Cylindrotomidae)      Synonym(s): *dmitrii*  
*Paramonov,2005*
- 365.** **Dolichopeza (s.str.) graeca Mannheims,1954** (Tipulidae)      Synonym(s): *graeca*  
*Mannheims,1954* **08** **25** **48**
- 366.** **Dolichopus cilifemoratus Macquart,1827** (Dolichopodidae)      Synonym(s):  
*cilifemoratus Macquart,1827; macquarti Parent,1926; pseudocilifemoratus Stackelberg,1930*
- 367.** **Dolichopus cinctipes Wahlberg,1850** (Dolichopodidae)      Synonym(s): *cinctipes*  
*Wahlberg,1850*
- 368.** **Dolichopus diadema Haliday,1832** (Dolichopodidae)      Synonym(s): *diadema*  
*Haliday,1832; fraternus Staeger,1842*
- 369.** **Dolichopus excisus Loew,1859** (Dolichopodidae)      Synonym(s): *excisus Loew,1859*
- 370.** **Dolichopus griseipennis Stannius,1831** (Dolichopodidae)      Synonym(s): *nitidus*  
*Macquart,1827 nec Fall.,1823; griseipennis Stannius,1831; subrutilus Zetterstedt,1859*
- 371.** **Dolichopus latilimbatus Macquart,1827** (Dolichopodidae)      Synonym(s): *latilimbatus*  
*Macquart,1827; vulgaris Stannius,1831*
- 372.** **Dolichopus perversus Loew,1871** (Dolichopodidae)      Synonym(s): *aversus Loew,1871*
- 373.** **Dolichopus picipes Meigen,1824** (Dolichopodidae)      Synonym(s): *picipes Meigen,1824;*  
*cysneus Meigen,1824; fastuosus Haliday,1832; plebejus Zetterstedt,1838*
- 374.** **Dolichopus plumipes (Scopoli,1763)** (Dolichopodidae)      Synonym(s): *plumipes*  
*Scopoli,1763; pennitarsis Fallén,1823; planitarsis Meigen,1824*
- 375.** **Dolichopus thalhammeri Knezy,1929** (Dolichopodidae)      Synonym(s): *thalhammeri*  
*Knezy,1929* **07**
- 376.** **Dorycera graminum (Fabricius,1794)** (Ulidiidae)      Synonym(s): *graminum*  
*Fabricius,1794; thamnicola Robineau-Desvoidy,1830; scalaris Loew,1868*
- 377.** **Dorycera hybrida Loew,1862** (Ulidiidae)      Synonym(s): *hybrida Loew,1862*
- 378.** **Drino gilva (Hartig,1838)** (Tachinidae)      Synonym(s): *gilva Hartig,1838* **25**
- 379.** **Drino imberbis (Wiedemann,1830)** (Tachinidae)      Synonym(s): *imberbis*  
*Wiedemann,1830* **25**

- 380. Drino inconspicua (Meigen,1830)** (Tachinidae) Synonym(s): *inconspicua Meigen,1830*
- 25**
- 381. Drino vicina (Zetterstedt,1849)** (Tachinidae) Synonym(s): *vicina Zetterstedt,1849* **25**
- 382. Drymeia alpicola (Rondani,1871)** (Muscidae) Synonym(s): *alpicola Rondani,1871*
- 383. Drymeia fasciculata (Stein,1916)** (Muscidae) Synonym(s): *fasciculata Stein,1916*
- 384. Dryomyia circinans (Giraud,1861)** (Cecidomyiidae) Synonym(s): *circinans Giraud,1861* **11 26 34 51**
- 385. Dysmachus antipai Weinberg,1968** (Asilidae) Synonym(s): *antipai Weinberg,1968* **35**
- 386. Dysmachus appendiculatus Schiner,1867** (Asilidae) Synonym(s): *appendiculatus Schiner,1867*
- 387. Dysmachus bifurcus (Loew,1848)** (Asilidae) Synonym(s): *bifurcus Loew,1848*
- 388. Dysmachus bilobus Loew,1871** (Asilidae) Synonym(s): *bilobus Loew,1871*
- 389. Dysmachus bimucronatus (Loew,1854)** (Asilidae) Synonym(s): *bimucronatus Loew,1854*
- 390. Dysmachus cephalenus Loew,1871** (Asilidae) Synonym(s): *cephalenus Loew,1871*
- 391. Dysmachus dasyproctus Loew,1871** (Asilidae) Synonym(s): *dasyproctus Loew,1871*
- 392. Dysmachus fuscipennis (Meigen,1820)** (Asilidae) Synonym(s): *fuscipennis Meigen,1820* **13 16 17 21 43**
- 393. Dysmachus praemorsus (Loew,1854)** (Asilidae) Synonym(s): *praemorsus Loew,1854*
- 394. Dysmachus safranboliticus Hasbenli & Geller-Grimm,1999** (Asilidae)  
Synonym(s): *safranboliticus Hasbenli & Geller-Grimm,1999* **78**
- 395. Dysmachus setiger (Loew,1848)** (Asilidae) Synonym(s): *setiger Loew,1848*
- 396. Dysmachus setipyga Becker,1923** (Asilidae) Synonym(s): *setipyga Becker,1923*
- 397. Dysmachus stylifer (Loew,1854)** (Asilidae) Synonym(s): *stylifer Loew,1854* **35**
- 398. Dysmachus suludereae Hasbenli & Geller-Grimm,1999** (Asilidae) Synonym(s): *suludereae Hasbenli & Geller-Grimm,1999*
- 399. Dysmachus transcaucasicus Richter,1962** (Asilidae) Synonym(s): *transcaucasicus Richter,1962*
- 400. Dysmachus tricuspidis (Loew,1848)** (Asilidae) Synonym(s): *tricuspidis Loew,1848* **09 10 35**
- 401. Dysmachus zaitzevi Lehr,1996** (Asilidae) Synonym(s): *zaitzevi Lehr,1996*
- 402. Echthistus cognatus Loew,1849** (Asilidae) Synonym(s): *cognatus Loew,1849* **03 10 11 43 45**
- 403. Echthistus rufinervis (Meigen,1820)** (Asilidae) Synonym(s): *rufinervis Meigen,1820* **09 17 35**
- 404. Elachiptera bimaculata (Loew,1845)** (Chloropidae) Synonym(s): *bimaculata Loew,1845* **45**
- 405. Eliozena helluo (Fabricius,1805)** (Tachinidae) Synonym(s): *helluo Fabricius,1805* **65**
- 406. Ellipteroides (Protogonomyia) quadridens** (Limoniiidae) Synonym(s): **30 48**
- 407. Ellipteroides (s.str.) bifastigatus Mendl,1987** (Limoniiidae) Synonym(s): *bifastigatus Mendl,1987*
- 408. Elophilia maculata (Meigen,1804)** (Limoniiidae) Synonym(s): *maculata Meigen,1804* **16 48**
- 409. Elophilia miliaria (Egger,1863)** (Limoniiidae) Synonym(s): *miliaria Egger,1863*
- 410. Empis (Euempis) tessellata Fabricius,1794** (Empididae) Synonym(s): *tessellata Fabricius,1794*
- 411. Empis (Pachymeria) contigua (Loew,1864)** (Empididae) Synonym(s): *contigua Loew,1864*
- 412. Empis (Pachymeria) mediterranea (Loew,1864)** (Empididae) Synonym(s): *mediterranea Loew,1864*
- 413. Empis (Polyblepharis) haemorrhoica Loew,1869** (Empididae) Synonym(s): *haemorrhoica Loew,1869; concisa Loew,1869* **35**
- 414. Empis (Polyblepharis) lugubris Loew,1869** (Empididae) Synonym(s): *lugubris Loew,1869; decoripes Röder,1894* **05**
- 415. Empis (s.str.) acinerea Chavala,1985** (Empididae) Synonym(s): *acinerea Chavala,1985* **41**
- 416. Empis (s.str.) caudatula Loew,1867** (Empididae) Synonym(s): *caudatula Loew,1867* **01 32 35 50**

- 417. *Empis (s.str.) curticoris Collin,1960*** (Empididae) Synonym(s): *curticoris Collin,1960*  
**33**
- 418. *Empis (s.str.) discrepans Collin,1960*** (Empididae) Synonym(s): *discrepans Collin,1960*  
**33**
- 419. *Empis (s.str.) inopinata Collin,1960*** (Empididae) Synonym(s): *inopinata Collin,1960*  
**07 20 33 42**
- 420. *Empis (s.str.) insulata Collin,1960*** (Empididae) Synonym(s): *insulata Collin,1960*  
**33**
- 421. *Empis (s.str.) lepidopus Meigen,1822*** (Empididae) Synonym(s): *lepidopus Meigen,1822*  
**01 06 07 32 42 70**
- 422. *Empis (s.str.) nigripes Fabricius,1794*** (Empididae) Synonym(s): *nigripes Fabricius,1794; obscurella Zetterstedt,1842*  
**07 20 41**
- 423. *Empis (s.str.) pexata Collin,1960*** (Empididae) Synonym(s): *pexata Collin,1960*  
**07 33**
- 424. *Empis (s.str.) tristis Loew,1867*** (Empididae) Synonym(s): *tristis Loew,1867*  
**16 41**
- 425. *Engelepogon antiochienensis (Tsacas,1964)*** (Asilidae) Synonym(s): *antiochienensis Tsacas,1964*  
**31**
- 426. *Engelepogon brunnipes (Fabricius,1794)*** (Asilidae) Synonym(s): *brunnipes Fabricius,1794; castanipes Meigen,1820; rufipes Meigen,1820; goliath Schiner,1867*
- 427. *Engelepogon chrysophora (Tsacas,1964)*** (Asilidae) Synonym(s): *chrysophora Tsacas,1964*
- 428. *Engelepogon goedli (Loew,1854)*** (Asilidae) Synonym(s): *goedli Loew,1854*  
**03 35**
- 429. *Engelepogon ravus (Loew,1871)*** (Asilidae) Synonym(s): *ravus Loew,1871*
- 430. *Ensina sonchi (Linnaeus,1767)*** (Tephritidae) Synonym(s): *sonchi Linnaeus,1767; obsoleta Meigen,1826; chrysanthemi Robineau-Desvoidy,1830; doronici Robineau-Desvoidy,1830; herbarum Robineau-Desvoidy,1830; linariae Robineau-Desvoidy,1830; pratensis Robineau-Desvoidy,1830; scorzonerae Robineau-Desvoidy,1830*  
**01 03 05 10 35 38 43 45 50**
- 431. *Epiphrama (Epiphrama) ocellare (Linnaeus,1761)*** (Limoniidae) Synonym(s):  
*ocellare Linnaeus,1761*  
**48**
- 432. *Epistrophe elegans (Harris,1780)*** (Syrphidae) Synonym(s): *elegans Harris,1780;*  
*#eligans Sarıbüyük & Aktaş,1996*  
**37 38**
- 433. *Epistrophe grossulariae (Meigen,1822)*** (Syrphidae) Synonym(s): *grossulariae Meigen,1822*  
**14**
- 434. *Episyrrhus balteatus (De Geer,1776)*** (Syrphidae) Synonym(s): *cannabina Scopoli,1763; balteatus De Geer,1776; scitula Harris,1776; alternata Schrank,1781; nectarea Fabricius,1787; nectarina Wiedemann,1830; alternana Macquart,1842*  
**01 06 25 37 38 46 65**
- 435. *Erax hayati Tomasovic,2002*** (Asilidae) Synonym(s): *hayati Tomasovic,2002*
- 436. *Erax nigrosetosus Theodor,1980*** (Asilidae) Synonym(s): *nigrosetosus Theodor,1980*
- 437. *Erax nubeculus (Loew,1848)*** (Asilidae) Synonym(s): *nubeculus Loew,1848*
- 438. *Erax punctipennis (Meigen,1820)*** (Asilidae) Synonym(s): *punctipennis Meigen,1820*  
**15 17 48**
- 439. *Erax tenuicornis (Loew,1848)*** (Asilidae) Synonym(s): *tenuicornis Loew,1848*
- 440. *Eriocoopa symplectoides (Kuntze,1914)*** (Limoniidae) Synonym(s): *symplectoides Kuntze,1914*
- 441. *Eriocoopa trivialis (Meigen,1818)*** (Limoniidae) Synonym(s): *trivialis Meigen,1818*
- 442. *Erioptera (Erioptera) fuscuenta Edwards,1938*** (Limoniidae) Synonym(s):  
*fuscuenta Edwards,1938*
- 443. *Erioptera (Erioptera) lutea Meigen,1804*** (Limoniidae) Synonym(s): *lutea Meigen,1804*
- 444. *Erioptera (Mesocyphona) bivittata (Loew,1873)*** (Limoniidae) Synonym(s):  
*bivittata Loew,1873*
- 445. *Eriothrix apenninus (Rondani,1862)*** (Tachinidae) Synonym(s): *apenninus Rondani,1862; latifrons Brauer,1898*  
**25**
- 446. *Eriothrix rufomaculatus (De Geer,1776)*** (Tachinidae) Synonym(s): *lateralis Fabricius,1775; rufomaculatus De Geer,1776; demano Harris,1780; tachinaria Fallén,1815*  
**25**
- 447. *Eristalinus (Eristalodes) taeniops (Wiedemann,1818)*** (Syrphidae) Synonym(s):  
*taeniops Wiedemann,1818*  
**01 06 07 25 31 33 46**
- 448. *Eristalinus (Lathyrophthalmus) aeneus (Scopoli,1763)*** (Syrphidae) Synonym(s):  
*aeneus Scopoli,1763*  
**37 38**
- 449. *Eristalinus (Lathyrophthalmus) megacephalus (Rossi,1792)*** (Syrphidae)  
Synonym(s): *megacephalus Rossi,1792*  
**65**

- 450.** *Eristalinus (Lathyrophthalmus) quinquestriatus* (Fabricius,1794) (Syrphidae)  
Synonym(s): *quinquestriatus* Fabricius,1794 **38**
- 451.** *Eristalinus (s.str.) sepulchralis* (Linnaeus,1758) (Syrphidae)      Synonym(s):  
*sepulchralis* Linnaeus,1758 **37 38**
- 452.** *Eristalis (Eoseritalis) arbustorum* (Linnaeus,1758) (Syrphidae)      Synonym(s):  
*arbustorum* Linnaeus,1758; *lineole* Harris,1776 **01 06 14 25 31 33 37 38 46**
- 453.** *Eristalis (Eoseritalis) jugorum* Egger,1858 (Syrphidae)      Synonym(s): *jugorum*  
Egger,1858 **25 37**
- 454.** *Eristalis pertinax* (Scopoli,1763) (Syrphidae)      Synonym(s): *pertinax* Scopoli,1763 **06 14**  
**37 46 78**
- 455.** *Eristalis similis* (Fallén,1817) (Syrphidae)      Synonym(s): *similis* Fallén,1817 **06 14 37**
- 456.** *Eristalis tenax* (Linnaeus,1758) (Syrphidae)      Synonym(s): *tenax* Linnaeus,1758; *vulgaris*  
Scopoli,1763; *fucus* Scopoli,1763; *porcinus* De Geer,1776; *arbustorum* Schrank,1781; *silvaticus* Meigen,1822;  
*vulpinus* Meigen,1822 **01 06 07 25 31 33 14 37 38 46 65**
- 457.** *Euaresta bullans* (Wiedemann,1830) (Tephritidae)      Synonym(s): *bullans*  
Wiedemann,1830; *tenera* Loew,1850 **01 03 05 06 07 10 15 35 38 43 45 50 66 70**
- 458.** *Eucampsipoda aegyptia* (Macquart,1851) (Nycteribiidae)      Synonym(s): *aegyptia*  
Macquart,1851 **31**
- 459.** *Eudasypnora cyanella* (Meigen,1826) (Muscidae)      Synonym(s): *cyanella* Meigen,1826  
**45**
- 460.** *Eumeros hissaricus* (Stackelberg,1949) (Syrphidae)      Synonym(s): *hissaricus*  
Stackelberg,1949 **25**
- 461.** *Eumerus funeralis* Meigen,1822 (Syrphidae)      Synonym(s): *funeralis* Meigen,1822
- 462.** *Eumerus strigatus* (Fallén,1817) (Syrphidae)      Synonym(s): *strigatus* Fallén,1817 **38**
- 463.** *Eumerus tricolor* (Fabricius,1798) (Syrphidae)      Synonym(s): *tricolor* Fabricius,1798 **38**
- 464.** *Eupeodes corollae* (Fabricius,1794) (Syrphidae)      Synonym(s): *corollae* Fabricius,1794  
**37 65**
- 465.** *Eupeodes luniger* (Meigen,1822) (Syrphidae)      Synonym(s): *luniger* Meigen,1822 **37**
- 466.** *Euphylidorea dispar* (Meigen,1818) (Limoniiidae)      Synonym(s): *dispar* Meigen,1818
- 467.** *Euphylidorea lineola* (Meigen,1804) (Limoniiidae)      Synonym(s): *lineola* Meigen,1804
- 468.** *Euscelidia pallasii* (Wiedemann,1818) (Asilidae)      Synonym(s): *conopsoides*  
Pallas,1818; *pallasii* Wiedemann,1818; *pubiceps* Loew,1871
- 469.** *Euthycera chaerophylli* (Fabricius,1798) (Sciomyzidae)      Synonym(s): *chaerophylli*  
Fabricius,1798
- 470.** *Euthycera flavostriata* (Villeneuve,1911) (Sciomyzidae)      Synonym(s): *flavostriata*  
Villeneuve,1911
- 471.** *Euthycera stictica* (Fabricius,1805) (Sciomyzidae)      Synonym(s): *stictica* Fabricius,1805  
**02**
- 472.** *Eutolmus apiculatus* (Loew,1848) (Asilidae)      Synonym(s): *apiculatus* Loew,1848
- 473.** *Eutolmus calopus* (Loew,1848) (Asilidae)      Synonym(s): *calopus* Loew,1848 **35 48**
- 474.** *Eutolmus excisus* (Loew,1848) (Asilidae)      Synonym(s): *excisus* Loew,1848
- 475.** *Eutolmus facialis* (Loew,1848) (Asilidae)      Synonym(s): *facialis* Loew,1848
- 476.** *Eutolmus implacidus* Loew (Asilidae)      Synonym(s): **35**
- 477.** *Eutolmus mordax* (Loew,1848) (Asilidae)      Synonym(s): *mordax* Loew,1848
- 478.** *Eutolmus palestinensis* Theodor,1980 (Asilidae)      Synonym(s): *palestinensis*  
Theodor,1980
- 479.** *Eutolmus parricida* (Loew,1848) (Asilidae)      Synonym(s): *parricida* Loew,1848
- 480.** *Eutolmus polypogon* (Loew,1848) (Asilidae)      Synonym(s): *polypogon* Loew,1848
- 481.** *Eutolmus rufibarbis* (Meigen,1820) (Asilidae)      Synonym(s): *rufibarbis* Meigen,1820  
**09**
- 482.** *Exochostoma nitidum* Macquart,1842 (Stratiomyidae)      Synonym(s): *nitidum*  
Macquart,1842 **01**
- 483.** *Exochostoma osellai* Mason,1995 (Stratiomyidae)      Synonym(s): *osellai* Mason,1995 **18**
- 484.** *Exoprosopa baccha* Loew,1869 (Bombyliidae)      Synonym(s): *baccha* Loew,1869
- 485.** *Exoprosopa dedecor* Loew,1871 (Bombyliidae)      Synonym(s): *dedecor* Loew,1871
- 486.** *Exoprosopa grandis* (Wiedemann,1820) (Bombyliidae)      Synonym(s): *grandis*  
Wiedemann,1820
- 487.** *Exoprosopa jacchus* (Fabricius,1805) (Bombyliidae)      Synonym(s): *jacchus*  
Fabricius,1805

- 488.** **Exoprosopa maenas Loew,1869** (Bombyliidae) Synonym(s): *maenas* Loew,1869
- 489.** **Exoprosopa minois Loew,1869** (Bombyliidae) Synonym(s): *minois* Loew,1869
- 490.** **Exoprosopa minos (Meigen,1804)** (Bombyliidae) Synonym(s): *minos* Meigen,1804
- 491.** **Exoprosopa normalis Loew,1869** (Bombyliidae) Synonym(s): *normalis* Loew,1869
- 492.** **Exoprosopa onusta (Walker,1852)** (Bombyliidae) Synonym(s): *onusta* Walker,1852
- 493.** **Exoprosopa pandora (Fabricius,1805)** (Bombyliidae) Synonym(s): *pandora* (Fabricius,1805) **01 45**
- 494.** **Exoprosopa pleskei Paramonov,1928** (Bombyliidae) Synonym(s): *pleskei* Paramonov,1928
- 495.** **Exoprosopa rutila (Wiedemann,1818)** (Bombyliidae) Synonym(s): *rutila* Wiedemann,1818
- 496.** **Exoprosopa subfasciata Engel,1936** (Bombyliidae) Synonym(s): *subfasciata* Engel,1936
- 497.** **Exorista larvarum (Linnaeus,1758)** (Tachinidae) Synonym(s): *larvarum* Linnaeus,1758 **25 36 75**
- 498.** **Exorista rossica Mesnil,1960** (Tachinidae) Synonym(s): *rossica* Mesnil,1960 **25**
- 499.** **Exorista segregata (Rondani,1859)** (Tachinidae) Synonym(s): *segregata* Rondani,1859 **25**
- 500.** **Fannia brinae Albuquerque,1951** (Fanniidae) Synonym(s): *brinae* Albuquerque,1951
- 501.** **Fannia canicularis (Linnaeus,1761)** (Fanniidae) Synonym(s): *canicularis* Linnaeus,1761
- 502.** **Fannia serena (Fallén,1825)** (Fanniidae) Synonym(s): *serena* Fallén,1825
- 503.** **Feltiella acarisuga (Vallot,1827)** (Cecidomyiidae) Synonym(s): *acarisuga* Vallot,1827; *persicae* Kieffer,1912
- 504.** **Galiomyza violiphaga (Hendel,1932)** (Agromyzidae) Synonym(s): *violiphaga* Hendel,1932 **17**
- 505.** **Geomyza tripunctata Fallén,1823** (Opomyzidae) Synonym(s): *tripunctata* Fallén,1823 **09 65**
- 506.** **Germaria hermonensis Kugler,1980** (Tachinidae) Synonym(s): *hermonensis* Kugler,1980 **60**
- 507.** **Germaria obscuripennis Tschorsnig,2000** (Tachinidae) Synonym(s): *obscuripennis* Tschorsnig,2000 **18 38**
- 508.** **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis* Paramonov,1929
- 509.** **Geron olivieri Macquart,1849** (Bombyliidae) Synonym(s): *olivieri* Macquart,1849
- 510.** **Glabellula nobilis Kertesz,1912** (Mythicomyiidae) Synonym(s): *nobilis* Kertesz,1912
- 511.** **Glaucoptes hakkariensis Schacht,1983** (Tabanidae) Synonym(s): *hakkariensis* Schacht,1983 **30**
- 512.** **Gonia maculipennis Egger,1862** (Tachinidae) Synonym(s): *maculipennis* Egger,1862 **49**
- 513.** **Gonia ornata Meigen,1826** (Tachinidae) Synonym(s): *ornata* Meigen,1826 **12 24 25 42**
- 514.** **Gonomyia (s.str.) conoviensis Barnes,1924** (Limoniiidae) Synonym(s): *conoviensis* Barnes,1924 **48**
- 515.** **Gonomyia (s.str.) copulata (Becker,1908)** (Limoniiidae) Synonym(s): *copulata* Becker,1908
- 516.** **Gonomyia (s.str.) sicula Lackschewitz,1940** (Limoniiidae) Synonym(s): *sicula* Lackschewitz,1940 **48**
- 517.** **Gymnosoma clavata (Rohdendorf,1947)** (Tachinidae) Synonym(s): *clavata* Rohdendorf,1947; *verbekei* Mesnil,1952 **25**
- 518.** **Habropogon decipiens Theodor,1980** (Asilidae) Synonym(s): *decipiens* Theodor,1980
- 519.** **Habropogon longiventris Loew,1847** (Asilidae) Synonym(s): *longiventris* Loew,1847 **35 45**
- 520.** **Habropogon similimus Theodor,1980** (Asilidae) Synonym(s): *similimus* Theodor,1980
- 521.** **Habropogon spissipes Hermann,1909** (Asilidae) Synonym(s): *spissipes* Hermann,1909 **63**
- 522.** **Habropogon verticalis Becker,1913** (Asilidae) Synonym(s): *verticalis* Becker,1913 **21**
- 523.** **Haematobosca atripalpis (Bezzi,1895)** (Muscidae) Synonym(s): *atripalpis* Bezzi,1895
- 524.** **Haematobosca stimulans (Meigen,1824)** (Muscidae) Synonym(s): *stimulans* Meigen,1824

- 525.** *Haematopota bigoti* Gobert,1881 (Tabanidae) Synonym(s): *bigoti* Gobert,1881 **06 17**  
**22 23 26 34 35 36 39 42 59 66**
- 526.** *Haematopota caenofrons* Kröber,1922 (Tabanidae) Synonym(s): *caenofrons*  
*Kröber,1922* **76**
- 527.** *Haematopota coolsi* Leclercq,1966 (Tabanidae) Synonym(s): *coolsi* Leclercq,1966 **10**  
**35**
- 528.** *Haematopota crassicornis* Wahlberg,1848 (Tabanidae) Synonym(s): *crassicornis*  
*Wahlberg,1848* **01 11 14 17 22 23 25 26 39 42 49 50 59**
- 529.** *Haematopota delozi* Leclercq,1966 (Tabanidae) Synonym(s): *delozi* Leclercq,1966 **35**
- 530.** *Haematopota gallica* Szilady,1923 (Tabanidae) Synonym(s): *gallica* Szilady,1923 **22**
- 531.** *Haematopota grandis* Macquart,1834 (Tabanidae) Synonym(s): *grandis*  
*Macquart,1834; fraseri* Austen,1925 **01 11 17 20 22 26 33 34 39**
- 532.** *Haematopota hennauxi* Leclercq,1967 (Tabanidae) Synonym(s): *hennauxi*  
*Leclercq,1967* **03 06 14 19 23 26 42 66**
- 533.** *Haematopota italicica* Meigen,1804 (Tabanidae) Synonym(s): *italicica* Meigen,1804;  
*gallica* Szilady,1923 **06 21 22 23 24 25 26 29 33 39 44 57 59**
- 534.** *Haematopota kemali* Szilady,1923 (Tabanidae) Synonym(s): *kemali* Szilady,1923 **03**  
**06 18 20 23 25 26 34 42 50 51 59 66**
- 535.** *Haematopota lambi* Willeneuve,1921 (Tabanidae) Synonym(s): *lambi* Willeneuve,1921  
**26**
- 536.** *Haematopota latebricola* Austen,1925 (Tabanidae) Synonym(s): *latebricola*  
*Austen,1925* **17**
- 537.** *Haematopota longantennata* Olsufjev,1937 (Tabanidae) Synonym(s): *longantennata*  
*Olsufjev,1937* **25 30 39 59**
- 538.** *Haematopota nubilis* Hauser,1960 (Tabanidae) Synonym(s): *nubilis* Hauser,1960 **26**
- 539.** *Haematopota ocelligera* Kröber,1922 (Tabanidae) Synonym(s): *ocelligera*  
*Kröber,1922; hispanica* Szilady,1923; *belligera* Austen,1925 **03 20 22 25 35**
- 540.** *Haematopota oenderi* Jezek,1990 (Tabanidae) Synonym(s): *oenderi* Jezek,1990 **35**
- 541.** *Haematopota pallens* Loew,1871 (Tabanidae) Synonym(s): *pallens* Loew,1871; *obscura*  
*Bigot,1880; obscurata* Bigot,1891; *caucasica* Kröber,1922; *araxis* Szilady,1923 **06 11 21 23 26 33 35 38 42**  
**44 76**
- 542.** *Haematopota pandazisi* Kröber,1936 (Tabanidae) Synonym(s): *variegata* auct.;  
*pandazisi* Kröber,1936 **22 33 34 39 52 57 59 61**
- 543.** *Haematopota pavlovskii* Hauser,1960 (Tabanidae) Synonym(s): *pavlovskii*  
*Hauser,1960* **31 33 35 42 66**
- 544.** *Haematopota pluvialis* (Linnaeus,1761) (Tabanidae) Synonym(s): *pluvialis*  
*Linnaeus,1761* **06 11 14 17 23 26 34 38 39 42 51 58 59 66**
- 545.** *Haematopota scutellata* (Olsufjev, Moucha & Chvala,1964) (Tabanidae)  
Synonym(s): *scutellata* Olsufjev, Moucha & Chvala,1964 **11 39**
- 546.** *Haematopota sewelli* Austen,1920 (Tabanidae) Synonym(s): *sewelli* Austen,1920 **06**  
**18 23 35 42 51 66**
- 547.** *Haematopota sobrina* Kröber,1922 (Tabanidae) Synonym(s): *sobrina* Kröber,1922
- 548.** *Haematopota subcylindrica* Pandelle,1883 (Tabanidae) Synonym(s): *subcylindrica*  
*Pandelle,1883* **11 22 34 39**
- 549.** *Haematopota sumelae* Timmer,1984 (Tabanidae) Synonym(s): *sumelae* Timmer,1984  
**61**
- 550.** *Harmandiola cavernosa* (Rübsaamen,1899) (Cecidomyiidae) Synonym(s):  
*cavernosa* Rübsaamen,1899 **10 34**
- 551.** *Harmandiola globuli* (Rübsaamen,1889) (Cecidomyiidae) Synonym(s): *globuli*  
*Rübsaamen,1889* **10 34**
- 552.** *Hartigiola annulipes* (Hartig,1839) (Cecidomyiidae) Synonym(s): *annulipes*  
*Hartig,1839; tornatella* Bremi,1847 **14 34 54**
- 553.** *Hebecnema fumosa* (Meigen,1826) (Muscidae) Synonym(s): *fumosa* Meigen,1826
- 554.** *Hebecnema umbratica* (Meigen,1826) (Muscidae) Synonym(s): *umbratica*  
*Meigen,1826*
- 555.** *Helina atricolor* (Fallén,1825) (Muscidae) Synonym(s): *atricolor* Fallén,1825; *denudata*  
*Zetterstedt,1845*
- 556.** *Helina decipiens* Mihalyi,1974 (Muscidae) Synonym(s): *decipiens* Mihalyi,1974
- 557.** *Helina latitarsis* Ringdahl,1924 (Muscidae) Synonym(s): *latitarsis* Ringdahl,1924

- 558.** **Helina obtusipennis (Fallén,1823)** (Muscidae) Synonym(s): *obtusipennis Fallén,1823*
- 559.** **Helina pubescens (Stein,1893)** (Muscidae) Synonym(s): *pubescens Stein,1893*
- 560.** **Helina reversio (Harris,1780)** (Muscidae) Synonym(s): *reversio Harris,1780*
- 561.** **Helina setiventris Ringdahl,1924** (Muscidae) Synonym(s): *setiventris Ringdahl,1924*
- 562.** **Helina tetrastigma (Meigen,1826)** (Muscidae) Synonym(s): *tetrastigma Meigen,1826*
- 563.** **Heliophilus continuus (Loew,1844)** (Syrphidae) Synonym(s): *continuus Loew,1844* **25**
- 564.** **Heliophilus hybridus Loew,1846** (Syrphidae) Synonym(s): *hybridus Loew,1846* **38**
- 565.** **Heliophilus parallelus (Harris,[1776])** (Syrphidae) Synonym(s): *parallelus Harris,[1776]* **38**
- 566.** **Heliophilus trivittatus (Fabricius,1805)** (Syrphidae) Synonym(s): *trivittatus Fabricius,1805* **01 25 31**
- 567.** **Helius (s.str.) hispanicus Lackschewitz,1928** (Limoniiidae) Synonym(s): *hispanicus Lackschewitz,1928* **48**
- 568.** **Hemipenthes hamiferus (Loew,1854)** (Bombyliidae) Synonym(s): *hamiferus Loew,1854*
- 569.** **Hemipenthes maurus (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus Linnaeus,1758*
- 570.** **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio Linnaeus,1758* **06 07 14 15 32 37 44 57 67 78**
- 571.** **Hemipenthes subvelutinus Zaitzev,1966** (Bombyliidae) Synonym(s): *subvelutinus Zaitzev,1966* **06 07 15 32 38 44 78**
- 572.** **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus Meigen,1820* **04 06 07 14 18 32 37 38 57 65 78**
- 573.** **Hendrella winnertzi (Frauenfeld,1864)** (Tephritidae) Synonym(s): *winnertzi Frauenfeld,1864* **06**
- 574.** **Heringia brevidens (Egger,1865)** (Syrphidae) Synonym(s): *brevidens Egger,1865* **37**
- 575.** **Heringina Aczel,1940** (Tephritidae) Synonym(s): *Heringina Aczel,1940*
- 576.** **Heringina guttata (Fallén,1814)** (Tephritidae) Synonym(s): *guttata Fallén,1814; gemmata Meigen,1826* **03 08 13 07 29 32 50 66**
- 577.** **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei Meigen,1820; consanguinea Macquart,1840; egyptiaca Macquart,1840; campicola Eversmann,1855; mayeti Bigot,1888; aegyptiacus Bezzi,1903; compar Bezzi,1924; deserticola Paramonov,1928; turanica Paramonov,1928; conspicienda Austen,1937* **07**
- 578.** **Heteropogon lehri Richter,1968** (Asilidae) Synonym(s): *lehri Richter,1968*
- 579.** **Heteropogon manicatus (Meigen,1820)** (Asilidae) Synonym(s): *manicatus Meigen,1820*
- 580.** **Heteropogon manni Loew,1854** (Asilidae) Synonym(s): *manni Loew,1854*
- 581.** **Heteropogon nubilus (Wiedemann,1820)** (Asilidae) Synonym(s): *nubilus Wiedemann,1820*
- 582.** **Heteropogon ornatipes Loew,1851** (Asilidae) Synonym(s): *ornatipes Loew,1851*
- 583.** **Heteropogon scoparius Loew,1847** (Asilidae) Synonym(s): *scoparius Loew,1847* **48**
- 584.** **Heteropogon succinctus Loew,1847** (Asilidae) Synonym(s): *succinctus Loew,1847*
- 585.** **Heterotropus pyrus Bowden,1967** (Bombyliidae) Synonym(s): *pyrus Bowden,1967*
- 586.** **Heterotropus taurus Bowden,1967** (Bombyliidae) Synonym(s): *taurus Bowden,1967*
- 587.** **Hexatoma (Cladolipes) simplex (Loew,1865)** (Limoniiidae) Synonym(s): *simplex Loew,1865* **48**
- 588.** **Hexatoma (Eriocera) chirothecata (Scopoli,1763)** (Limoniiidae) Synonym(s): *chirothecata Scopoli,1763* **48**
- 589.** **Hexatoma (s.str.) bicolor (Meigen,1818)** (Limoniiidae) Synonym(s): *bicolor Meigen,1818* **48**
- 590.** **Hexatoma (s.str.) fuscipennis (Curtis,1836)** (Limoniiidae) Synonym(s): *fuscipennis Curtis,1836*
- 591.** **Hexomyza simplex (Loew,1869)** (Agromyzidae) Synonym(s): *simplex Loew,1869* **39**
- 592.** **Hilara bolkarensis Çiftçi, Parvu & Hasbenli,2008** (Empididae) Synonym(s): *bolkarensis Çiftçi, Parvu & Hasbenli,2008* **33**
- 593.** **Holopogon albosetosus Schiner,1867** (Asilidae) Synonym(s): *albosetosus Schiner,1867* **05**
- 594.** **Holopogon fumipennis (Meigen,1820)** (Asilidae) Synonym(s): *fumipennis Meigen,1820* **25**

- 595.** **Holopogon hasbenlii Tomasovic, Weyer & Dils,2009** (Asilidae)      Synonym(s):  
*hasbenlii Tomasovic, Weyer & Dils,2009* **25 36**
- 596.** **Holopogon nigropilosus Theodor,1980** (Asilidae)      Synonym(s):      *nigropilosus*  
*Theodor,1980* **01 33**
- 597.** **Holopogon priscus (Meigen,1820)** (Asilidae)      Synonym(s): *priscus Meigen,1820* **25**
- 598.** **Hoplolabis (Parilisia) punctigera (Lackschewitz,1940)** (Limoniiidae)  
 Synonym(s): *punctigera Lackschewitz,1940*
- 599.** **Hybomitra acuminata (Loew,1858)** (Tabanidae)      Synonym(s): *acuminata Loew,1858*  
**02 04 25 42**
- 600.** **Hybomitra bimaculata (Macquart,1826)** (Tabanidae)      Synonym(s): *bimaculata*  
*Macquart,1826* **34 39 59**
- 601.** **Hybomitra caucasi (Szilady,1923)** (Tabanidae)      Synonym(s): *caucasi Szilady,1923* **06**  
**17 25 30 34 39 59**
- 602.** **Hybomitra ciureai (Seguy,1937)** (Tabanidae)      Synonym(s): *ciureai Seguy,1937; shineri*  
*Lyneborg,1959* **03 10 11 14 25 26 30 31 33 34 35 39 42 43**
- 603.** **Hybomitra decora (Loew,1858)** (Tabanidae)      Synonym(s): *decora Loew,1858; amani*  
*Szilady,1926* **14 25 31 34 36 38 49 59**
- 604.** **Hybomitra distinguenda (Verrall,1909)** (Tabanidae)      Synonym(s): *distinguenda*  
*Verrall,1909* **14 26 30 34 39 42**
- 605.** **Hybomitra erberi (Brauer,1880)** (Tabanidae)      Synonym(s): *erberi Brauer,1880* **04 25**  
**30 75**
- 606.** **Hybomitra expollicata (Pandelle,1883)** (Tabanidae)      Synonym(s): *expollicata*  
*Pandelle,1883* **04 17 26 30 34 38 42**
- 607.** **Hybomitra muehlfeldi (Brauer,1880)** (Tabanidae)      Synonym(s): *muehlfeldi*  
*Brauer,1880* **16 34 39 59**
- 608.** **Hybomitra okayi Leclercq,1967** (Tabanidae)      Synonym(s): *okayi Leclercq,1967* **14**
- 609.** **Hybomitra peculiaris (Szilady,1914)** (Tabanidae)      Synonym(s): *peculiaris Szilady,1914*  
**35**
- 610.** **Hybomitra pilosa (Loew,1858)** (Tabanidae)      Synonym(s): *pilosa Loew,1858* **39**
- 611.** **Hybomitra tarandina (Linnaeus,1758)** (Tabanidae)      Synonym(s): *tarandina*  
*Linnaeus,1758*
- 612.** **Hybomitra tuerkmendagensis Kılıç & Schacht,1995** (Tabanidae)      Synonym(s):  
*tuerkmendagensis Kılıç & Schacht,1995* **26**
- 613.** **Hybomitra ukrainica Olsufjev,1952** (Tabanidae)      Synonym(s): *ukrainica Olsufjev,1952*  
**03 42**
- 614.** **Hydrellia griseola (Fallén,1813)** (Ephydriidae)      Synonym(s): *griseola Fallén,1813*
- 615.** **Hydrotaea albipuncta (Zetterstedt,1845)** (Muscidae)      Synonym(s): *albipuncta*  
*Zetterstedt,1845*
- 616.** **Hydrotaea cyrtoneurina (Zetterstedt,1845)** (Muscidae)      Synonym(s): *cyrtoneurina*  
*Zetterstedt,1845*
- 617.** **Hydrotaea dentipes (Fabricius,1805)** (Muscidae)      Synonym(s): *dentipes Fabricius,1805*
- 618.** **Hydrotaea floccosa Macquart,1835** (Muscidae)      Synonym(s): *floccosa Macquart,1835*
- 619.** **Hydrotaea ignava (Harris,1780)** (Muscidae)      Synonym(s): *ignava Harris,1780*
- 620.** **Hydrotaea meridionalis Portschinsky,1882** (Muscidae)      Synonym(s): *meridionalis*  
*Portschinsky,1882*
- 621.** **Hydrotaea meteorica (Linnaeus,1758)** (Muscidae)      Synonym(s): *meteorica*  
*Linnaeus,1758*
- 622.** **Hydrotaea penicillata (Rondani,1866)** (Muscidae)      Synonym(s): *penicillata*  
*Rondani,1866*
- 623.** **Idiocera (s.str.) laterospina (Alexander,1975)** (Limoniiidae)      Synonym(s):  
*laterospina Alexander,1975*
- 624.** **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniiidae)      Synonym(s):  
*pulchripennis Loew,1856* **48**
- 625.** **Illisia maculata (Meigen,1804)** (Limoniiidae)      Synonym(s): *maculata Meigen,1804*
- 626.** **Iteomyia capreae (Winnertz,1853)** (Cecidomyiidae)      Synonym(s): *capreae*  
*Winnertz,1853*
- 627.** **Jaapiella chondrillae Skuhrava,2005** (Cecidomyiidae)      Synonym(s): *chondrillae*  
*Skuhrava,2005* **03 35 64**
- 628.** **Janetia cerris (Kollar,1850)** (Cecidomyiidae)      Synonym(s): *cerris Kollar,1850* **16 35 68**

- 629.** *Janetia szepligetii* Kieffer,1896 (Cecidomyiidae) Synonym(s): *szepligetii* Kieffer,1896  
**16 54**
- 630.** *Janetiella lemeei* (Kieffer,1904) (Cecidomyiidae) Synonym(s): *lemeei* Kieffer,1904 **06**
- 631.** *Janetiella oenephila* (Haimhoffen,1875) (Cecidomyiidae) Synonym(s): *oenephila*  
*Haimhoffen,1875* **01 33**
- 632.** *Japanagromyza salicifolii* (Collin,1911) (Agromyzidae) Synonym(s): *salicifolii*  
*Collin,1911* **35**
- 633.** *Joostiella caucasica* Vaillant,1983 (Psychodidae) Synonym(s): *caucasica* Vaillant,1983  
**30**
- 634.** *Jothopogon leucomallus* (Loew,1871) (Asilidae) Synonym(s): *leucomallus* Loew,1871  
**11**
- 635.** *Knutsonia truqui* (Rondani,1868) (Sciomyzidae) Synonym(s): *truqui* Rondani,1868
- 636.** *Knutsonia turcestanica* (Hendel,1903) (Sciomyzidae) Synonym(s): *turcestanica*  
*Hendel,1903*
- 637.** *Knutsonia unipunctata* (Macquart,1849) (Sciomyzidae) Synonym(s): *unipunctata*  
*Macquart,1849* **02**
- 638.** *Laphria aurea* (Fabricius,1794) (Asilidae) Synonym(s): *aurea* Fabricius,1794
- 639.** *Laphria dimidiata* Macquart,1846 (Asilidae) Synonym(s): *dimidiata* Macquart,1846
- 640.** *Laphria dizonias* Loew,1847 (Asilidae) Synonym(s): *dizonias* Loew,1847
- 641.** *Laphria flava* (Linnaeus,1761) (Asilidae) Synonym(s): *flava* Linnaeus,1761; *conopsoides*  
*Scopoli,1763; ferox Scopoli,1763; fulva Geoffroy,1785; pedemontana Fabricius,1794; escorialensis Strobl,1906* **33**
- 642.** *Laphria gibbosa* (Linnaeus,1758) (Asilidae) Synonym(s): *gibbosa* Linnaeus,1758
- 643.** *Laphria varia* Loew,1865 (Asilidae) Synonym(s): *varia* Loew,1865
- 644.** *Laphystia anatolica* (Hermann,1920) (Asilidae) Synonym(s): *anatolica* Hermann,1920
- 645.** *Laphystia erberi* (Schiner,1865) (Asilidae) Synonym(s): *erberi* Schiner,1865; *arenacea*  
*Paramonov,1930*
- 646.** *Laphystia sabulicola* Loew,1847 (Asilidae) Synonym(s): *sabulicola* Loew,1847
- 647.** *Lapposyrphus lapponicus* (Zetterstedt,1838) (Syrphidae) Synonym(s): *lapponicus*  
*Zetterstedt,1838* **37**
- 648.** *Lasiopa balius* (Walker,1849) (Stratiomyidae) Synonym(s): *balius* Walker,1849;  
*tenuirostris* Loew,1854; *bertoni* Seguy,1932
- 649.** *Lasiopa benoisti* Séguy,1930 (Stratiomyidae) Synonym(s): *benoisti* Séguy,1930 **38**
- 650.** *Lasiopa calva* (Meigen,1822) (Stratiomyidae) Synonym(s): *calva* Meigen,1822
- 651.** *Lasiopa caucasica* (Pleske,1901) (Stratiomyidae) Synonym(s): *caucasica* Pleske,1901;  
*koenigi* Lichtwardt,1901 **01 08 38**
- 652.** *Lasiopa mannii* Mik,1882 (Stratiomyidae) Synonym(s): *mannii* Mik,1882 **16**
- 653.** *Lasiopa villosa* (Fabricius,1794) (Stratiomyidae) Synonym(s): *villosa* Fabricius,1794
- 654.** *Lasiopogon pilosellus* Loew,1847 (Asilidae) Synonym(s): *pilosellus* Loew,1847
- 655.** *Lasiopogon tarsalis* Loew,1847 (Asilidae) Synonym(s): *tarsalis* Loew,1847
- 656.** *Lasioptera berlesiana* Paoli,1907 (Cecidomyiidae) Synonym(s): *berlesiana* Paoli,1907  
**09 10 31 33 35 41 48**
- 657.** *Lasioptera carophila* Loew,1874 (Cecidomyiidae) Synonym(s): *carophila* Loew,1874  
**04 29 36 37 74 76**
- 658.** *Lasioptera eryngii* (Vallot,1829) (Cecidomyiidae) Synonym(s): *eryngii* Vallot,1829 **60**
- 659.** *Lasioptera populnea* Wachtl,1883 (Cecidomyiidae) Synonym(s): *populnea*  
*Wachtl,1883* **10 34**
- 660.** *Lasioptera rubi* (Schrank,1803) (Cecidomyiidae) Synonym(s): *rubi* Schrank,1803 **16**
- 661.** *Lasioptera turcica* Möhn,1968 (Cecidomyiidae) Synonym(s): *turcica* Möhn,1968 **37 64**
- 662.** *Lejogaster splendida* (Meigen,1822) (Syrphidae) Synonym(s): *splendida* Meigen,1822  
**38**
- 663.** *Lejogaster tarsata* (Megerle,1822) (Syrphidae) Synonym(s): *tarsata* Megerle,1822 **37**
- 664.** *Lejops vittatus* (Meigen,1822) (Syrphidae) Synonym(s): *vittatus* Meigen,1822 **38**
- 665.** *Leopoldius coronatus* (Rondani,1857) (Conopidae) Synonym(s): *coronatus*  
*Rondani,1857* **08 25 44**
- 666.** *Leptarthrus brevirostris* (Meigen,1804) (Asilidae) Synonym(s): *brevirostris*  
*Meigen,1804*
- 667.** *Leptodiplosis polypori* (Loew,1850) (Cecidomyiidae) Synonym(s): *polypori*  
*Loew,1850* **06**
- 668.** *Leptogaster calceata* Engel,1925 (Asilidae) Synonym(s): *calceata* Engel,1925

- 669.** **Leptogaster gracilis Loew,1847** (Asilidae) Synonym(s): *gracilis Loew,1847*
- 670.** **Leptogaster helvola Loew,1871** (Asilidae) Synonym(s): *helvola Loew,1871*
- 671.** **Leptogaster palparis Loew,1847** (Asilidae) Synonym(s): *palparis Loew,1847*
- 672.** **Leptogaster pubicornis Loew,1847** (Asilidae) Synonym(s): *pubicornis Loew,1847;*  
*pusillus Jaennicke,1867*
- 673.** **Leptogaster suleymani Hasbenli, Candan & Alpay,2006** (Asilidae) Synonym(s):  
*suleymani Hasbenli, Candan & Alpay,2006*
- 674.** **Leskia erekonica Rikhter,1974** (Tachinidae) Synonym(s): *erekonica Rikhter,1974* **26**
- 675.** **Leucopis silesiaca Egger,1862** (Chamaemyiidae) Synonym(s): *silesiaca Egger,1862;*  
*annulipes Oldenberg,1924* **06**
- 676.** **Limnia unguicornis (Scopoli,1763)** (Sciomyzidae) Synonym(s): *unguicornis*  
*Scopoli,1763* **02 14 25 59**
- 677.** **Limnophora pandellei Séguy,1923** (Muscidae) Synonym(s): *pandellei Séguy,1923*
- 678.** **Limnophora pulchriceps (Loew,1860)** (Muscidae) Synonym(s): *pulchriceps*  
*Loew,1860*
- 679.** **Limonia eos Stary & Savchenko,1976** (Limoniidae) Synonym(s): *eos Stary &*  
*Savchenko,1976*
- 680.** **Limonia hercegovinae (Strobl,1898)** (Limoniidae) Synonym(s): *hercegovinae*  
*Strobl,1898*
- 681.** **Limonia macrostigma (Schummel,1829)** (Limoniidae) Synonym(s): *macrostigma*  
*Schummel,1829* **48**
- 682.** **Limonia nubeculosa Meigen,1804** (Limoniidae) Synonym(s): *nubeculosa Meigen,1804*  
**48**
- 683.** **Limonia nussbaumi Stary & Freidberg,2007** (Limoniidae) Synonym(s): *nussbaumi*  
*Stary & Freidberg,2007*
- 684.** **Limonia pannonica (Kowarz,1868)** (Limoniidae) Synonym(s): *pannonica*  
*Kowarz,1868*
- 685.** **Limonia phragmitidis (Schrank,1781)** (Limoniidae) Synonym(s): *phragmitidis*  
*Schrank,1781* **48**
- 686.** **Limonia subaequalis Savchenko,1979** (Limoniidae) Synonym(s): *subaequalis*  
*Savchenko,1979*
- 687.** **Limonia taurica (Strobl,1895)** (Limoniidae) Synonym(s): *taurica Strobl,1895*
- 688.** **Limonia trivittata (Schummel,1829)** (Limoniidae) Synonym(s): *trivittata*  
*Schummel,1829*
- 689.** **Linnaemya comta (Fallén,1810)** (Tachinidae) Synonym(s): *comta Fallén,1810; compta*  
*Meigen,1824; fulgeus Meigen,1824; heraclei Robineau-Desvoidy,1830; aestivalis Robineau-Desvoidy,1830;*  
*borealis Robineau-Desvoidy,1830; longipes Robineau-Desvoidy,1830; oenanthis Robineau-Desvoidy,1830;*  
*humeralis* **12 20 21 25 30 60**
- 690.** **Linnaemya impudica (Rondani,1859)** (Tachinidae) Synonym(s): *nublia Meigen,1824;*  
*impudica Rondani,1859* **12**
- 691.** **Lipsothrix nobilis Loew,1873** (Limoniidae) Synonym(s): *nobilis Loew,1873*
- 692.** **Liriomyza alyssi (M.Hering,1960)** (Agromyzidae) Synonym(s): *alyssi M.Hering,1960*
- 693.** **Liriomyza amarellae M.Hering,1963** (Agromyzidae) Synonym(s): *amarellae*  
*M.Hering,1963* **17**
- 694.** **Liriomyza amoena (Meigen,1830)** (Agromyzidae) Synonym(s): *amoena Meigen,1830*  
**35**
- 695.** **Liriomyza balcanica (Strobl,1900)** (Agromyzidae) Synonym(s): *balcanica Strobl,1900*  
**35**
- 696.** **Liriomyza brassicae (Riley,1884)** (Agromyzidae) Synonym(s): *brassicae Riley,1884* **07**  
**35**
- 697.** **Liriomyza bryoniae (Kaltenbach,1858)** (Agromyzidae) Synonym(s): *bryoniae*  
*Kaltenbach,1858* **01 31 35**
- 698.** **Liriomyza buhri M.Hering,1937** (Agromyzidae) Synonym(s): *buhri M.Hering,1937* **07**
- 699.** **Liriomyza cannabis Hendel,1931** (Agromyzidae) Synonym(s): *cannabis Hendel,1931* **35**  
**37**
- 700.** **Liriomyza cardariae Sasakawa,2008** (Agromyzidae) Synonym(s): *cardariae*  
*Sasakawa,2008* **02**
- 701.** **Liriomyza centaureae M.Hering,1927** (Agromyzidae) Synonym(s): *centaureae*  
*M.Hering,1927* **35**

- 702.** *Liriomyza cepae* (M.Hering,1927) (Agromyzidae)      Synonym(s): *cepae* M.Hering,1927  
35
- 703.** *Liriomyza cicerina* (Rondani,1875) (Agromyzidae)      Synonym(s): *cicerina* Rondani,1875  
01 31 35 63
- 704.** *Liriomyza congesta* (Becker,1903) (Agromyzidae)      Synonym(s): *congesta* Becker,1903  
35 45 47 63
- 705.** *Liriomyza dracunculi* M.Hering,1932 (Agromyzidae)      Synonym(s): *dracunculi*  
*M.Hering,1932* 53
- 706.** *Liriomyza eupatorii* (Kaltenbach,1873) (Agromyzidae)      Synonym(s): *eupatorii*  
*Kaltenbach,1873* 33
- 707.** *Liriomyza euphorbiae* Martinez,1999 (Agromyzidae)      Synonym(s): *euphorbiae*  
*Martinez,1999* 32
- 708.** *Liriomyza flaveola* (Fallén,1823) (Agromyzidae)      Synonym(s): *flaveola* Fallén,1823 48
- 709.** *Liriomyza freyella* Spencer,1976 (Agromyzidae)      Synonym(s): *freyella* Spencer,1976 39
- 710.** *Liriomyza hieracivora* Spencer,1971 (Agromyzidae)      Synonym(s): *hieracivora*  
*Spencer,1971* 63
- 711.** *Liriomyza huidobrensis* (Blanchard,1926) (Agromyzidae)      Synonym(s):  
*huidobrensis* Blanchard,1926 01 09 35
- 712.** *Liriomyza orbona* (Meigen,1830) (Agromyzidae)      Synonym(s): *orbona* Meigen,1830 35
- 713.** *Liriomyza pascuum* (Meigen,1838) (Agromyzidae)      Synonym(s): *pascuum* Meigen,1838  
48
- 714.** *Liriomyza pedestris* Hendel,1931 (Agromyzidae)      Synonym(s): *pedestris* Hendel,1931
- 715.** *Liriomyza pusilla* (Meigen,1830) (Agromyzidae)      Synonym(s): *pusilla* Meigen,1830
- 716.** *Liriomyza sativae* Blanchard,1938 (Agromyzidae)      Synonym(s): *sativae* Blanchard,1938  
21 48
- 717.** *Liriomyza strigata* (Meigen,1830) (Agromyzidae)      Synonym(s): *strigata* Meigen,1830  
01 20 31 35 47 63
- 718.** *Liriomyza trifolii* (Burgess,1880) (Agromyzidae)      Synonym(s): *trifolii* Burgess,1880 01  
06 09 21 31 47 48 63
- 719.** *Liriomyza virgula* Frey,1946 (Agromyzidae)      Synonym(s): *virgula* Frey,1946 33
- 720.** *Lispe apicalis* Mik,1869 (Muscidae)      Synonym(s): *apicalis* Mik,1869
- 721.** *Lispe caesia* Meigen,1826 (Muscidae)      Synonym(s): *caesia* Meigen,1826
- 722.** *Lispe elcantarae* Becker,1907 (Muscidae)      Synonym(s): *elcantarae* Becker,1907
- 723.** *Lispe longicollis* Meigen,1826 (Muscidae)      Synonym(s): *longicollis* Meigen,1826
- 724.** *Lispe nana* Macquart,1835 (Muscidae)      Synonym(s): *nana* Macquart,1835 65
- 725.** *Lispe tentaculata* (De Geer,1776) (Muscidae)      Synonym(s): *tentaculata* De Geer,1776
- 726.** *Lomatia belzebul* (Fabricius,1794) (Bombyliidae)      Synonym(s): *belzebul* Fabricius,1794
- 727.** *Lophosia fasciata* Meigen,1824 (Tachinidae)      Synonym(s): *fasciata* Meigen,1824
- 728.** *Machimus annulipes* (Brullé,1832) (Asilidae)      Synonym(s): *annulipes* Brullé,1832;  
*basalis* Loew,1849; *cerdo* Gerstaeker,1861 09 10 17 35
- 729.** *Machimus atripes* Loew,1854 (Asilidae)      Synonym(s): *atrides* Loew,1854 09 35
- 730.** *Machimus caliginosus* (Meigen,1820) (Asilidae)      Synonym(s): *caliginosus* Meigen,1820  
35
- 731.** *Machimus cingulatus* (Fabricius,1781) (Asilidae)      Synonym(s): *cingulatus*  
*Fabricius,1781* 08
- 732.** *Machimus cyanopus* (Loew,1849) (Asilidae)      Synonym(s): *cyanopus* Loew,1849 35 45  
48
- 733.** *Machimus elegans* (Loew,1849) (Asilidae)      Synonym(s): *elegans* Loew,1849
- 734.** *Machimus fimbriatus* (Meigen,1804) (Asilidae)      Synonym(s): *fimbriatus* Meigen,1804  
35
- 735.** *Machimus fuscus* (Macquart,1839) (Asilidae)      Synonym(s): *fuscus* Macquart,1839 09  
35
- 736.** *Machimus gratiosus* Loew,1871 (Asilidae)      Synonym(s): *gratiosus* Loew,1871
- 737.** *Machimus leucocephalus* Janssens,1968 (Asilidae)      Synonym(s): *leucocephalus*  
*Janssens,1968*
- 738.** *Machimus modestus* (Loew,1849) (Asilidae)      Synonym(s): *modestus* Loew,1849
- 739.** *Machimus mystacinus* Becker,1923 (Asilidae)      Synonym(s): *mystacinus* Becker,1923
- 740.** *Machimus planifacies* Becker,1923 (Asilidae)      Synonym(s): *planifacies* Becker,1923
- 741.** *Machimus rufidus* Becker,1923 (Asilidae)      Synonym(s): *rufidus* Becker,1923

- 742.** **Machimus rusticus (Meigen,1820)** (Afilidae)      Synonym(s): *rusticus Meigen,1820; obscurus Meigen,1820; genualis Zeller,1840*
- 743.** **Machimus sareptanus Becker,1923** (Afilidae)      Synonym(s): *sareptanus Becker,1923*
- 744.** **Machimus senex (Wiedemann,1820)** (Afilidae)      Synonym(s): *senex Wiedemann,1820*
- 745.** **Machimus setibarbus (Loew,1849)** (Afilidae)      Synonym(s): *setibarbus Loew,1849* **35**
- 746.** **Machimus tessellatus Loew,1849** (Afilidae)      Synonym(s): *tessellatus Loew,1849*
- 747.** **Machimus thoracius (Loew,1849)** (Afilidae)      Synonym(s): *thoracius Loew,1849* **09**
- 748.** **Macquartia praefica (Meigen,1824)** (Tachinidae)      Synonym(s): *praefica Meigen,1824; microcera Robineau-Desvoidy,1830; olizon Walker,1849; torta Walker,1853; celebs Rondani,1859; atra Robineau-Desvoidy,1863; spinicincta Meade,1891; echinalis Pandelle,1895; fuscicularis Pandelle,1895; #prefica Kara,1999* **60**
- 749.** **Macquartia tenebricosa (Meigen,1824)** (Tachinidae)      Synonym(s): *tenebricosa Meigen,1824; tristis Meigen,1824; nitida Robineau-Desvoidy,1830; fumata Zetterstedt,1844; rufipalpis Macquart,1854; umbrosa Zetterstedt,1859; affinis Schiner,1862; carbonaria Robineau-Desvoidy,1863; laeta Robineau-Desvoidy,1863; villica* **60**
- 750.** **Macquartia tessellum Meigen,1824** (Tachinidae)      Synonym(s): *tessellum Meigen,1824; brevicornis Macquart,1839; occlusa Rondani,1859; brunusquamis Robineau-Desvoidy,1863; microcera Robineau-Desvoidy,1863; olivaceomaculata Porthinsky,1881; genistae Pandelle,1895* **25 60**
- 751.** **Macrodiplosis pustularis (Bremi,1847)** (Cecidomyiidae)      Synonym(s): *pustularis Bremi,1847; dryobia Loew,1877* **16 54**
- 752.** **Macrodiplosis roboris (Hardy,1854)** (Cecidomyiidae)      Synonym(s): *roboris Hardy,1854; volvens Kieffer,1895* **16 34 54**
- 753.** **Macronychia (s.str.) lemariiei Jacentkovsky,1941** (Sarcophagidae)      Synonym(s): *lemariiei Jacentkovsky,1941* **06 71**
- 754.** **Macrorchis meditata (Fallén,1825)** (Muscidae)      Synonym(s): *meditata Fallén,1825*
- 755.** **Masicera cuculliae (Robineau-Desvoidy,1830)** (Tachinidae)      Synonym(s): *cuculliae Robineau-Desvoidy,1830* **25**
- 756.** **Mayetiola destructor (Say,1817)** (Cecidomyiidae)      Synonym(s): *destructor Say,1817; orientalis Bollow,1955* **06 07 16 42 77**
- 757.** **Mayetiola hordei Kieffer,1909** (Cecidomyiidae)      Synonym(s): *hordei Kieffer,1909; mimeuri Mesnil,1934*
- 758.** **Meigenia mutabilis (Fallén,1810)** (Tachinidae)      Synonym(s): *mutabilis Fallén,1810* **25**
- 759.** **Melanagromyza aeneoventris (Fallén,1823)** (Agromyzidae)      Synonym(s): *aeneoventris Fallén,1823* **02**
- 760.** **Melanagromyza cunctans (Meigen,1830)** (Agromyzidae)      Synonym(s): *cunctans Meigen,1830* **48**
- 761.** **Melanagromyza pubescens Hendel,1923** (Agromyzidae)      Synonym(s): *pubescens Hendel,1923* **02**
- 762.** **Melanagromyza tripolii Spencer,1957** (Agromyzidae)      Synonym(s): *tripolii Spencer,1957* **23**
- 763.** **Melanagromyza vignalis Spencer,1959** (Agromyzidae)      Synonym(s): *vignalis Spencer,1959* **63**
- 764.** **Melanosoma bicolor (Meigen,1824)** (Conopidae)      Synonym(s): *bicolor Meigen,1824* **25**
- 765.** **Melanostoma mellinum (Linnaeus,1758)** (Syrphidae)      Synonym(s): *mellinum Linnaeus,1758; facultas Harris,1776; scalare Panzer,1797; mellarium Meigen,1822; melliturgus Meigen,1822; laevigatum Meigen,1822; minutum Macquart,1827; unicolor Macquart,1827; concolor Walker,1851; pruinatum Bigot,1884; nigricorne Stroble,1893* **01 07 25 37 38 46**
- 766.** **Melanostoma scalare (Fabricius,1794)** (Syrphidae)      Synonym(s): *scalare Fabricius,1794* **37**
- 767.** **Meliscaeva auricollis (Meigen,1822)** (Syrphidae)      Synonym(s): *auricollis Meigen,1822* **37 38**
- 768.** **Merodon avidus (Rossi,1790)** (Syrphidae)      Synonym(s): *avidus Rossi,1790* **37**
- 769.** **Merodon loewi Van der Gott,1964** (Syrphidae)      Synonym(s): *loewi Van der Gott,1964* **37 38**
- 770.** **Merodon nanus (Sack,1913)** (Syrphidae)      Synonym(s): *nanus Sack,1913* **38**
- 771.** **Merodon spinipes (Fabricius,1794)** (Syrphidae)      Synonym(s): *spinipes Fabricius,1794* **38**
- 772.** **Merodon velox Loew,1869** (Syrphidae)      Synonym(s): *velox Loew,1869; anathema Paramonov,1925; armeniaca Paramonov,1925* **21 37** [http://www.diptera.info/photogallery.php?photo\\_id=4879](http://www.diptera.info/photogallery.php?photo_id=4879)

- 773.** **Mesoleptogaster cappadocia Hasbenli & Çağlar,2009** (Asilidae)      Synonym(s):  
*cappadocia* Hasbenli & Çağlar,2009 **33 51**
- 774.** **Metacnephia subalpina (Rubtsov,1956)** (Simuliidae)      Synonym(s): *subalpina*  
*Rubtsov,1956* **06 33 62**
- 775.** **Metacnephia subalpina (Rubtsov,1956)** (Simuliidae)      Synonym(s): *subalpina*  
*Rubtsov,1956*
- 776.** **Metacnephia terterjani (Rubtsov,1955)** (Simuliidae)      Synonym(s): *terterjani*  
*Rubtsov,1955*
- 777.** **Metalimnobia (s.str.) bifasciata (Schrank,1781)** (Limoniiidae)      Synonym(s):  
*bifasciata* Schrank,1781
- 778.** **Metalimnobia (s.str.) quadrimaculata (Linnaeus,1761)** (Limoniiidae)  
Synonym(s): *quadrimaculata* Linnaeus,1761
- 779.** **Metasyrphus corollae (Fabricius,1794)** (Syrphidae)      Synonym(s): *consisto*  
*Harris,1776; corollae* Fabricius,1794; *pyrorum* Schrank,1803; *olitoria* Fallén,1817; *lacerus* Meigen,1822; *fulvifrons*  
*Macquart,1827; crenatus* Macquart,1927; *annularis* Curtis,1837; *octomaculata* Curtis,1837; *propinquus*  
*Macquart,1850; topiarius* **01 06 25 35 37 38 46**
- 780.** **Metopia argyrocephala (Meigen,1824)** (Sarcophagidae)      Synonym(s): *argyrocephala*  
*Meigen,1824*
- 781.** **Metopodia pilicornis (Pandellé,1895)** (Sarcophagidae)      Synonym(s): *pilicornis*  
*Pandellé,1895*
- 782.** **Metopomyza scutellata (Fallén,1823)** (Agromyzidae)      Synonym(s): *scutellata*  
*Fallén,1823* **33**
- 783.** **Metopomyza xanthaspis (Loew,1858)** (Agromyzidae)      Synonym(s): *xanthaspis*  
*Loew,1858* **33**
- 784.** **Mikiola fagi (Hartig,1839)** (Cecidomyiidae)      Synonym(s): *fagi* Hartig,1839 **14 34 54**
- 785.** **Mikiola orientalis Kieffer,1908** (Cecidomyiidae)      Synonym(s): *orientalis* Kieffer,1908  
**34**
- 786.** **Mikomya coryli (Kieffer,1901)** (Cecidomyiidae)      Synonym(s): *coryli* Kieffer,1901
- 787.** **Milesia crabroniformis (Fabricius,1775)** (Syrphidae)      Synonym(s): *crabroniformis*  
*Fabricius,1775* **46**
- 788.** **Milesia semiluctifera (Villers,1789)** (Syrphidae)      Synonym(s): *semiluctifera* Villers,1789  
**37 46**
- 789.** **Miltogramma germari Meigen,1824** (Sarcophagidae)      Synonym(s): *germari*  
*Meigen,1824*
- 790.** **Miltogramma oestracea (Fallén,1820)** (Sarcophagidae)      Synonym(s): *oestracea*  
*Fallén,1820* **07 60**
- 791.** **Miltogramma taeniata Meigen,1824** (Sarcophagidae)      Synonym(s): *taeniata*  
*Meigen,1824* **15 60**
- 792.** **Molobratia egregia (Loew,1869)** (Asilidae)      Synonym(s): *egregia* Loew,1869
- 793.** **Molobratia teutonus (Linnaeus,1767)** (Asilidae)      Synonym(s): *teutonus* Linnaeus,1767;  
*marmoratus* Geoffroy,1785; *teuton* Macquart,1834
- 794.** **Molophilus (s.str.) aduncus Stary,1978** (Limoniiidae)      Synonym(s): *aduncus*  
*Stary,1978*
- 795.** **Molophilus (s.str.) griseus (Meigen,1804)** (Limoniiidae)      Synonym(s): *griseus*  
*Meigen,1804*
- 796.** **Molophilus (s.str.) obscurus (Meigen,1818)** (Limoniiidae)      Synonym(s): *obscurus*  
*Meigen,1818*
- 797.** **Molophilus (s.str.) ochraceus (Meigen,1818)** (Limoniiidae)      Synonym(s): *ochraceus*  
*Meigen,1818*
- 798.** **Molophilus (s.str.) pleuralis De Meijere,1920** (Limoniiidae)      Synonym(s): *pleuralis*  
*De Meijere,1920*
- 799.** **Molophilus (s.str.) propinquus (Egger,1863)** (Limoniiidae)      Synonym(s):  
*propinquus* Egger,1863 **48**
- 800.** **Monarthropalpus flavus (Schrank,1776)** (Cecidomyiidae)      Synonym(s): *flavus*  
*Schrank,1776; buxi Laboulbene,1873* **34**
- 801.** **Morellia hortorum (Fallén,1817)** (Muscidae)      Synonym(s): *hortorum* Fallén,1817
- 802.** **Mormia revisenda (Eaton,1896)** (Psychodidae)      Synonym(s): *revisenda* Eaton,1896 **73**
- 803.** **Mosillus subsultans (Fabricius,1794)** (Ephydriidae)      Synonym(s): *subsultans*  
*Fabricius,1794* **01 71**
- 804.** **Musca autumnalis De Geer,1776** (Muscidae)      Synonym(s): *autumnalis* De Geer,1776;  
*corvina* Fabricius,1781

- 805.** **Musca calleva Walker,1849** (Muscidae)      Synonym(s): *calleva Walker,1849; mimetica Malloch,1941* **07**
- 806.** **Musca domestica Linnaeus,1758** (Muscidae)      Synonym(s): *domestica Linnaeus,1758* **65**
- 807.** **Musca larvipara Portschninksy,1910** (Muscidae)      Synonym(s): *larvipara Portschninksy,1910*
- 808.** **Musca osiris Wiedemann,1830** (Muscidae)      Synonym(s): *osiris Wiedemann,1830*
- 809.** **Musca sorbens Wiedemann,1830** (Muscidae)      Synonym(s): *sorbens Wiedemann,1830* **07**
- 810.** **Muscina stabulans (Fallén,1817)** (Muscidae)      Synonym(s): *stabulans Fallén,1817* **65**
- 811.** **Myathropa florea (Linnaeus,1758)** (Syrphidae)      Synonym(s): *florea Linnaeus,1758* **37** **46**
- 812.** **Mydaea urbana (Meigen,1826)** (Muscidae)      Synonym(s): *urbana Meigen,1826*
- 813.** **Myennis octopunctata (Coquebert,1798)** (Ulidiidae)      Synonym(s): *octopunctata Coquebert,1798* **42**
- 814.** **Myoleja korneyevi Han & Kütük,2006** (Tephritidae)      Synonym(s): *korneyevi Han & Kütük,2006* **61**
- 815.** **Myopa buccata (Linnaeus,1758)** (Conopidae)      Synonym(s): *buccata Linnaeus,1758* **25** **35** **47** **48** **69**
- 816.** **Myopa dorsalis Fabricius,1794** (Conopidae)      Synonym(s): *dorsalis Fabricius,1794* **08** **25** **42**
- 817.** **Myopa occulta Wiedemann,1824** (Conopidae)      Synonym(s): *occulta Wiedemann,1824* **25** **42**
- 818.** **Myopa pallida Kröber,1916** (Conopidae)      Synonym(s): *pallida Kröber,1916* **25** **36** **44**
- 819.** **Myopa picta Panzer,1798** (Conopidae)      Synonym(s): *picta Panzer,1798* **25**
- 820.** **Myopa variegata Meigen,1804** (Conopidae)      Synonym(s): *variegata Meigen,1804* **25**
- 821.** **Myophila meditabunda (Fabricius,1781)** (Muscidae)      Synonym(s): *meditabunda Fabricius,1781*
- 822.** **Myopites apicatus Freidberg,1979** (Tephritidae)      Synonym(s): *apicatus Freidberg,1979* **42**
- 823.** **Myopites cypriacus M.Hering,1938** (Tephritidae)      Synonym(s): *cypriacus M.Hering,1938; shiakidesi Dirlbek,1974* **51**
- 824.** **Myopotta rubripes (Villeneuve,1909)** (Conopidae)      Synonym(s): *rubripes Villeneuve,1909* **25**
- 825.** **Myxexoristops blondeli (Robineau-Desvoidy,1830)** (Tachinidae)      Synonym(s): *blondeli Robineau-Desvoidy,1830* **25**
- 826.** **Napomyza bellidis Griffiths,1967** (Agromyzidae)      Synonym(s): *bellidis Griffiths,1967* **31**
- 827.** **Napomyza carotae Spencer,1966** (Agromyzidae)      Synonym(s): *carotae Spencer,1966* **25**
- 828.** **Napomyza cichorii Spencer,1966** (Agromyzidae)      Synonym(s): *cichorii Spencer,1966* **32**
- 829.** **Napomyza elegans (Meigen,1830)** (Agromyzidae)      Synonym(s): *elegans Meigen,1830* **47**
- 830.** **Napomyza lateralis (Fallén,1823)** (Agromyzidae)      Synonym(s): *lateralis Fallén,1823* **21** **35**
- 831.** **Nemoraea pellucida (Meigen,1824)** (Tachinidae)      Synonym(s): *pellucida Meigen,1824; neglecta Meigen,1824; rubrica Meigen,1824; affinis Robineau-Desvoidy,1830; bombylans Robineau-Desvoidy,1830; fulva Robineau-Desvoidy,1830; conjuncta Macquart,1848; vicina Macquart,1848; vulnerata Zetterstedt,1849; nupta Rondani,1859;* **12**
- 832.** **Nemorilla maculosa (Meigen,1824)** (Tachinidae)      Synonym(s): *maculosa Meigen,1824* **36**
- 833.** **Nemorius caucasicus Olsufjev,1971** (Tabanidae)      Synonym(s): *caucasicus Olsufjev,1971* **04** **21** **29** **36**
- 834.** **Nemorius irritans (Ricardo,1901)** (Tabanidae)      Synonym(s): *irritans Ricardo,1901* **58**
- 835.** **Nemorius vitripennis (Meigen,1820)** (Tabanidae)      Synonym(s): *vitripennis Meigen,1820; fallotii Kriechbaumer,1873; horvathi Szilady,1925* **01** **11** **18** **26** **34** **58**
- 836.** **Nemotelus (s.str.) argentifer Loew,1846** (Stratiomyidae)      Synonym(s): *argentifer Loew,1846; limbatus Egger,1859* **35** **38** **48** **58** **75**
- 837.** **Nemotelus (s.str.) armeniacus Pleske,1937** (Stratiomyidae)      Synonym(s): *armeniacus Pleske,1937* **36** **38** **76**

- 838. *Nemotelus (s.str.) atriceps* Loew,1856** (Stratiomyidae)      Synonym(s): *atriceps* Loew,1856; *longicornis* Lindner,1937 **01**
- 839. *Nemotelus (s.str.) bipunctatus* Loew,1846** (Stratiomyidae)      Synonym(s): *bipunctatus* Loew,1846 **48**
- 840. *Nemotelus (s.str.) brachystomus* Loew,1846** (Stratiomyidae)      Synonym(s): *brachystomus* Loew,1846; *plagiatus* Schiner,1857; *luteicornis* Egger,1859; *punctiventris* Becker,1902; *aegyptiacus* Lindner,1925; *turcorum* Szilady,1941; *pleskei* Nartshuk,1969
- 841. *Nemotelus (s.str.) brevirostris* Meigen,1822** (Stratiomyidae)      Synonym(s): *brevirostris* Meigen,1822; *globuliceps* Loew,1846; *pseudoglobuliceps* Pleske,1937; *reichardti* Pleske,1937 **38**
- 842. *Nemotelus (s.str.) curdistanus* Szilady,1941** (Stratiomyidae)      Synonym(s): *curdistanus* Szilady,1941 **76**
- 843. *Nemotelus (s.str.) mersinae* Becker,1915** (Stratiomyidae)      Synonym(s): *mersinae* Becker,1915 **33**
- 844. *Nemotelus (s.str.) notatus* Zetterstedt,1842** (Stratiomyidae)      Synonym(s): *notatus* Zetterstedt,1842
- 845. *Nemotelus (s.str.) obscuripes* Loew,1871** (Stratiomyidae)      Synonym(s): *obscuripes* Loew,1871; *modestus* Loew,1871
- 846. *Nemotelus (s.str.) pantherinus* (Linnaeus,1758)** (Stratiomyidae)      Synonym(s): *pantherinus* Linnaeus,1758; *marginatus* Fabricius,1775; *marginellus* Gmelin,1790; *muticus* Schrank,1803; *nigritus* Meigen,1804; *fraternus* Loew,1846; *gracilis* Loew,1846; *saturini* Pleske,1937; *zelleri* Pleske,1937; *albirostris* Szilady,1941; *caucasicus* **01 07 15 32 35 38 42 48 58**
- 847. *Nemotelus (s.str.) rudifranci* (Berezovsky & Nartshuk,1993)** (Stratiomyidae)  
Synonym(s): *rudifranci* Berezovsky & Nartshuk,1993 **25 38 58 65**
- 848. *Nemotelus (s.str.) signatus* Frivaldszky,1855** (Stratiomyidae)      Synonym(s): *signatus* Frivaldszky,1855; *varius* Loew,1871
- 849. *Nemotelus (s.str.) syriacus* Lindner,1933** (Stratiomyidae)      Synonym(s): *syriacus* Lindner,1933; *aterrimus* Szilady,1941 **01**
- 850. *Neoascia pavlovski* Stackelberg,1955** (Syrphidae)      Synonym(s): *pavlovski* Stackelberg,1955 **25**
- 851. *Neoascia podagrlica* (Fabricius,1775)** (Syrphidae)      Synonym(s): *podagrlica* Fabricius,1775 **37**
- 852. *Neobrachyglossum punctatum* Kröber,1915** (Conopidae)      Synonym(s): *punctatum* Kröber,1915 **02 03**
- 853. *Neoitamus cyanurus* (Loew,1849)** (Asilidae)      Synonym(s): *tipuloides* Harris,1776; *niger* De Geer,1776; *aestivus* Schrank,1781; *tabidus* Meigen,1820; *cyanurus* Loew,1849
- 854. *Neoitamus senectus* Richter,1963** (Asilidae)      Synonym(s): *senectus* Richter,1963; *lehri* Moucha & Hradski,1963
- 855. *Neoleria pusilla* Loew,1862** (Heleomyzidae)      Synonym(s): *pusilla* Loew,1862 **09**
- 856. *Neomochtherus albicans* (Loew,1849)** (Asilidae)      Synonym(s): *albicans* Loew,1849
- 857. *Neomochtherus auratus* Janssens,1968** (Asilidae)      Synonym(s): *auratus* Janssens,1968
- 858. *Neomochtherus leclerqi* Janssens,1968** (Asilidae)      Synonym(s): *leclerqi* Janssens,1968
- 859. *Neomyia cornicina* (Fabricius,1781)** (Muscidae)      Synonym(s): *cornicina* Fabricius,1781; *caesarion* Meigen,1826
- 860. *Nephrotoma aculeata* (Loew,1871)** (Tipulidae)      Synonym(s): *aculeata* Loew,1871
- 861. *Nephrotoma analis* (Schummel,1833)** (Tipulidae)      Synonym(s): *analis* Schummel,1833
- 862. *Nephrotoma appendiculata* (Pierre,1919)** (Tipulidae)      Synonym(s): *appendiculata* Pierre,1919 **03 06 13 37 42 48 49 53**
- 863. *Nephrotoma beckeri* (Mannheims,1951)** (Tipulidae)      Synonym(s): *beckeri* Mannheims,1951
- 864. *Nephrotoma cornicina* (Linnaeus,1758)** (Tipulidae)      Synonym(s): *cornicina* Linnaeus,1758 **03 08 25 29 32 36 37 38 42 47 48 51 57**
- 865. *Nephrotoma croceiventris* (Strobl,1909)** (Tipulidae)      Synonym(s): *croeiventris* Strobl,1909 **04 06 13 14 30 36 38 42 46 48 49 51 53 58 65**
- 866. *Nephrotoma guestfalica* (Westhoff,1879)** (Tipulidae)      Synonym(s): *guestfalica* Westhoff,1879 **35 48**
- 867. *Nephrotoma minuscula* (Mannheims,1951)** (Tipulidae)      Synonym(s): *minuscula* Mannheims,1951
- 868. *Nephrotoma nasuta* Oosterbroek,1975** (Tipulidae)      Synonym(s): *nasuta* Oosterbroek,1975
- 869. *Nephrotoma nox* (Riedel,1910)** (Tipulidae)      Synonym(s): *nox* Riedel,1910

- 870.** **Nephrotoma pratensis (Linnaeus,1758)** (Tipulidae)      Synonym(s): *pratensis Linnaeus,1758*
- 871.** **Nephrotoma quadrifaria (Meigen,1804)** (Tipulidae)      Synonym(s): *quadrifaria Meigen,1804* **48**
- 872.** **Nephrotoma scalaris (Meigen,1818)** (Tipulidae)      Synonym(s): *scalaris Meigen,1818* **03**  
**07 09 10 13 16 25 28 31 35 38 47 48 49 53 61 65**
- 873.** **Nephrotoma theowaldi Oosterbroek,1978** (Tipulidae)      Synonym(s): *theowaldi Oosterbroek,1978* **07 09 33 35 42 48**
- 874.** **Nigrotipula nigra (Linnaeus,1758)** (Tipulidae)      Synonym(s): *nigra Linnaeus,1758*
- 875.** **Nilea anatolica Mesnil,1954** (Tachinidae)      Synonym(s): *anatolica Mesnil,1954* **25**
- 876.** **Noeeta bisetosa Merz,1992** (Tephritidae)      Synonym(s): *bisetosa Merz,1992* **33**
- 877.** **Noeeta crepidis (Hering,1936)** (Tephritidae)      Synonym(s): *crepidis Hering,1936* **32**
- 878.** **Noeeta pupillata (Fallén,1814)** (Tephritidae)      Synonym(s): *pupillata Fallén,1814; reticula Schrank,1803; brunicosa Robineau-Desvoidy,1830; lineata Macquart,1835* **29 51 66**
- 879.** **Nusa ramicosa (Loew,1871)** (Asilidae)      Synonym(s): *ramicosa Loew,1871*
- 880.** **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae)      Synonym(s): *vexata Westwood,1835* **01 07 21 29 31 32 33 40 46 51 52 80**
- 881.** **Nycteribia (s.str.) kolenatii Theodor & Moscona,1954** (Nycteribiidae)      Synonym(s): *kolenati Theodor & Moscona,1954* **31**
- 882.** **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae)      Synonym(s): *latreillii Leach,1817* **01 07 15 29 32 34 39 40 46 51 52 65 76 80**
- 883.** **Nycteribia (s.str.) pedicularia Latreille,1805** (Nycteribiidae)      Synonym(s): *pedicularia Latreille,1805* **15 33 46 80**
- 884.** **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae)      Synonym(s): *schmidlii Schiner,1853* **07 21 25 29 31 32 39 46 60 61 76**
- 885.** **Nyctia halterata (Panzer,1798)** (Sarcophagidae)      Synonym(s): *halterata Panzer,1798* **05 60**
- 886.** **Nyctia lugubris (Macquart,1843)** (Sarcophagidae)      Synonym(s): *lugubris Macquart,1843* **15 55**
- 887.** **Odinadiplosis amygdali (Anagnostopoulos,1929)** (Cecidomyiidae)      Synonym(s): *amygdali Anagnostopoulos,1929* **06 35**
- 888.** **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae)      Synonym(s): *angulata Panzer,[1798]; vulpina Panzer,[1798]; hydropta Meigen,1822; latifasciata Macquart,1834; brevicornis Loew,1840; ruficornis Zetterstedt,1842; hydrophila Loew,1846* **07 10 15**
- 889.** **Odontomyia cephalonica Strobl,1898** (Stratiomyidae)      Synonym(s): *cephalonica Strobl,1898; byzantina Strobl,1902; persica Pleske,1922* **01 34 38**
- 890.** **Odontomyia discolor Loew,1846** (Stratiomyidae)      Synonym(s): *discolor Loew,1846; limbata Macquart,1849 nec Meig.,1822*
- 891.** **Odontomyia flavissima (Rossi,1790)** (Stratiomyidae)      Synonym(s): *flavissima Rossi,1790; decora Meigen,1822; infuscata Meigen,1830; semiviolacea Brullé,1832; nigripes Macquart,1847; laufferi Strobl,1909* **01 38**
- 892.** **Odontomyia hyroleon (Linnaeus,1758)** (Stratiomyidae)      Synonym(s): *hyroleon Linnaeus,1758; felina Panzer,[1798]; alpina Jaennicke,1866* **01 32 38 42**
- 893.** **Odontomyia ornata (Meigen,1822)** (Stratiomyidae)      Synonym(s): *ornata Meigen,1822; signaticornis Loew,1846* **48**
- 894.** **Oligodranes obscuripennis Loew,1844** (Bombyliidae)      Synonym(s): *obscuripennis Loew,1844* **33**
- 895.** **Oligopogon anatolicus Geller-Grimm & Hradsky,2003** (Asilidae)      Synonym(s): *anatolicus Geller-Grimm & Hradsky,2003* **17 26**
- 896.** **Oligopogon hybotinus (Loew,1847)** (Asilidae)      Synonym(s): *hybotinus Loew,1847* **16**
- 897.** **Oligopogon londti Geller-Grimm & Hradsky,2003** (Asilidae)      Synonym(s): *londti Geller-Grimm & Hradsky,2003* **02 07 15 16 20 33 58**
- 898.** **Oligopogon rufus Geller-Grimm & Hradsky,2003** (Asilidae)      Synonym(s): *rufus Geller-Grimm & Hradsky,2003* **01**
- 899.** **Oligotrophus juniperinus (Linnaeus,1758)** (Cecidomyiidae)      Synonym(s): *juniperinus Linnaeus,1758* **34**
- 900.** **Oligotrophus panteli Kieffer,1898** (Cecidomyiidae)      Synonym(s): *panteli Kieffer,1898* **16**
- 901.** **Ommatius stackelbergi (Richter,1960)** (Asilidae)      Synonym(s): *stackelbergi Richter,1960*

- 902.** *Ophiomyia beckeri* (Hendel,1923) (Agromyzidae) Synonym(s): *beckeri* Hendel,1923  
**47**
- 903.** *Ophiomyia cunctata* (Hendel,1920) (Agromyzidae) Synonym(s): *cunctata* Hendel,1920  
**35 63**
- 904.** *Ophiomyia curvipalpis* (Zetterstedt,1848) (Agromyzidae) Synonym(s): *curvipalpis* Zetterstedt,1848 **35**
- 905.** *Ophiomyia delphinii* Hendel,1928 (Agromyzidae) Synonym(s): *delphinii* Hendel,1928  
**48**
- 906.** *Ophiomyia galii* M.Hering,1937 (Agromyzidae) Synonym(s): *galii* M.Hering,1937 **48**
- 907.** *Ophiomyia inaequabilis* (Hendel,1931) (Agromyzidae) Synonym(s): *inaequabilis* Hendel,1931 **35**
- 908.** *Ophiomyia labiatarum* M.Hering,1937 (Agromyzidae) Synonym(s): *labiatarum* M.Hering,1937
- 909.** *Ophiomyia maura* (Meigen,1838) (Agromyzidae) Synonym(s): *aura* Meigen,1838 **17**
- 910.** *Ophiomyia memorabilis* Spencer,1974 (Agromyzidae) Synonym(s): *memorabilis* Spencer,1974
- 911.** *Ophiomyia orbiculata* (Hendel,1931) (Agromyzidae) Synonym(s): *orbiculata* Hendel,1931 **35**
- 912.** *Ophiomyia phaseoli* (Tryon,1895) (Agromyzidae) Synonym(s): *phaseoli* Tryon,1895  
**01 31**
- 913.** *Ophiomyia pinguis* (Fallén,1820) (Agromyzidae) Synonym(s): *pinguis* Fallén,1820 **63**
- 914.** *Ophiomyia pulicaria* (Meigen,1830) (Agromyzidae) Synonym(s): *pulicaria* Meigen,1830 **48**
- 915.** *Ophiomyia subaura* M.Hering,1926 (Agromyzidae) Synonym(s): *subaura* M.Hering,1926
- 916.** *Oplodontha viridula* (Fabricius,1775) (Stratiomyidae) Synonym(s): *viridula* Fabricius,1775; *canina* Panzer,[1798]; *jejuna* Schrank,1803; *dentata* Meigen,1804; *holosericea* Olivier,1812; *lunata* Olivier,1812; *subvittata* Meigen,1822; *bimaculata* Meigen,1835; *personata* Loew,1846; *interrupta* Loew,1846; *heydeni* Jaennicke,1866 **01 07 15 20 32 38 48 58**
- 917.** *Orellia colon* (Meigen,1826) (Tephritidae) Synonym(s): *colon* Meigen,1826
- 918.** *Orellia falcata* (Scopoli,1763) (Tephritidae) Synonym(s): *falcata* Scopoli,1763 **04 35 38**  
**58**
- 919.** *Orellia sticta* (Gmelin,1790) (Tephritidae) Synonym(s): *sticta* Gmelin,1790 **38 58**
- 920.** *Ormosia* (s.str.) *hederae* (Curtis,1835) (Limoniidae) Synonym(s): *hederae* Curtis,1835
- 921.** *Orthochile nigrocoerulea* Latreille,1809 (Dolichopodidae) Synonym(s): *nigrocoerulea* Latreille,1809 **07**
- 922.** *Orthonevra frontalis* (Loew,1843) (Syrphidae) Synonym(s): *frontalis* Loew,1843 **38**
- 923.** *Oxyaciura tibialis* Robineau-Desvoidy,1830 (Tephritidae) Synonym(s): *tibialis* Robineau-Desvoidy,1830; *gagates* Loew,1846 **07 08 65**
- 924.** *Oxycera* (*Camptopelta*) *meigenii* Staeger,1844 (Stratiomyidae) Synonym(s): *meigenii* Staeger,1844; *fraterna* Loew,1873; *caucasica* Kertesz,1916; *turkestanica* Kertesz,1916; *sinica* Pleske,1925; *transcaspia* Pleske,1925; *pallidipes* Pleske,1925 **32 38 58**
- 925.** *Oxycera* (*Camptopelta*) *nigricornis* Olivier,1812 (Stratiomyidae) Synonym(s): *nigricornis* Olivier,1812
- 926.** *Oxycera* (*Camptopelta*) *nigrinus* Fallén,1817 (Stratiomyidae) Synonym(s): *nigrinus* Fallén,1817; *carneus* Walker,1849; *unicolor* Loew,1863; *carbonarius* Loew,1869 **01 38 58**
- 927.** *Oxycera galeata* (Lindner,1975) (Stratiomyidae) Synonym(s): *galeata* Lindner,1975 **01**  
**38**
- 928.** *Oxycera grata* Loew,1869 (Stratiomyidae) Synonym(s): *grata* Loew,1869 **58**
- 929.** *Oxycera insolata* Kühbandner,1984 (Stratiomyidae) Synonym(s): *insolata* Kühbandner,1984 **73**
- 930.** *Oxycera limbata* Loew,1862 (Stratiomyidae) Synonym(s): *limbata* Loew,1862
- 931.** *Oxycera pardalina* Meigen,1822 (Stratiomyidae) Synonym(s): *pardalina* Meigen,1822; *amoena* Loew,1857; *engadinica* Jaennicke,1866; *calceata* Loew,1871; *sahunica* Séguy,1934; *oldenbergi* Lindner,1938; *nigrifrons* Szilady,1941; *bohemica* Hrbacek,1945; *armata* Vaillant,1950 **38 58**
- 932.** *Oxycera pygmaea* (Fallén,1817) (Stratiomyidae) Synonym(s): *pygmaea* Fallén,1817; *affinis* Curtis,1833; *nigripes* Verrall,1909; *hungarica* Kertesz,1923 **16 38**
- 933.** *Oxycera quadrilineata* Üstüner & Hasbenli,2007 (Stratiomyidae) Synonym(s): *quadrilineata* Üstüner & Hasbenli,2007 **58**

- 934. *Oxycera trilineata* (Linnaeus,1767)** (Stratiomyidae)      Synonym(s): *trilineata* Linnaeus,1767; *graeca* Pontoppidan,1763; *hypoleon* Linnaeus,1767; *fasciata* Geoffroy,1785; *proxima* Loew,1873; *collaris* Brunetti,1889; *transfasciata* Pleske,1925; *ferghanensis* Pleske,1925; *ucrainica* Paramonov,1926; *bucheti* Seguy,1930; **01 05 15 16 32 38 58**
- 935. *Oxycera turcica* Üstüner & Hasbenli,2004** (Stratiomyidae)      Synonym(s): *turcica* Üstüner & Hasbenli,2004 **38 58**
- 936. *Oxyna flavipennis* (Loew,1844)** (Tephritidae)      Synonym(s): *flavipennis* Loew,1844; *flavescens* Robineau-Desvoidy,1830; *laticauda* Walker,1836; *parietina* Zetterstedt,1847 **01 07 32 38 41 51 58 68**
- 937. *Oxyna guttatofasciata* (Loew,1850)** (Tephritidae)      Synonym(s): *guttatofasciata* Loew,1850 **68**
- 938. *Oxyna lutulenta* Loew,1869** (Tephritidae)      Synonym(s): *lutulenta* Loew,1869 **66**
- 939. *Oxyna nebulosa* (Wiedemann,1817)** (Tephritidae)      Synonym(s): *nebulosa* Wiedemann,1817; *femoralis* Robineau-Desvoidy,1830; *nigrofemorata* Meigen,1838; *proboscidea* Loew,1844; *parietina* Zetterstedt,1855; *cinarae* Rondani,1870 **51 66 68**
- 940. *Ozirhincus anthemidis* Rübsaamen,1915** (Cecidomyiidae)      Synonym(s): *anthemidis* Rübsaamen,1915; *anatolicus* Möhn,1968 **05**
- 941. *Ozirhincus longicollis* Rondani,1840** (Cecidomyiidae)      Synonym(s): *longicollis* Rondani,1840 **33**
- 942. *Ozirhincus millefolii* (Wachtl,1884)** (Cecidomyiidae)      Synonym(s): *millefolii* Wachtl,1884 **55**
- 943. *Pachygaster atra* (Panzer,[1798])** (Stratiomyidae)      Synonym(s): *atra* Panzer,[1798]; *pachygaster* Fallén,1817
- 944. *Pachygaster maura* Lindner,1939** (Stratiomyidae)      Synonym(s): *maura* Lindner,1939 **01**
- 945. *Pales pavaida* (Meigen,1824)** (Tachinidae)      Synonym(s): *pavaida* Meigen,1824 **25 75**
- 946. *Palesisa nudioculata* Villeneuve,1929** (Tachinidae)      Synonym(s): *nudioculata* Villeneuve,1929 **25**
- 947. *Pangonius (Melanopangonius) funebris* Macquart,1845** (Tabanidae)  
Synonym(s): *funebris* Macquart,1845
- 948. *Pangonius (Melanopangonius) haustellatus* (Fabricius,1781)** (Tabanidae)  
Synonym(s): *haustellatus* Fabricius,1781; *marginata* Fabricius,1805 **16 17 22**
- 949. *Pangonius (s. str.) obscuratus* Loew,1859** (Tabanidae)      Synonym(s): *obscuratus* Loew,1859
- 950. *Pangonius (s.str.) argentatus* Szilady,1923** (Tabanidae)      Synonym(s): *argentatus* Szilady,1923 **05 26**
- 951. *Pangonius (s.str.) flavocinctus* Szilady,1923** (Tabanidae)      Synonym(s): *flavocinctus* Szilady,1923 **42**
- 952. *Pangonius (s.str.) fulvipes* Loew,1859** (Tabanidae)      Synonym(s): *fulvipes* Loew,1859 **16 31 32 33**
- 953. *Pangonius (s.str.) lucidus* Szilady,1923** (Tabanidae)      Synonym(s): *lucidus* Szilady,1923 **26**
- 954. *Paradelphomyia (Oxyrhiza) senilis* (Haliday,1833)** (Limoniidae)      Synonym(s): *senilis* Haliday,1833 **48**
- 955. *Parageron punctipennis* (Loew,1846)** (Bombyliidae)      Synonym(s): *punctipennis* Loew,1846
- 956. *Paragus abrogans* Goedlin,1971** (Syrphidae)      Synonym(s): *abrogans* Goedlin,1971 **25**
- 957. *Paragus albifrons* (Fallén,1817)** (Syrphidae)      Synonym(s): *albifrons* Fallén,1817 **06 60 65**
- 958. *Paragus azureus* Hull,1949** (Syrphidae)      Synonym(s): *azureus* Hull,1949
- 959. *Paragus bicolor* (Fabricius,1794)** (Syrphidae)      Synonym(s): *cruentata* Geoffroy,1785; *bicolor* Fabricius,1794; *melonchrysa* Gmelin,1788; *zonatus* Meigen,1822; *punctulatus* Zetterstedt,1838; *ruficauda* Zetterstedt,1843; *sexarcuatus* Bigot,1862; *angustifrons* Loew,1863 **25 37 38**
- 960. *Paragus faesi* De Weyer,2000** (Syrphidae)      Synonym(s): *faesi* De Weyer,2000 **07**
- 961. *Paragus kopdagensis* Hayat & Claussen,1997** (Syrphidae)      Synonym(s): *kopdagensis* Hayat & Claussen,1997 **25 69**
- 962. *Paragus quadrifasciatus* Meigen,1822** (Syrphidae)      Synonym(s): *quadrifasciatus* Meigen,1822 **65**

- 963. *Paragus tibialis* (Fallén,1817)** (Syrphidae)      Synonym(s): *tibialis* Fallén,1817; *aeneus* Meigen,1822; *geniculatus* Curtis,1837; *trianguliferus* Zetterstedt,1838; *dispar* Schimmel,1842; *dimidiatus* Loew,1843; *varipes* Bigot,1880; *auricaudatus* Bigot,1883 **01 06 25 37 38 46**
- 964. *Paraphamartania syriaca* (Schiner,1867)** (Asilidae)      Synonym(s): *syriaca* Schiner,1867
- 965. *Parasyrphus punctulatus* (Verrall,1873)** (Syrphidae)      Synonym(s): *punctulatus* Verrall,1873 **37**
- 966. *Pedicia (Amalopis) occulta* (Meigen,1830)** (Pediciidae)      Synonym(s):
- 967. *Pedicia (Crunobia) littoralis* (Meigen,1804)** (Pediciidae)      Synonym(s):
- 968. *Pedicia (Crunobia) tjederi* Mendl,1974** (Pediciidae)      Synonym(s):
- 969. *Pedicia (Crunobia) zernyi* (Lackschewitz,1940)** (Pediciidae)      Synonym(s):
- 970. *Pelecocera scaevoides* (Fallén,1817)** (Syrphidae)      Synonym(s): *scaevoides* Fallén,1817 **37**
- 971. *Peleteria rubescens* Robineau-Desvoidy,1830** (Tachinidae)      Synonym(s): *rubescens* Robineau-Desvoidy,1830; *nigricornis* Meigen,1838; *pulverulanata* Robineau-Desvoidy,1863 **25 60**
- 972. *Penicillidia conspicua* Speiser,1901** (Nycteribiidae)      Synonym(s): *conspicua* Speiser,1901 **10 15 31 32 39 42 46 61 76**
- 973. *Penicillidia dufourii* (Westwood,1835)** (Nycteribiidae)      Synonym(s): *dufourii* Westwood,1835 **07 15 31 32 33 34 42 60 65 77 80**
- 974. *Pericomma blandula* Eaton,1893** (Psychodidae)      Synonym(s): *blandula* Eaton,1893 **30**
- 975. *Pericomma hakkariae* R.Wagner,1986** (Psychodidae)      Synonym(s): *hakkariae* R.Wagner,1986 **73**
- 976. *Pericomma kariana* Vaillant,1978** (Psychodidae)      Synonym(s): *kariana* Vaillant,1978 **73**
- 977. *Pericomma orientalis* R.Wagner,1986** (Psychodidae)      Synonym(s): *orientalis* R.Wagner,1986 **73**
- 978. *Pericomma platystyla* R.Wagner,1986** (Psychodidae)      Synonym(s): *platystyla* R.Wagner,1986 **30 36**
- 979. *Pericomma tenuistylis* Vaillant,1978** (Psychodidae)      Synonym(s): *tenuistylis* Vaillant,1978 **73**
- 980. *Phaonia cincta* (Zetterstedt,1846)** (Muscidae)      Synonym(s): *cincta* Zetterstedt,1846
- 981. *Phaonia kobica* Schnabl,1911** (Muscidae)      Synonym(s): *kobica* Schnabl,1911
- 982. *Phaonia terfa* Villeneuve,1936** (Muscidae)      Synonym(s): *tersa* Villeneuve,1936
- 983. *Pherbellia cinerella* (Fallén,1820)** (Sciomyzidae)      Synonym(s): *cinerella* Fallén,1820 **02 14 16 25 30**
- 984. *Pherbellia dorsata* (Zetterstedt,1846)** (Sciomyzidae)      Synonym(s): *dorsata* Zetterstedt,1846
- 985. *Pherbellia griseola* (Fallén,1820)** (Sciomyzidae)      Synonym(s): *griseola* Fallén,1820 **25**
- 986. *Pherbellia grisescens* (Meigen,1830)** (Sciomyzidae)      Synonym(s): *grisescens* Meigen,1830
- 987. *Pherbellia lutheri* Rozkosny,1982** (Sciomyzidae)      Synonym(s): *lutheri* Rozkosny,1982 **14**
- 988. *Pherbellia schoenherri* (Fallén,1826)** (Sciomyzidae)      Synonym(s): *schoenherri* Fallén,1826 **36**
- 989. *Pherbellia ventralis* (Fallén,1820)** (Sciomyzidae)      Synonym(s): *ventralis* Fallén,1820 **25**
- 990. *Pherbina coryleti* (Scopoli,1763)** (Sciomyzidae)      Synonym(s): *coryleti* Scopoli,1763 **09**
- 991. *Pherbina mediterranea* Mayer,1953** (Sciomyzidae)      Synonym(s): *mediterranea* Mayer,1953 **02 14 34 36**
- 992. *Philipomyia aprica* (Meigen,1820)** (Tabanidae)      Synonym(s): *apraca* Meigen,1820 **03**  
**06 11 16 26 25 30 33 34 36 37 39 59**
- 993. *Philipomyia graeca* (Fabricius,1794)** (Tabanidae)      Synonym(s): *graeca* Fabricius,1794 **07 25 33**
- 994. *Philipomyia rohdendorfi* (Olsufjev,1937)** (Tabanidae)      Synonym(s): *rohdendorfi* Olsufjev,1937 **08 36 53**
- 995. *Philipomyia zizaniae* (Leclercq,1966)** (Tabanidae)      Synonym(s): *zizaniae* Leclercq,1966 **01 33**
- 996. *Philodicus ponticus* (Bigot,1880)** (Asilidae)      Synonym(s): *ponticus* Bigot,1880; *bimaculatus* Becker,1913

- 997. *Philonicus albiceps* (Meigen,1820)** (Asilidae)      Synonym(s): *albiceps* Meigen,1820; *canescens* Wiedemann,1820; *nudus* Loew,1840; *eletus* Loew,1871; *domesticus* Ricardo,1920; *pulcher* Becker,1923; *marinus* Becker,1923; *orientalis* Esipenko,1969
- 998. *Philosepedon symmetricus* R.Wagner,1986** (Psychodidae)      Synonym(s): *symmetricus* R.Wagner,1986 **30**
- 999. *Phlebotomus (Adlerius) balcanicus* Theodor,1958** (Psychodidae)      Synonym(s): *balcanicus* Theodor,1958 **03 65**
- 1000. *Phlebotomus (Adlerius) halepensis* Theodor,1958** (Psychodidae)      Synonym(s): *halepensis* Theodor,1958 **03 17**
- 1001. *Phlebotomus (Adlerius) simici* Nitzulescu,1931** (Psychodidae)      Synonym(s): *simici* Nitzulescu,1931 **03 17**
- 1002. *Phlebotomus (Larroussius) neglectus* Tonnoir,1921** (Psychodidae)      Synonym(s): *neglectus* Tonnoir,1921 **03 17**
- 1003. *Phlebotomus (Larroussius) perfiliewi* Parrot,1930** (Psychodidae)      Synonym(s): *perfiliewi* Parrot,1930 **03 17**
- 1004. *Phlebotomus (Larroussius) syriacus* Adler & Theodor,1930** (Psychodidae)      Synonym(s): *syriacus* Adler & Theodor,1930 **03**
- 1005. *Phlebotomus (Larroussius) tobbi* Adler & Theodor,1930** (Psychodidae)      Synonym(s): *tobbi* Adler & Theodor,1930 **03 17**
- 1006. *Phlebotomus (Paraphlebotomus) papatasi* (Scopoli,1786)** (Psychodidae)      Synonym(s): *papatasi* Scopoli,1786 **03 17 65**
- 1007. *Phlebotomus jacusieli* Theodor,1947** (Psychodidae)      Synonym(s): *jacusieli* Theodor,1947 **65**
- 1008. *Phlebotomus transcaucasicus* Perfiliew,1937** (Psychodidae)      Synonym(s): *transcaucasicus* Perfiliew,1937 **65**
- 1009. *Phorbia securis* Tiensuu,1935** (Anthomyiidae)      Synonym(s): *securis* Tiensuu,1935 **22 39 59**
- 1010. *Phrosinella nasuta* (Meigen,1824)** (Sarcophagidae)      Synonym(s): *nasuta* Meigen,1824 **42 60**
- 1011. *Phrosinella tadzhika* (Rodhendorf,1935)** (Sarcophagidae)      Synonym(s): *tadzhika*42
- 1012. *Phryno vetula* (Meigen,1824)** (Tachinidae)      Synonym(s): *vetula* Meigen,1824 **12**
- 1013. *Phthiria conspicua* Loew,1846** (Bombyliidae)      Synonym(s): *conspicua* Loew,1846
- 1014. *Phthiria gaedii* Wiedemann,1820** (Bombyliidae)      Synonym(s): *gaedii* Wiedemann,1820; *maculata* Wiedemann,1820; *punctata* Meigen,1835; *zimmermanni* Nowicki,1868; *gaedii* Engel,1933
- 1015. *Phthiria pulicaria* (Mikan,1796)** (Bombyliidae)      Synonym(s): *pulicaria* Mikan,1796; *nigra* Meigen,1804; *pygmaea* Fabricius,1805; *campestris* Fallén,1815; *major* Strobl,1909
- 1016. *Phthiria subnitens* Loew,1846** (Bombyliidae)      Synonym(s): *subnitens* Loew,1846
- 1017. *Phthiria vagans* Loew,1846** (Bombyliidae)      Synonym(s): *vagans* Loew,1846
- 1018. *Phthiridium biarticulatum* Hermann,1804** (Nycteribiidae)      Synonym(s): *biarticulatum* Hermann,1804 **01 07 10 15 23 31 35 37 39 42 54**
- 1019. *Phycus insignis* (Loew,1874)** (Therevidae)      Synonym(s): *insignis* Loew,1874
- 1020. *Phylidorea (s.str.) ferruginea* (Meigen,1818)** (Limoniidae)      Synonym(s): *ferruginea*

**1021. *Phyllolabis kocmani* Koç,2004** (Limoniidae)      Synonym(s): *kocmani* Koç,2004 **48**

**1022. *Phylloletes pictipennis* Loew,1844** (Sarcophagidae)      Synonym(s): *pictipennis* Loew,1844

**1023. *Physemocecis hartigi* (Liebel,1892)** (Cecidomyiidae)      Synonym(s): *hartigi* Liebel,1892 **34**

**1024. *Physiphora demandata* (Fabricius,1798)** (Ulidiidae)      Synonym(s): *demandata* Fabricius,1798 **45**

**1025. *Physocephala chrysorrhoea* (Meigen,1824)** (Conopidae)      Synonym(s): *chrysorrhoea* Meigen,1824 **24**

**1026. *Physocephala laticincta* (Brullé,1832)** (Conopidae)      Synonym(s): *laticincta* Brullé,1832 **07 09 25 35**

**1027. *Physocephala nigra* (De Geer,1776)** (Conopidae)      Synonym(s): *nigra* De Geer,1776 **08 25 36**

**1028. *Physocephala rufipes* (Fabricius,1781)** (Conopidae)      Synonym(s): *rufipes* Fabricius,1781 **07 08 24 25 29 69 36**

- 1029.** *Physocephala vaginalis* (Rondani,1865) (Conopidae)      Synonym(s): *vaginalis Rondani,1865* **25**
- 1030.** *Physocephala zaitsevi* Zimina,1979 (Conopidae)      Synonym(s): *zaitsevi Zimina,1979* **06** **38**
- 1031.** *Phytoliriomyza arctica* (Lundbeck,1901) (Agromyzidae)      Synonym(s): *arctica Lundbeck,1901* **35**
- 1032.** *Phytoliriomyza dorsata* (Siebke,1863) (Agromyzidae)      Synonym(s): *dorsata Siebke,1863* **21**
- 1033.** *Phytoliriomyza oasis* (Becker,1907) (Agromyzidae)      Synonym(s): *oasis Becker,1907*
- 1034.** *Phytoliriomyza perpusilla* (Meigen,1830) (Agromyzidae)      Synonym(s): *perpusilla Meigen,1830* **46**
- 1035.** *Phytomyza aconitophila* Hendel,1927 (Agromyzidae)      Synonym(s): *aconitophila Hendel,1927* **48**
- 1036.** *Phytomyza affinis* Fallén,1823 (Agromyzidae)      Synonym(s): *affinis Fallén,1823* **63**
- 1037.** *Phytomyza albipennis* (Fallén,1823) (Agromyzidae)      Synonym(s): *albipennis Fallén,1823* **48**
- 1038.** *Phytomyza angelicae* Kaltenbach,1872 (Agromyzidae)      Synonym(s): *angelicae Kaltenbach,1872* **48**
- 1039.** *Phytomyza aquilonia* Frey,1946 (Agromyzidae)      Synonym(s): *aquilonia Frey,1946* **21**
- 1040.** *Phytomyza astrantiae* Hendel,1924 (Agromyzidae)      Synonym(s): *astrantiae Hendel,1924* **61**
- 1041.** *Phytomyza aurei* M.Hering,1931 (Agromyzidae)      Synonym(s): *aurei M.Hering,1931* **39**
- 1042.** *Phytomyza brevifacies* Hendel,1934 (Agromyzidae)      Synonym(s): *brevifacies Hendel,1934* **53**
- 1043.** *Phytomyza cecidonomia* M.Hering,1937 (Agromyzidae)      Synonym(s): *cecidonomia M.Hering,1937* **48**
- 1044.** *Phytomyza chelonei* Spencer,1969 (Agromyzidae)      Synonym(s): *chelonei Spencer,1969* **63**
- 1045.** *Phytomyza cirsii* Hendel,1923 (Agromyzidae)      Synonym(s): *cirsii Hendel,1923*
- 1046.** *Phytomyza clematidis* Kaltenbach,1859 (Agromyzidae)      Synonym(s): *clematidis Kaltenbach,1859* **35**
- 1047.** *Phytomyza continua* Hendel,1920 (Agromyzidae)      Synonym(s): *continua Hendel,1920*
- 1048.** *Phytomyza conyzae* M.Hering,1920 (Agromyzidae)      Synonym(s): *conyzae M.Hering,1920* **48**
- 1049.** *Phytomyza crassiseta* Zetterstedt,1860 (Agromyzidae)      Synonym(s): *crassiseta Zetterstedt,1860* **16** **17** **41** **48**
- 1050.** *Phytomyza fallaciosa* Brischke,1880 (Agromyzidae)      Synonym(s): *fallaciosa Brischke,1880* **46**
- 1051.** *Phytomyza ferulae* M.Hering,1927 (Agromyzidae)      Synonym(s): *ferulae M.Hering,1927* **35**
- 1052.** *Phytomyza flavicornis* Fallén,1823 (Agromyzidae)      Synonym(s): *flavicornis Fallén,1823*
- 1053.** *Phytomyza geminata* Sasakawa,2008 (Agromyzidae)      Synonym(s): *geminata Sasakawa,2008* **02**
- 1054.** *Phytomyza glabra* Hendel,1935 (Agromyzidae)      Synonym(s): *glabra Hendel,1935* **25**
- 1055.** *Phytomyza gymnostoma* Loew,1858 (Agromyzidae)      Synonym(s): *gymnostoma Loew,1858* **35**
- 1056.** *Phytomyza kaltenbachi* Hendel,1922 (Agromyzidae)      Synonym(s): *kaltenbachi Hendel,1922* **01** **35** **45**
- 1057.** *Phytomyza lappae* Goureau,1851 (Agromyzidae)      Synonym(s): *lappae Goureau,1851* **06**
- 1058.** *Phytomyza nigritula* Zetterstedt,1838 (Agromyzidae)      Synonym(s): *nigritula Zetterstedt,1838* **15**
- 1059.** *Phytomyza origani* M.Hering,1931 (Agromyzidae)      Synonym(s): *origani M.Hering,1931* **17**
- 1060.** *Phytomyza orobanchiae* Kaltenbach,1864 (Agromyzidae)      Synonym(s): *orobanchiae Kaltenbach,1864* **10** **16** **21** **45** **47** **63**
- 1061.** *Phytomyza petoei* M.Hering,1924 (Agromyzidae)      Synonym(s): *petoei M.Hering,1924* **35**
- 1062.** *Phytomyza phillyreae* M.Hering,1930 (Agromyzidae)      Synonym(s): *phillyreae M.Hering,1930* **35**

- 1063.** *Phytomyza plantaginis* Robineau-Desvoidy,1851 (Agromyzidae)      Synonym(s):  
*plantaginis Robineau-Desvoidy,1851* **35 47**
- 1064.** *Phytomyza podagrariae* M.Hering,1954 (Agromyzidae)      Synonym(s): *podagrariae*  
*M.Hering,1954* **17**
- 1065.** *Phytomyza pubicornis* Hendel,1920 (Agromyzidae)      Synonym(s): *pubicornis*  
*Hendel,1920* **32**
- 1066.** *Phytomyza ranunculi* (Schrank,1803) (Agromyzidae)      Synonym(s): *ranunculi*  
*Schrank,1803* **35**
- 1067.** *Phytomyza rostrata* M.Hering,1934 (Agromyzidae)      Synonym(s): *rostrata*  
*M.Hering,1934* **35**
- 1068.** *Phytomyza rufescens* von Roser,1840 (Agromyzidae)      Synonym(s): *rufescens* von  
*Roser,1840* **35**
- 1069.** *Phytomyza rufipes* Meigen,1830 (Agromyzidae)      Synonym(s): *rufipes* Meigen,1830 **35**  
**47**
- 1070.** *Phytomyza sii* M.Hering,1930 (Agromyzidae)      Synonym(s): *sii* M.Hering,1930 **39**
- 1071.** *Phytomyza socia* Brischke,1880 (Agromyzidae)      Synonym(s): *socia* Brischke,1880 **21**
- 1072.** *Phytomyza spoliata* Strobl,1906 (Agromyzidae)      Synonym(s): *spoliata* Strobl,1906
- 1073.** *Phytomyza tenella* Meigen,1830 (Agromyzidae)      Synonym(s): *tenella* Meigen,1830 **35**
- 1074.** *Phytomyza tetrasticha* Hendel,1927 (Agromyzidae)      Synonym(s): *tetrasticha*  
*Hendel,1927* **35**
- 1075.** *Phytomyza thysselinivora* M.Hering,1924 (Agromyzidae)      Synonym(s):  
*thysselinivora* M.Hering,1924 **48**
- 1076.** *Pilaria discicollis* (Meigen,1818) (Limoniidae)      Synonym(s): *discicollis* Meigen,1818
- 1077.** *Pipizella annulata* (Macquart,1829) (Syrphidae)      Synonym(s): *annulata* Macquart,1829  
**25**
- 1078.** *Pipizella elegantissima* Lucas,1976 (Syrphidae)      Synonym(s): *elegantissima* Lucas,1976  
**25**
- 1079.** *Platycheirus albimanus* (Fabricius,1781) (Syrphidae)      Synonym(s): *albimanus*  
*Fabricius,1781* **14 37 38 46**
- 1080.** *Platycheirus ambiguus* (Fallén,1817) (Syrphidae)      Synonym(s): *ambiguus* Fallén,1817  
**37 42**
- 1081.** *Platycheirus angustatus* (Zetterstedt,1843) (Syrphidae)      Synonym(s): *angustatus*  
*Zetterstedt,1843* **06**
- 1082.** *Platycheirus aurolateralis* Stubbs,2002 (Syrphidae)      Synonym(s): *aurolateralis*  
*Stubbs,2002* **18 37**
- 1083.** *Platycheirus immaculatus* Ohara,1980 (Syrphidae)      Synonym(s): *immaculatus*  
*Ohara,1980* **37**
- 1084.** *Platycheirus manicatus* (Meigen,1822) (Syrphidae)      Synonym(s): *manicatus*  
*Meigen,1822* **37**
- 1085.** *Platycheirus nielseni* Vockeroth,1990 (Syrphidae)      Synonym(s): *nielseni*  
*Vockeroth,1990* **37**
- 1086.** *Platycheirus occultus* Goedlin, Maibach & Speight,1990 (Syrphidae)  
Synonym(s): *occultus* Goedlin, Maibach & Speight,1990 **37**
- 1087.** *Platycheirus peltatus* (Meigen,1822) (Syrphidae)      Synonym(s): *peltatus* Meigen,1822
- 1088.** *Platycheirus scutatus* (Meigen,1822) (Syrphidae)      Synonym(s): *scutatus* Meigen,1822  
**37**
- 1089.** *Platycheirus tarsalis* (Schummel,1836) (Syrphidae)      Synonym(s): *tarsalis*  
*Schummel,1836* **42**
- 1090.** *Platypygus bellus* Loew,1869 (Mythicomyiidae)      Synonym(s): *bellus* Loew,1869
- 1091.** *Platypygus chrysanthemi* Loew,1844 (Mythicomyiidae)      Synonym(s): *chrysanthemi*  
*Loew,1844* **07 32**
- 1092.** *Platypygus chrysanthemi* Loew,1844 (Mythicomyiidae)      Synonym(s): *chrysanthemi*  
*Loew,1844* **32**
- 1093.** *Platypygus kurdorum* Paramonov,1929 (Mythicomyiidae)      Synonym(s): *kurdorum*  
*Paramonov,1929; persicus Paramonov,1934*
- 1094.** *Platypygus melleus* Loew,1856 (Mythicomyiidae)      Synonym(s): *melleus* Loew,1856
- 1095.** *Platypygus ridibundus* (A.Costa,1863) (Mythicomyiidae)      Synonym(s): *ridibundus*  
*A.Costa,1863* **07**

- 1096.** **Platypygus ridibundus (Costa,1863)** (Mythicomyiidae)      Synonym(s): *ridibundus Costa,1863* **07**
- 1097.** **Platystoma aenescens Loew,1868** (Platystomidae)      Synonym(s): *aenescens Loew,1868* **07**
- 1098.** **Platystoma arcuatum Loew,1856** (Platystomidae)      Synonym(s): *arcuatum Loew,1856* **34**
- 1099.** **Platystoma chrysotoxum Hendel,1913** (Platystomidae)      Synonym(s): *chrysotoxum Hendel,1913* **04**
- 1100.** **Platystoma rufipes Meigen,1826** (Platystomidae)      Synonym(s): *rufipes Meigen,1826* **33**
- 1101.** **Platystoma seminationis (Fabricius,1775)** (Platystomidae)      Synonym(s): *seminationis Fabricius,1775; fulviventre Schrank,1781; biseta Loew,1868; vegetationis Rondani,1869;* **65 70**
- 1102.** **Pogonosoma maroccanum (Fabricius,1794)** (Asilidae)      Synonym(s): *maroccanum Fabricius,1794* **35**
- 1103.** **Pollenia labialis Robineau-Desvoidy,1863** (Calliphoridae)      Synonym(s): *labialis Robineau-Desvoidy,1863* **45**
- 1104.** **Polyphonius laevigatus Loew,1848** (Asilidae)      Synonym(s): *laevigatus Loew,1848* **35**
- 1105.** **Pongonius (s.str.) pyritosus Loew,1859** (Tabanidae)      Synonym(s): *pyritosus Loew,1859; decipiens Kröber,1921* **05 16 17 22 24 25 34 39 41 55 69**
- 1106.** **Pongonius (s.str.) rhynchocephalus Kröber,1921** (Tabanidae)      Synonym(s): *rhynchocephalus Kröber,1921* **34**
- 1107.** **Pongonius (s.str.) variegatus (Fabricius,1850)** (Tabanidae)      Synonym(s): *variegatus Fabricius,1850* **16**
- 1108.** **Probruggmanniella phillyreae (Tavares,1907)** (Cecidomyiidae)      Synonym(s): *phillyreae Tavares,1907* **11**
- 1109.** **Promachus canus (Wiedemann,1818)** (Asilidae)      Synonym(s): *canus Wiedemann,1818*
- 1110.** **Promachus leoninus Loew,1848** (Asilidae)      Synonym(s): *leoninus Loew,1848* **09 48**
- 1111.** **Promachus microlabis Loew,1857** (Asilidae)      Synonym(s): *microlabis Loew,1857*
- 1112.** **Promachus mustela Loew,1854** (Asilidae)      Synonym(s): *mustela Loew,1854* **01 33**
- 1113.** **Prosimum (s.str.) fulvipes Edwards,1921** (Simuliidae)      Synonym(s): *fulvipes Edwards,1921; subrufipes Knoz,1980*
- 1114.** **Prosimum (s.str.) rachiliense Djafarov,1954** (Simuliidae)      Synonym(s): *rachiliense Djafarov,1954; pronevitschae Rubtsov,1955* **01 06 14 46 62**
- 1115.** **Prosimum (s.str.) tomosvaryi (Enderlein,1921)** (Simuliidae)      Synonym(s): *fuscipes Roser,1840 (praeocc.); tomosvaryi Enderlein,1921; nigripes Enderlein,1925; balcanicum Enderlein,1929; canbalicum Smart,1944; pseudohirtipes Smart,1944; arvernense Grenier,1947; duodecimfiliatum Rubtsov,1955; maruashvili Machavariani,1966* **14**
- 1116.** **Protomiltogramma fasciata (Meigen,1824)** (Sarcophagidae)      Synonym(s): *fasciata Meigen,1824* **07**
- 1117.** **Psacadina verbekei Rozkosny,1975** (Sciomyzidae)      Synonym(s): *verbekei Rozkosny,1975* **02 36 59**
- 1118.** **Pseudolimnophila (s.str.) sepium (Verrall,1886)** (Limoniidae)      Synonym(s): *sepium Verrall,1886* **48**
- 1119.** **Pseudolynchia canariensis (Macquart,1839)** (Hippoboscidae)      Synonym(s): *canariensis Macquart,1839; maura Bigot,1885* **65**
- 1120.** **Pseudonapomyza atra (Meigen,1830)** (Agromyzidae)      Synonym(s): *atra Meigen,1830* **63**
- 1121.** **Pseudonapomyza europaea Spencer,1973** (Agromyzidae)      Synonym(s): *europaea Spencer,1973*
- 1122.** **Pseudonapomyza hispanica Spencer,1973** (Agromyzidae)      Synonym(s): *hispanica Spencer,1973* **35**
- 1123.** **Pseudonapomyza pyriformis Sasakawa,2008** (Agromyzidae)      Synonym(s): *pyriformis Sasakawa,2008* **02**
- 1124.** **Pseudonapomyza spicata (Malloch,1914)** (Agromyzidae)      Synonym(s): *spicata Malloch,1914* **63**
- 1125.** **Pseudonapomyza spinosa Spencer,1973** (Agromyzidae)      Synonym(s): *spinosa Spencer,1973* **63**
- 1126.** **Pseudonapomyza strobliana Spencer,1973** (Agromyzidae)      Synonym(s): *strobliana Spencer,1973*
- 1127.** **Psychoda cinerea Banks,1834** (Psychodidae)      Synonym(s): *cinerea Banks,1834* **73**
- 1128.** **Pterella grisea (Meigen,1824)** (Sarcophagidae)      Synonym(s): *grisea Meigen,1824* **38**

- 1129.** **Pycnomalla splendens (Fabricius,1787)** (Stratiomyidae)      Synonym(s): *splendens* Fabricius,1787; *rufitarsis* Macquart,1838; *jordanica* Lindner,1974 **01 70**
- 1130.** **Pycnopogon fasciculatus Loew,1847** (Asilidae)      Synonym(s): *fasciculatus* Loew,1847
- 1131.** **Pycnopogon leucostomus Engel,1930** (Asilidae)      Synonym(s): *leucostomus* Engel,1930
- 1132.** **Pycnopogon mixtus (Loew,1847)** (Asilidae)      Synonym(s): *mixtus* Loew,1847; *anthophorinus* Loew,1847 **35 48**
- 1133.** **Pycnopogon pallidipennis (Brullé,1833)** (Asilidae)      Synonym(s): *pallidipennis* Brullé,1833 **35**
- 1134.** **Pyrellia vividula Robineau-Desvoidy,1830** (Muscidae)      Synonym(s): *cadaverina* auct.; *vividula* Robineau-Desvoidy,1830
- 1135.** **Ravinia pernix (Harris,1780)** (Sarcophagidae)      Synonym(s): *pernix* Harris,1780 **01 33 38 42 60**
- 1136.** **Resseliella oleisuga (Targioni-Tozzetti,1886)** (Cecidomyiidae)      Synonym(s): *oleisuga* Targioni-Tozzetti,1886
- 1137.** **Resseliella piceae Seitner,1906** (Cecidomyiidae)      Synonym(s): *piceae* Seitner,1906
- 1138.** **Resseliella theobaldi (Barnes,1927)** (Cecidomyiidae)      Synonym(s): *theobaldi* Barnes,1927 **16**
- 1139.** **Rhabdomastix (Rhabdomastix) filata Stary,2004** (Limoniidae)      Synonym(s): *filata* Stary,2004
- 1140.** **Rhabdophaga heterobia (Loew,1850)** (Cecidomyiidae)      Synonym(s): *heterobia* Loew,1850 **06**
- 1141.** **Rhabdophaga rosaria (Loew,1850)** (Cecidomyiidae)      Synonym(s): *rosaria* Loew,1850 **06 22 26 39 41 42 51 54**
- 1142.** **Rhabdophaga saliciperda (Dufour,1841)** (Cecidomyiidae)      Synonym(s): *saliciperda* Dufour,1841 **03 06 10 11 16 22 26 34 41 42 54**
- 1143.** **Rhabdophaga salicis (Schrank,1803)** (Cecidomyiidae)      Synonym(s): *salicis* Schrank,1803 **06 10 11 16 22 34 39 41 54 59**
- 1144.** **Rhabdophaga terminalis (Loew,1850)** (Cecidomyiidae)      Synonym(s): *terminalis* Loew,1850 **10 16 22 39 54 59**
- 1145.** **Rhagio albipilosus Becker,1821** (Rhagionidae)      Synonym(s): *albipilosus* Becker,1821 **33**
- 1146.** **Rhagio maculipennis (Loew,1854)** (Rhagionidae)      Synonym(s): *maculipennis* Loew,1854 **16**
- 1147.** **Rhagio notatus Meigen,1820** (Rhagionidae)      Synonym(s): *notatus* Meigen,1820 **07**
- 1148.** **Rhagio sordidus (Loew,1862)** (Rhagionidae)      Synonym(s): *sordidus* Loew,1862; *pilosus* Loew,1865 **05**
- 1149.** **Rhagio turcicus Lindler,1930** (Rhagionidae)      Synonym(s): *turcicus* Lindler,1930 **16**
- 1150.** **Rhagoletis berberidis Jermy,1961** (Tephritidae)      Synonym(s): *berberidis* Jermy,1961 **38 58**
- 1151.** **Rhagoletis cerasi (Linnaeus,1758)** (Tephritidae)      Synonym(s): *cerasi* Linnaeus,1758
- 1152.** **Rhagoletis flavigenualis M.Hering,1958** (Tephritidae)      Synonym(s): *flavigenualis* M.Hering,1958 **07**
- 1153.** **Rhamphomyia (Lundstroemiella) cimrmani Bartak,2006** (Empididae)      Synonym(s): *cimrmani* Bartak,2006 **07**
- 1154.** **Rhamphomyia (s.str.) karamanensis Bartak, Çiftçi & Hasbenli,2007** (Empididae)      Synonym(s): *karamanensis* Bartak, Çiftçi & Hasbenli,2007 **33 70**
- 1155.** **Rhingia campestris Meigen,1822** (Syrphidae)      Synonym(s): *campestris* Meigen,1822 **37**
- 1156.** **Rhopalomyia artemisiae (Bouche,1834)** (Cecidomyiidae)      Synonym(s): *artemisiae* Bouche,1834 **11**
- 1157.** **Rhopalomyia baccarum (Wachtl,1883)** (Cecidomyiidae)      Synonym(s): *baccarum* Wachtl,1883 **11 16**
- 1158.** **Rhopalomyia saissanica Fedotova,1999** (Cecidomyiidae)      Synonym(s): *saissanica* Fedotova,1999 **60**
- 1159.** **Rondania cucullata Robineau-Desvoidy,1850** (Tachinidae)      Synonym(s): *cucullata* Robineau-Desvoidy,1850; *notata* Robineau-Desvoidy,1863; *rufitibia* Strobl,1894; *notiventris* Pandelle,1896 **25**
- 1160.** **Salentia fuscipennis A.Costa,1857** (Therevidae)      Synonym(s): *fuscipennis* A.Costa,1857 **01 38 51 58 66 70**
- 1161.** **Salentia nigripes (Kröber,1912)** (Therevidae)      Synonym(s): *nigripes* Kröber,1912 **30**
- 1162.** **Sapromyza gozmanyi Papp,1981** (Leuxaniidae)      Synonym(s): *gozmanyi* Papp,1981 **07**
- 1163.** **Sapromyza intonsa Loew,1847** (Leuxaniidae)      Synonym(s): *intonsa* Loew,1847 **07**

- 1164.** **Sapromyza intonsina** Yarom,**1990** (Leuxaniidae) Synonym(s): *intonsina* Yarom,**1990**  
**07**
- 1165.** **Sapromyza laszlopappi** Merz,**2000** (Leuxaniidae) Synonym(s): *laszlopappi* Merz,**2000**  
**07 09 48**
- 1166.** **Sarcophaga (Bercea) africa** (Wiedemann,**1819**) (Sarcophagidae) Synonym(s):  
*africa* Wiedemann,**1819** **26 36**
- 1167.** **Sarcophaga (Discachaeta) cucullans** Pandellé,**1896** (Sarcophagidae) Synonym(s):  
*cucullans* Pandellé,**1896**
- 1168.** **Sarcophaga (Helicophagella) bellae** Lehrer,**2000** (Sarcophagidae) Synonym(s):  
*bellae* Lehrer,**2000** **07 15 70**
- 1169.** **Sarcophaga (Helicophagella) crassimargo** Pandellé,**1896** (Sarcophagidae)  
Synonym(s): *crassimargo* Pandellé,**1896** **05 38 60**
- 1170.** **Sarcophaga (Helicophagella) dreyfusi** (Lehrer,**1994**) (Sarcophagidae)  
Synonym(s): *dreyfusi* Lehrer,**1994**
- 1171.** **Sarcophaga (Helicophagella) melanura** Meigen,**1826** (Sarcophagidae)  
Synonym(s): *melanura* Meigen,**1826** **26 38 63**
- 1172.** **Sarcophaga (Helicophagella) novercoides** Böttcher,**1913** (Sarcophagidae)  
Synonym(s): *novercoides* Böttcher,**1913** **07**
- 1173.** **Sarcophaga (Heteronychia) bezziana** Böttcher,**1913** (Sarcophagidae)  
Synonym(s): *bezziana* Böttcher,**1913** **38 42**
- 1174.** **Sarcophaga (Heteronychia) consanguinea** Rondani,**1860** (Sarcophagidae)  
Synonym(s): *consanguinea* Rondani,**1860**; *portschinskyana* Rohdendorf,**1937** **01 07**
- 1175.** **Sarcophaga (Heteronychia) filia** Rondani,**1860** (Sarcophagidae) Synonym(s): *filia*  
Rondani,**1860** **05 07 26 38 55 60 61**
- 1176.** **Sarcophaga (Heteronychia) haemorrhoa** Meigen,**1826** (Sarcophagidae)  
Synonym(s): *haemorrhoa* Meigen,**1826**
- 1177.** **Sarcophaga (Heteronychia) haemorrhoides** Böttcher,**1913** (Sarcophagidae)  
Synonym(s): *haemorrhoides* Böttcher,**1913**
- 1178.** **Sarcophaga (Heteronychia) kerteszi** Villeneuve,**1912** (Sarcophagidae)  
Synonym(s): *kerteszi* Villeneuve,**1912** **07**
- 1179.** **Sarcophaga (Heteronychia) minima** Rondani,**1860** (Sarcophagidae) Synonym(s):  
*minima* Rondani,**1860**; *fertoni* Villeneuve,**1916**; *graeca* Rohdendorf,**1937**
- 1180.** **Sarcophaga (Heteronychia) mutila** Villeneuve,**1912** (Sarcophagidae) Synonym(s):  
*mutila* Villeneuve,**1912** **42**
- 1181.** **Sarcophaga (Heteronychia) rondaniana** (Rohdendorf,**1937**) (Sarcophagidae)  
Synonym(s): *rondaniana* Rohdendorf,**1937** **05 38**
- 1182.** **Sarcophaga (Heteronychia) schineri** Bezzi,**1891** (Sarcophagidae) Synonym(s):  
*schineri* Bezzi,**1891** **05 60**
- 1183.** **Sarcophaga (Heteronychia) setinervis** Rondani,**1860** (Sarcophagidae)  
Synonym(s): *setinervis* Rondani,**1860** **38**
- 1184.** **Sarcophaga (Heteronychia) siciliensis** Böttcher,**1913** (Sarcophagidae)  
Synonym(s): *siciliensis* Böttcher,**1913** **07 42**
- 1185.** **Sarcophaga (Heteronychia) taurica** (Rohdendrof,**1937**) (Sarcophagidae)  
Synonym(s): *taurica* Rohdendrof,**1937**
- 1186.** **Sarcophaga (Heteronychia) thirionae** (Lehrer,**1976**) (Sarcophagidae)  
Synonym(s): *thirionae* Lehrer,**1976**
- 1187.** **Sarcophaga (Heteronychia) vagans** Meigen,**1826** (Sarcophagidae) Synonym(s):  
*vagans* Meigen,**1826** **06 60**
- 1188.** **Sarcophaga (Heteronychia) zhelochovtzevi** (Rohdendorf,**1925**) (Sarcophagidae)  
Synonym(s): *zhelochovtzevi* Rohdendorf,**1925** **03**
- 1189.** **Sarcophaga (Krameromyia) anaces** Walker,**1849** (Sarcophagidae) Synonym(s):  
*anaces* Walker,**1849** **05 38**
- 1190.** **Sarcophaga (Liopygia) argyrostoma** (Robineau-Desvoidy,**1830**) (Sarcophagidae)  
Synonym(s): *argyrostoma* Robineau-Desvoidy,**1830** **31 32**
- 1191.** **Sarcophaga (Liopygia) crassipalpis** Macquart,**1839** (Sarcophagidae) Synonym(s):  
*crassipalpis* Macquart,**1839**
- 1192.** **Sarcophaga (Liosarcophaga) emdeni** (Rohdendorf,**1969**) (Sarcophagidae)  
Synonym(s): *edmeni* Rohdendorf,**1969** **05**

- 1193. *Sarcophaga (Liosarcophaga) portschinskyi* (Rohdendorf,1937)** (Sarcophagidae)  
Synonym(s): *portschinskyi* Rohdendorf,1937
- 1194. *Sarcophaga (Mehria) sexpunctata* (Fabricius,1794)** (Sarcophagidae) Synonym(s): *sexpunctata* Fabricius,1794 **60**
- 1195. *Sarcophaga (Myorhina) nigriventris* Meigen,1826** (Sarcophagidae) Synonym(s): *nigriventris* Meigen,1826 **05 60**
- 1196. *Sarcophaga (Myorhina) soror* Rondani,1860** (Sarcophagidae) Synonym(s): *soror* Rondani,1860 **05 55**
- 1197. *Sarcophaga (Pandelleisca) similis* Meade,1876** (Sarcophagidae) Synonym(s): *similis* Meade,1876 **61**
- 1198. *Sarcophaga (Parasarcophaga) albiceps* Meigen,1826** (Sarcophagidae)  
Synonym(s): *albiceps* Meigen,1826
- 1199. *Sarcophaga (Parasarcophaga) hirtipes* Wiedemann,1830** (Sarcophagidae)  
Synonym(s): *hirtipes* Wiedemann,1830
- 1200. *Sarcophaga (Phytosarcophaga) destructor* Malloch,1929** (Sarcophagidae)  
Synonym(s): *destructor* Malloch,1929 **33 45**
- 1201. *Sarcophaga (Pseudothyrsocnema) spinosa* Villeneuve,1912** (Sarcophagidae)  
Synonym(s): *spinosa* Villeneuve,1912 **01**
- 1202. *Sarcophaga (Rosellea) aratrix* Pandellé,1896** (Sarcophagidae) Synonym(s): *aratrix* Pandellé,1896 **15**
- 1203. *Sarcophaga (s.str.) bergi* Rohdendorf,1937** (Sarcophagidae) Synonym(s): *bergi* Rohdendorf,1937
- 1204. *Sarcophaga (s.str.) lasiostyla* Macquart,1843** (Sarcophagidae) Synonym(s): *lasiostyla* Macquart,1843 **45**
- 1205. *Sarcophaga (s.str.) lehmanni* Müller,1922** (Sarcophagidae) Synonym(s): *lehmanni* Müller,1922 **26 35 36 38 45 76**
- 1206. *Sarcophaga (s.str.) variegata* (Scopoli,1763)** (Sarcophagidae) Synonym(s): *variegata* Scopoli,1763
- 1207. *Sarcophaga (Sarcotachinella) sinuata* Meigen,1826** (Sarcophagidae) Synonym(s): *sinuata* Meigen,1826 **05 38 60**
- 1208. *Sarcophaga (Thyrsocnema) incisilobata* Pandellé,1896** (Sarcophagidae)  
Synonym(s): *incisilobata* Pandellé,1896 **05 60**
- 1209. *Sarcophila latifrons* (Fallén,1817)** (Sarcophagidae) Synonym(s): *latifrons* Fallén,1817 **01 63**
- 1210. *Sargus cuprarius* (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *cuprarius* Linnaeus,1758; *violaceus* Scopoli,1763; *caeruleicollis* Meigen,1822; *coeruleicollis* Loew,1855; *nubeculosus* Zetterstedt,1842; *minimus* Zetterstedt,1849 **32 38**
- 1211. *Saropogon dasynotus* Loew,1871** (Aśilidae) Synonym(s): *dasynotus* Loew,1871
- 1212. *Saropogon ehrenbergii* Loew,1851** (Aśilidae) Synonym(s): *ehrenbergii* Loew,1851
- 1213. *Saropogon eucerus* (Loew,1847)** (Aśilidae) Synonym(s): *eucerus* Loew,1847
- 1214. *Saropogon jugulum* (Loew,1847)** (Aśilidae) Synonym(s): *jugulum* Loew,1847; *brachyterus* Loew,1869; *micropterus* Loew,1869
- 1215. *Saropogon leucocephalus* (Meigen,1820)** (Aśilidae) Synonym(s): *leucocephalus* Meigen,1820
- 1216. *Saropogon melampygus* (Loew,1851)** (Aśilidae) Synonym(s): *melampygus* Loew,1851
- 1217. *Saropogon platynotus* (Loew,1847)** (Aśilidae) Synonym(s): *platynotus* Loew,1847
- 1218. *Saropogon pollinosus* Loew,1869** (Aśilidae) Synonym(s): *pollinosus* Loew,1869
- 1219. *Saropogon vestitus* (Wiedemann,1828)** (Aśilidae) Synonym(s): *vestitus* Wiedemann,1828; *aegypticus* Macquart,1838; *confluens* Loew,1851
- 1220. *Satanas gigas* (Eversmann,1855)** (Aśilidae) Synonym(s): *gigas* Eversmann,1855
- 1221. *Satchelliella canescens* (Meigen,1804)** (Psychodidae) Synonym(s): *canescens* Meigen,1804 **30 73**
- 1222. *Satchelliella malickyi* Vaillant,1981** (Psychodidae) Synonym(s): *malickyi* Vaillant,1981 **30**
- 1223. *Satchelliella schachti* R.Wagner,1986** (Psychodidae) Synonym(s): *schachti* R.Wagner,1986 **36**
- 1224. *Scaeva albomaculata* (Macquart,1842)** (Syrphidae) Synonym(s): *albomaculata* Macquart,1842 **01 06 25 31 37 38**
- 1225. *Scaeva dignota* (Rondani,1857)** (Syrphidae) Synonym(s): *dignota* Rondani,1857 **25**

- 1226. *Scaeva pyrastri* (Linnaeus,1758)** (Syrphidae) Synonym(s): *pyrastri* Linnaeus,1758; *melinus* Harris,1776; *rosae* De Geer,1776; *transfugus* Fabricius,1794; *affinis* Say,1823 **01 06 25 37 38**
- 1227. *Scaeva selenitica* (Meigen,1822)** (Syrphidae) Synonym(s): *selenitica* Meigen,1822 **37**
- 1228. *Scathophaga lutaria* (Fabricius,1794)** (Scathophagidae) Synonym(s): *lutaria* Fabricius,1794 **07**
- 1229. *Scathophaga stercoraria* (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria* Linnaeus,1758; *merdaria* Fabricius,1794; *asticha* Szilady,1926 **65 75**
- 1230. *Schoenomyza litorella* (Fallén,1823)** (Muscidae) Synonym(s): *litorella* Fallén,1823
- 1231. *Schoutedenomyia superba* (Kröber,1912)** (Therevidae) Synonym(s): *superba* Kröber,1912 **59**
- 1232. *Sciomyza testacea* Macquart,1835** (Sciomyzidae) Synonym(s): *testacea* Macquart,1835
- 1233. *Scleroprocta balcanica* Stary,1976** (Limoniiidae) Synonym(s): *balcanica* Stary,1976 **48**
- 1234. *Scoliophthalmus civeleki* Deeming,2006** (Chloropidae) Synonym(s): *civeleki* Deeming,2006 **48**
- 1235. *Scytomedes haemorrhoidalis* (Fabricius,1794)** (Asilidae) Synonym(s): *haemorrhoidalis* Fabricius,1794; *nubeculipennis* Costa,1863; *menstruus* Loew,1882
- 1236. *Seioptera vibrans* (Linnaeus,1758)** (Ulidiidae) Synonym(s): *vibrans* Linnaeus,1758
- 1237. *Senometopia separata* (Rondani,1859)** (Tachinidae) Synonym(s): *separata* Rondani,1859 **12 25**
- 1238. *Senotainia albifrons* (Rondani,1860)** (Sarcophagidae) Synonym(s): *albifrons* Rondani,1860 **07**
- 1239. *Senotainia conica* (Fallén,1810)** (Sarcophagidae) Synonym(s): *conica* Fallén,1810 **42**
- 1240. *Senotainia tricuspis* (Meigen,1838)** (Sarcophagidae) Synonym(s): *tricuspis* Meigen,1838 **33**
- 1241. *Sepedon sphegea* (Fabricius,1781)** (Sciomyzidae) Synonym(s): *sphegea* Fabricius,1781 **30**
- 1242. *Sepedon spinipes* (Scopoli,1763)** (Sciomyzidae) Synonym(s): *spinipes* Scopoli,1763
- 1243. *Sericomyia silentis* (Harris,1776)** (Syrphidae) Synonym(s): *silentis* Harris,1776 **37**
- 1244. *Sicus caucasicus* Zimina,1963** (Conopidae) Synonym(s): *caucasicus* Zimina,1963 **36**
- 1245. *Sicus ferrugineus* (Linnaeus,1761)** (Conopidae) Synonym(s): *ferrugineus* Linnaeus,1761 **08 25 31 36 69**
- 1246. *Sicus nigritarsis* Zimina,1975** (Conopidae) Synonym(s): *nigritarsis* Zimina,1975 **08 25**
- 1247. *Silvius* (*Heterosilvius*) *peculiaris* Olsuljev,1971** (Tabanidae) Synonym(s): *peculiaris* Olsuljev,1971 **27**
- 1248. *Silvius* (s.str.) *alpinus* (Fabricius,1805)** (Tabanidae) Synonym(s): *vituli* Scopoli,1763; *alpinus* Fabricius,1805 **14 22 33 34 39 59**
- 1249. *Silvius* (s.str.) *inflaticornis* Austen,1925** (Tabanidae) Synonym(s): *inflaticornis* Austen,1925 **17**
- 1250. *Silvius* (s.str.) *latifrons* Olsuljev,1937** (Tabanidae) Synonym(s): *latifrons* Olsuljev,1937
- 1251. *Silvius* (s.str.) *ochraceus* Loew,1858** (Tabanidae) Synonym(s): *ochraceus* Loew,1858 **48**
- 1252. *Silvius* (s.str.) *variegatus* (Fabricius,1805)** (Tabanidae) Synonym(s): *variegatus* Fabricius,1805 **10 51**
- 1253. *Silvius algirus* Meigen,1930** (Tabanidae) Synonym(s): *algirus* Meigen,1930 **02 22 33 34 39 49 59**
- 1254. *Simulium* (*Boophthora*) *erythrocephalum* (De Geer,1776)** (Simuliidae) Synonym(s): *erythrocephalum* De Geer,1776; *sericatum* Meigen,1830; *tenuifrons* Enderlein,1921; *sinense* Enderlein,1934; *mihalyii* Rubtsov,1967; *chelevini* Ivashchenko,1968
- 1255. *Simulium* (*Eusimulium*) *angustipes* Edwards,1915** (Simuliidae) Synonym(s): *angustipes* Edwards,1915; *horvathi* Enderlein,1922; *securiforme* Rubtsov,1956; *latizonum* Rubtsov,1956; *paludicola* Rivosecchi,1963
- 1256. *Simulium* (*Eusimulium*) *reginae* Terteryan,1949** (Simuliidae) Synonym(s): *reginae* Terteryan,1949
- 1257. *Simulium* (*Eusimulium*) *velutinum* (Santos Abreu,1922)** (Simuliidae) Synonym(s): *velutinum* Santos Abreu,1922; *nigripes* Santos Abreu,1922; *pseudolatipes* Santos Abreu,1922; *sericum* Baranov,1925; *primum* Baranov,1926; *secundum* Baranov,1926; *rubzovianum* Sherban,1961; *latinum* Rubtsov,1962
- 1258. *Simulium* (*Montisimulium*) *alizadei* (Djafarov,1954)** (Simuliidae) Synonym(s): *alizadei* Djafarov,1954 **62**

- 1259.** *Simulium (Nevermannia) angustitarse* (Lundström,1911) (Simuliidae)  
Synonym(s): *angustitarse* Lundström,1911
- 1260.** *Simulium (Nevermannia) costatum* Friederichs,1920 (Simuliidae) Synonym(s):  
*costatum* Friederichs,1920 **62**
- 1261.** *Simulium (Nevermannia) cryophilum* (Rubtsov,1959) (Simuliidae) Synonym(s):  
*cryophilum* Rubtsov,1959
- 1262.** *Simulium (Nevermannia) djafarovi* (Rubtsov,1962) (Simuliidae) Synonym(s):  
*djafarovi* Rubtsov,1962 **14**
- 1263.** *Simulium (Nevermannia) florate* (Djafarov,1954) (Simuliidae) Synonym(s): *florate*  
*Djafarov,1954* **53**
- 1264.** *Simulium (Nevermannia) lundstromi* (Enderlein,1921) (Simuliidae)  
Synonym(s): *lundstromi* Enderlein,1921; *latigonum* Rubtsov,1956
- 1265.** *Simulium (Nevermannia) vernum* Macquart,1826 (Simuliidae) Synonym(s):  
*vernus* Macquart,1826; *aestivale* Rubtsov,1962 **46** **62**
- 1266.** *Simulium (Obuchovia) auricoma* Meigen,1818 (Simuliidae) Synonym(s): *auricoma*  
Meigen,1818 **33**
- 1267.** *Simulium (Obuchovia) margaritae* (Rubtsov,1956) (Simuliidae) Synonym(s):  
*margaritae* Rubtsov,1956 **62**
- 1268.** *Simulium (Obuchovia) popowae* Rubtsov,1940 (Simuliidae) Synonym(s):  
*popowae* Rubtsov,1940 **53**
- 1269.** *Simulium (Obuchovia) transcaspicum* Enderlein,1921 (Simuliidae) Synonym(s):  
*transcaspicum* Enderlein,1921
- 1270.** *Simulium (s.str.) alajense* (Rubtsov,1956) (Simuliidae) Synonym(s): *alajense*  
Rubtsov,1956
- 1271.** *Simulium (s.str.) aureofulgens* Terteryan,1949 (Simuliidae) Synonym(s):  
*aureofulgens* Terteryan,1949 **14**
- 1272.** *Simulium (s.str.) baracorne* Smart,1944 (Simuliidae) Synonym(s): *baracorne*  
Smart,1944
- 1273.** *Simulium (s.str.) bergi* Rubtsov,1956 (Simuliidae) Synonym(s): *bergi* Rubtsov,1956  
**06**
- 1274.** *Simulium (s.str.) bezzii* (Corti,1914) (Simuliidae) Synonym(s): *bezzii* Corti,1914 **08**  
**19** **44** **46** **62**
- 1275.** *Simulium (s.str.) bukowskii* Rubtsov,1940 (Simuliidae) Synonym(s): *bukowskii*  
Rubtsov,1940 **06** **53**
- 1276.** *Simulium (s.str.) debacli* Terteryan,1952 (Simuliidae) Synonym(s): *debacli*  
Terteryan,1952 **08** **53**
- 1277.** *Simulium (s.str.) fontanum* Terteryan,1952 (Simuliidae) Synonym(s): *fontanum*  
Terteryan,1952
- 1278.** *Simulium (s.str.) kerisorum* (Rubtsov,1956) (Simuliidae) Synonym(s): *kerisorum*  
Rubtsov,1956
- 1279.** *Simulium (s.str.) kiritshenkoi* Rubtsov,1940 (Simuliidae) Synonym(s): *kiritshenkoi*  
Rubtsov,1940; *caucasicum* Rubtsov,1940 **01** **19** **25** **41** **46**
- 1280.** *Simulium (s.str.) monticoloides* (Rubtsov,1956) (Simuliidae) Synonym(s):  
*monticoloides* Rubtsov,1956
- 1281.** *Simulium (s.str.) morsitans* Edwards,1915 (Simuliidae) Synonym(s): *morsitans*  
Edwards,1915
- 1282.** *Simulium (s.str.) niha* Guidicelli & Dia,1986 (Simuliidae) Synonym(s): *niha*  
Guidicelli & Dia,1986 **14** **46**
- 1283.** *Simulium (s.str.) noelleri* Friederichs,1920 (Simuliidae) Synonym(s): *noelleri*  
Friederichs,1920
- 1284.** *Simulium (s.str.) ornatum* Meigen,1818 (Simuliidae) Synonym(s): *ornatum*  
Meigen,1818 **62**
- 1285.** *Simulium (s.str.) pulchripes* Austen,1925 (Simuliidae) Synonym(s): *pulchripes*  
Austen,1925
- 1286.** *Simulium (s.str.) variegatum* Meigen,1818 (Simuliidae) Synonym(s): *variegatum*  
Meigen,1818 **01** **08** **41** **44** **46** **62**
- 1287.** *Simulium (Wilhelmia) balcanicum* (Enderlein,1924) (Simuliidae) Synonym(s):  
*balcanicum* Enderlein,1924 **06** **41**
- 1288.** *Simulium (Wilhelmia) equinum* (Linnaeus,1758) (Simuliidae) Synonym(s):  
*equinum* Linnaeus,1758 **06**

- 1289.** **Simulium (Wilhelmia) lineatum (Meigen,1804)** (Simuliidae)      Synonym(s):  
*lineatum Meigen,1804; turgaicum Rubtsov,1940*
- 1290.** **Simulium (Wilhelmia) paraequinum Puri,1933** (Simuliidae)      Synonym(s):  
*paraequinum Puri,1933* **01 41 46**
- 1291.** **Simulium (Wilhelmia) pseudequinum Seguy,1921** (Simuliidae)      Synonym(s):  
*pseudequinum Seguy,1921; mediterraneum Puri,1925* **19 41**
- 1292.** **Solva marginata (Meigen,1820)** (Xylomyidae)      Synonym(s): *marginata Meigen,1820* **42**
- 1293.** **Spallanzania hebes (Fallén,1820)** (Tachinidae)      Synonym(s): *hebes Fallén,1820* **25**
- 1294.** **Spathulina sicula Rondani,1856** (Tephritidae)      Synonym(s): *sicula Rondani,1856; tristis Loew,1869; luisieri Tavares,1901; sepius Becker,1908* **48**
- 1295.** **Spazigaster ambulans (Fabricius,1798)** (Syrphidae)      Synonym(s): *ambulans Fabricius,1798* **37 38**
- 1296.** **Sphaerophoria loewi Zetterstedt,1843** (Syrphidae)      Synonym(s): *loewi Zetterstedt,1843* **38**
- 1297.** **Sphaerophoria rueppelli Wiedemann,1830** (Syrphidae)      Synonym(s): *rueppelli Wiedemann,1830* **01 06 31 33 35 37 60 71 80**
- 1298.** **Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae)      Synonym(s): *scripta Linnaeus,1758; gemmata Scopoli,1763; fasciata Müller,1764; invisita Harris,1776; menthostri De Geer,1776* **01 06 25 35 37 38 46 60 65**
- 1299.** **Sphaerophoria turkmenica Bankowska,1964** (Syrphidae)      Synonym(s): *turkmenica Bankowska,1964; #turkmenika Hayat & Alaoğlu,1990* **25 60**
- 1300.** **Sphegina clunipes (Fallén,1816)** (Syrphidae)      Synonym(s): *clunipes Fallén,1816* **37 38**
- 1301.** **Sphenella marginata (Fallén,1814)** (Tephritidae)      Synonym(s): *marginata Fallén,1814* **01 07 08 31 32 38 51 65**
- 1302.** **Sphenometopa bifasciata (Brauer & Bergenstamm,1891)** (Sarcophagidae)  
Synonym(s): *bifasciata Brauer & Bergenstamm,1891*
- 1303.** **Sphenometopa claripennis Villeneuve,1933** (Sarcophagidae)      Synonym(s):  
*claripennis Villeneuve,1933* **42 50**
- 1304.** **Sphenometopa mannii (Brauer & Bergenstamm,1891)** (Sarcophagidae)  
Synonym(s): *mannii Brauer & Bergenstamm,1891*
- 1305.** **Sphenometopa steinii (Schiner,1862)** (Sarcophagidae)      Synonym(s): *steinii Schiner,1862* **07**
- 1306.** **Spilogona biseriata (Stein,1916)** (Muscidae)      Synonym(s): *biseriata Stein,1916*
- 1307.** **Spilogona carbonella (Zetterstedt,1845)** (Muscidae)      Synonym(s): *carbonella Zetterstedt,1845*
- 1308.** **Spilogona dispar (Fallén,1823)** (Muscidae)      Synonym(s): *dispar Fallén,1823*
- 1309.** **Spogostylum isis (Meigen,1820)** (Bombyliidae)      Synonym(s): *isis Meigen,1820* **07**
- 1310.** **Stenopogon callosus (Pallas,1818)** (Asilidae)      Synonym(s): *callosus Pallas,1818*
- 1311.** **Stenopogon coracinus (Loew,1847)** (Asilidae)      Synonym(s): *coracinus Loew,1847*
- 1312.** **Stenopogon elongatus (Meigen,1804)** (Asilidae)      Synonym(s): *elongatus Meigen,1804*
- 1313.** **Stenopogon flavibarbis Enderlein,1934** (Asilidae)      Synonym(s): *flavibarbis Enderlein,1934; fuscibarbis Enderlein,1934*
- 1314.** **Stenopogon junceus (Wiedemann,1820)** (Asilidae)      Synonym(s): *junceus Wiedemann,1820; tanygastrus Loew,1861* **72 73**
- 1315.** **Stenopogon laevigatus (Loew,1851)** (Asilidae)      Synonym(s): *laevigatus Loew,1851; bicolor Bigot,1878*
- 1316.** **Stenopogon milvus (Loew,1847)** (Asilidae)      Synonym(s): *milvus Loew,1847* **10 48**
- 1317.** **Stenopogon mollis Loew,1868** (Asilidae)      Synonym(s): *mollis Loew,1868*
- 1318.** **Stenopogon nataliae Richter,1963** (Asilidae)      Synonym(s): *nataliae Richter,1963*
- 1319.** **Stenopogon nigriventris Loew,1868** (Asilidae)      Synonym(s): *nigriventris Loew,1868* **10**
- 1320.** **Stenopogon roederii Bezzi,1895** (Asilidae)      Synonym(s): *roederii Bezzi,1895*
- 1321.** **Stenopogon rufescens Theodor,1980** (Asilidae)      Synonym(s): *rufescens Theodor,1980* **33**
- 1322.** **Stenopogon rufipilus (Loew,1873)** (Asilidae)      Synonym(s): *rufipilus Loew,1873* **47**
- 1323.** **Stenopogon sabaudus (Fabricius,1794)** (Asilidae)      Synonym(s): *sabaudus Fabricius,1794; fulvus Pallas,1818* **35 62**
- 1324.** **Stenopogon sciron (Loew,1873)** (Asilidae)      Synonym(s): *sciron Loew,1873; theseus Loew,1873*

- 1325.** *Stenopogon strataegus* Gerstaecker,1862 (Asilidae)      Synonym(s): *strataegus*  
Gerstaecker,1862; antar Schiner,1867
- 1326.** *Stenopogon xanthotricus* (Brullé,1832) (Asilidae)      Synonym(s): *xanthotricus*  
Brullé,1832
- 1327.** *Stichopogon albofasciatus* (Meigen,1820) (Asilidae)      Synonym(s): *albofasciatus*  
Meigen,1820
- 1328.** *Stichopogon chrysostoma* Schiner,1867 (Asilidae)      Synonym(s): *chrysostoma*  
Schiner,1867; lucidiventria Becker,1902
- 1329.** *Stichopogon elegantulus* (Wiedemann,1820) (Asilidae)      Synonym(s): *elegantulus*  
Wiedemann,1820
- 1330.** *Stichopogon inaequalis* Loew,1847 (Asilidae)      Synonym(s): *inaequalis* Loew,1847
- 1331.** *Stichopogon scaliger* Loew,1847 (Asilidae)      Synonym(s): *scaliger* Loew,1847; *congener*  
Loew,1847
- 1332.** *Stiphrolamyra pleskei* (Becker,1913) (Asilidae)      Synonym(s): *pleskei* Becker,1913 **56**
- 1333.** *Stomina iners* (Meigen,1838) (Tachinidae)      Synonym(s): *iners* Meigen,1838 **25**
- 1334.** *Stomoxys calcitrans* (Linnaeus,1758) (Muscidae)      Synonym(s): *calcitrans*  
Linnaeus,1758
- 1335.** *Stonemyia caucasia* (Kröber,1921) (Tabanidae)      Synonym(s): *caucasia* Kröber,1921 **36**
- 1336.** *Stonemyia tigris* (Bigot,1880) (Tabanidae)      Synonym(s): *tigris* Bigot,1880 **36**
- 1337.** *Stratiomys armeniaca* Bigot,1879 (Stratiomyidae)      Synonym(s): *armeniaca* Bigot,1879;  
herzi Pleske,1901; potschinskii Pleske,1901; #*armaniaca* Üstüner,2005 **08**
- 1338.** *Stratiomys cenisia* Meigen,1822 (Stratiomyidae)      Synonym(s): *cenisia* Meigen,1822;  
flaviventris Loew,1846; ahngeri Pleske,1901; cypria Pleske,1902; kervillei Villeneuve,1912; planes James,1941 **07**  
**15 32 33 35 38 58**
- 1339.** *Stratiomys chamaeleon* (Linnaeus,1758) (Stratiomyidae)      Synonym(s): *chamaeleon*  
Linnaeus,1758; *sellata* Sulzer,1761; *spatula* Scopoli,1763; *nigrodentata* Meigen,1804; *rhaetica* Jaennicke,1866;  
*unguicornis* Becker,1887; *caucasica* Pleske,1899; *kosnakowi* Pleske,1901; *winogradowinikitini* Pleske,1922 **07 08**  
**15 38 58**
- 1340.** *Stratiomys longicornis* (Scopoli,1763) (Stratiomyidae)      Synonym(s): *longicornis*  
Scopoli,1763; *tenebricus* Harris,1776; *strigata* Fabricius,1781; *tomentosa* Schrank,1803; *villosa* Meigen,1804;  
*nubeculosa* Meigen,1804; *thoracica* Fabricius,1805; *hirtuosa* Meigen,1830; *anubis* Meigen,1830; *flavifrons*  
Macquart,1838; *pallida* Loew,1840; **15**
- 1341.** *Stratiomys nigerrima* (Szilady,1941) (Stratiomyidae)      Synonym(s): *nigerrima*  
Szilady,1941 **26**
- 1342.** *Stratiomys ruficornis* (Macquart,1838) (Stratiomyidae)      Synonym(s): *ruficornis*  
Macquart,1838; *erythroceria* Egger,1859; *pyrrhocera* Loew,1868 **06 08 15 16 26 33 38 44 58**
- 1343.** *Suillia variegata* (Loew,1862) (Heleomyzidae)      Synonym(s): *variegata* Loew,1862 **07**
- 1344.** *Sulcicnephia znoikoi* (Rubtsov,1940) (Simuliidae)      Synonym(s): *znoikoi* Rubtsov,1940  
**62**
- 1345.** *Symplecta (Psiloconopa) stictica* (Meigen,1818) (Limoniidae)      Synonym(s): *stictica*  
Meigen,1818 **06 48**
- 1346.** *Symplecta (s.str.) hybrida* (Meigen,1804) (Limoniidae)      Synonym(s): *hybrida*  
Meigen,1804 **48**
- 1347.** *Symplecta (Trimicra) pilipes* (Fabricius,1787) (Limoniidae)      Synonym(s): *pilipes*  
Fabricius,1787
- 1348.** *Syritta flaviventris* Macquart,1842 (Syrphidae)      Synonym(s): *flaviventris*  
Macquart,1842 **46**
- 1349.** *Syritta pipiens* (Linnaeus,1758) (Syrphidae)      Synonym(s): *pipiens* Linnaeus,1758;  
*proxima* Say,1824 **01 06 07 25 31 33 37 38 46**
- 1350.** *Syrphus ribesii* (Linnaeus,1758) (Syrphidae)      Synonym(s): *ribesii* Linnaeus,1758 **25 33**  
**35 37**
- 1351.** *Syrphus vitripennis* Meigen,1822 (Syrphidae)      Synonym(s): *vitripennis* Meigen,1822 **37**
- 1352.** *Systoechus gradatus* (Wiedemann,1820) (Bombyliidae)      Synonym(s): *gradatus*  
Wiedemann,1820
- 1353.** *Tabanus accensus* Austen,1927 (Tabanidae)      Synonym(s): *accensus* Austen,1927 **33**
- 1354.** *Tabanus aidini* Kröber,1928 (Tabanidae)      Synonym(s): *aidini* Kröber,1928 **09**
- 1355.** *Tabanus alvarengia* Schacht,1987 (Tabanidae)      Synonym(s): *alvarengia* Schacht,1987  
**08 30 47 65 73**
- 1356.** *Tabanus anatolicus* Osufjev, Moucha & Chvala,1967 (Tabanidae)      Synonym(s):  
*anatolicus* Osufjev, Moucha & Chvala,1967 **01 02 31**

- 1357.** *Tabanus anthrax* Olsufjev,1937 (Tabanidae) Synonym(s): *anthrax* Olsufjev,1937 **03 30**  
**51 65**
- 1358.** *Tabanus arabicus* Macquart,1839 (Tabanidae) Synonym(s): *arabicus* Macquart,1839  
**42**
- 1359.** *Tabanus armeniacus* Kröber,1928 (Tabanidae) Synonym(s): *armeniacus* Kröber,1928  
**26**
- 1360.** *Tabanus atropathenicus* Olsufjev,1937 (Tabanidae) Synonym(s): *atropathenicus*  
*Olsufjev,1937* **11 12 24 26 30 33 36 46 73**
- 1361.** *Tabanus autumnalis* Linnaeus,1761 (Tabanidae) Synonym(s): *autumnalis*  
*Linnaeus,1761* **01 03 06 08 11 14 15 16 17 18 21 22 23 24 25 26 34 35 36 39 42 44 50 51 57 59 62**  
**64 66 76**
- 1362.** *Tabanus bifarius* Loew,1858 (Tabanidae) Synonym(s): *bifarius* Loew,1858; *longicornis*  
*Enderlein,1932; tauricus Enderlein,1932* **01 03 11 14 16 17 19 22 25 26 33 34 37 38 39 40 42 50 51 55**  
**58 59 66**
- 1363.** *Tabanus bovinus* Linnaeus,1758 (Tabanidae) Synonym(s): *bovinus* Linnaeus,1758 **21**  
**23 30 36 44 59**
- 1364.** *Tabanus briani* Leclercq,1962 (Tabanidae) Synonym(s): *briani* Leclercq,1962 **06 14 39**  
**59**
- 1365.** *Tabanus bromiolus* Szilady,1923 (Tabanidae) Synonym(s): *bromiolus* Szilady,1923 **16**
- 1366.** *Tabanus bromius* Linnaeus,1761 (Tabanidae) Synonym(s): *bromius* Linnaeus,1761;  
*antophilus* Loew,1858 **01 03 06 07 09 10 11 14 16 17 18 19 20 21 22 23 25 26 28 29 30 31 33 35 36**  
**38 39 40 42 44 50 51 54 55 57 58 59 61 77**
- 1367.** *Tabanus brunnescens* Szilady,1917 (Tabanidae) Synonym(s): *brunnescens* Szilady,1917  
**01 03 05 07 09 10 16 25 26 31 35**
- 1368.** *Tabanus canipalpis* Bigot,1892 (Tabanidae) Synonym(s): *canipalpis* Bigot,1892 **07 35**
- 1369.** *Tabanus cordiger* Meigen,1820 (Tabanidae) Synonym(s): *cordiger* Meigen,1820 **01 03**  
**06 11 14 23 26 33 39 66**
- 1370.** *Tabanus cuculus* Szilady,1923 (Tabanidae) Synonym(s): *cuculus* Szilady,1923 **11 17 22**  
**25 26 33 39 59**
- 1371.** *Tabanus darimonti* Leclercq,1964 (Tabanidae) Synonym(s): *darimonti* Leclercq,1964  
**26 33 35**
- 1372.** *Tabanus decipiens* Kröber,1928 (Tabanidae) Synonym(s): *decipiens* Kröber,1928 **07**  
**09 35**
- 1373.** *Tabanus eggeri* Schiner,1868 (Tabanidae) Synonym(s): *eggeri* Schiner,1868 **01 03 06**  
**07 11 22 23 26 30 33 34 39 42 50 51 57 59 66**
- 1374.** *Tabanus exlusus* Pandella,1883 (Tabanidae) Synonym(s): *exlusus* Pandella,1883 **06 07**  
**11 16 17 20 22 25 26 30 33 34 35 38 39 42 48 50 55 57 59**
- 1375.** *Tabanus fraseri* Austen,1925 (Tabanidae) Synonym(s): *fraseri* Austen,1925 **06 11 17 22**  
**26 34 39 59**
- 1376.** *Tabanus glaucopis* Meigen,1820 (Tabanidae) Synonym(s): *ferrugineus* Meigen,1804 nec  
*Ström,1768; glaucopis* Meigen,1820 **06 11 22 26 33 34 35 39 51 55 57 59**
- 1377.** *Tabanus golovi* Olsufjev,1936 (Tabanidae) Synonym(s): *golovi* Olsufjev,1936; *Pallidus*  
*Olsufjev,1936; mediaasiaticus* Olsufjev,1970
- 1378.** *Tabanus grandis* Szilady,1923 (Tabanidae) Synonym(s): *grandis* Szilady,1923 **01**
- 1379.** *Tabanus ilchanii* Jezek,1981 (Tabanidae) Synonym(s): *ilchanii* Jezek,1981 **30**
- 1380.** *Tabanus indrae* Hauser,1939 (Tabanidae) Synonym(s): *indrae* Hauser,1939; *vappa*  
*Bogatchev & Samedov,1949; montivagus* Olsufjev,1970 **11 20 23 26 33 42**
- 1381.** *Tabanus karaosus* Timmer,1984 (Tabanidae) Synonym(s): *karaosus* Timmer,1984 **53**  
**61**
- 1382.** *Tabanus laetetinctus* Becker,1912 (Tabanidae) Synonym(s): *laetetinctus* Becker,1912;  
*sordes* Bogatschev & Samedov,1949; *assuetus* Hauser,1960; *cinereus* Hauser,1960 **01 06 07 08 09 11 17 18**  
**19 23 25 26 27 29 30 35 38 42 43 50 51 56 58 59 66**
- 1383.** *Tabanus lunatus* Fabricius,1794 (Tabanidae) Synonym(s): *lunatus* Fabricius,1794 **05**  
**06 09 11 16 17 22 26 30 33 34 35 38 39 42 45 47 50 51 58 59 66**
- 1384.** *Tabanus maculicornis* Zetterstedt,1842 (Tabanidae) Synonym(s): *maculicornis*  
*Zetterstedt,1842* **17 22 34 39 57 59**
- 1385.** *Tabanus martinii* Kröber,1928 (Tabanidae) Synonym(s): *martinii* Kröber,1928 **06 09**  
**22 26 30**
- 1386.** *Tabanus mianjangalensis* Jezek,1981 (Tabanidae) Synonym(s): *mianjangalensis*  
*Jezek,1981* **47**

- 1387.** *Tabanus miki Brauer,1880* (Tabanidae) Synonym(s): *miki Brauer,1880* **06 11 14 23 25 26 33 34 36 38 39 42 50 66**
- 1388.** *Tabanus nemoralis Meigen,1820* (Tabanidae) Synonym(s): *nemoralis Meigen,1820*
- 1389.** *Tabanus obsolescens Pandelle,1883* (Tabanidae) Synonym(s): *obsolescens Pandelle,1883* **11 22 26 33 39**
- 1390.** *Tabanus olsufjevi Hauser,1960* (Tabanidae) Synonym(s): *olsufjevi Hauser,1960* **30 65**
- 1391.** *Tabanus oppugnator Austen,1925* (Tabanidae) Synonym(s): *oppugnator Austen,1925* **17 18 23**
- 1392.** *Tabanus paradoxus Jaennicke,1866* (Tabanidae) Synonym(s): *paradoxus Jaennicke,1866* **57**
- 1393.** *Tabanus portschinskii Olsufjev,1937* (Tabanidae) Synonym(s): *portschinskii Olsufjev,1937* **26 34 36 39 59**
- 1394.** *Tabanus prometheus Szilady,1923* (Tabanidae) Synonym(s): *prometheus Szilady,1923* **03 09 10 16 24 25 39 45 59**
- 1395.** *Tabanus quatuornatus Meigen,1820* (Tabanidae) Synonym(s): *quatuornatus Meigen,1820; labaumeanus Enderlein,1925* **01 06 11 14 19 25 26 33 35 37 39 51 59 69**
- 1396.** *Tabanus rectus Loew,1858* (Tabanidae) Synonym(s): *rectus Loew,1858; ornatus Jaennicke,1866* **48**
- 1397.** *Tabanus regularis Jaennicke,1866* (Tabanidae) Synonym(s): *regularis Jaennicke,1866; rufus Szilady,1923 nec Scop.,1763; #regluaris Kılıç,1999* **01 06 07 09 10 11 17 20 22 23 25 26 30 33 34 35 39 42 59 66**
- 1398.** *Tabanus rupium Brauer,1880* (Tabanidae) Synonym(s): *pusillus Egger,1859 nec Macq.,1839; rupium Brauer,1880; abazus Bigot,1880; alazinus Bigot,1892; lasios Surcouf,1924; hadjinicolaoui Kröber,1936; loewi Muschamp,1939* **11 14 25 26 33 35 48**
- 1399.** *Tabanus semiargenteus Olsufjev,1937* (Tabanidae) Synonym(s): *semiargenteus Olsufjev,1937* **30 36 65**
- 1400.** *Tabanus shannonellus Kröber,1936* (Tabanidae) Synonym(s): *shannonellus Kröber,1936* **11 17 22 33 39 59**
- 1401.** *Tabanus shekovnikovi Paramanov,1934* (Tabanidae) Synonym(s): *shekovnikovi Paramanov,1934* **25 30**
- 1402.** *Tabanus spectabilis Loew,1858* (Tabanidae) Synonym(s): *spectabilis Loew,1858* **06 11 14 17 18 19 22 23 24 25 26 28 33 38 39 42 51 59 66**
- 1403.** *Tabanus spodopterus Meigen,1820* (Tabanidae) Synonym(s): *spodopterus Meigen,1820* **06 11 14 17 22 23 33 34 36 39 59**
- 1404.** *Tabanus subparadoxus Olsufjev,1937* (Tabanidae) Synonym(s): *subparadoxus Olsufjev,1937* **24 25**
- 1405.** *Tabanus sudeticus Zeller,1847* (Tabanidae) Synonym(s): *sudeticus Zeller,1847* **34 39 59**
- 1406.** *Tabanus swiridowi Portschninsky,1882* (Tabanidae) Synonym(s): *swiridowi Portschninsky,1882* **36 76**
- 1407.** *Tabanus tergestinus Egger,1859* (Tabanidae) Synonym(s): *tergestinus Egger,1859* **03 06 22 23 25 33 34 39 57 59**
- 1408.** *Tabanus tinctus Walker,1850* (Tabanidae) Synonym(s): *tinctus Walker,1850; mixtus Szilady,1914* **09 10 14 16 17 20 26 35 45 57**
- 1409.** *Tabanus unifasciatus Loew,1858* (Tabanidae) Synonym(s): *unifasciatus Loew,1858; albescens Kröber,1928* **03 06 11 14 16 17 19 22 23 25 26 33 36 38 39 40 42 50 51 58 59 66**
- 1410.** *Tabanus yasujensis Bogatschev & Samedov,1949* (Tabanidae) Synonym(s): *yasujensis Bogatschev & Samedov,1949* **06 30**
- 1411.** *Tachina (Echinogaster) praeceps Meigen,1824* (Tachinidae) Synonym(s): *praeceps Meigen,1824; argentifrons Macquart,1835; pusilla Macquart,1845; fuscipennis Macquart,1845; alpicola Rondani,1861; tricondyla Rondani,1868; roederi Giglio-Tos,1891; similis Giglio-Tos,1891* **22 25 39 40 50 51 59 60 75**
- 1412.** *Tachina (Eudoromyia) fera (Linnaeus,1761)* (Tachinidae) Synonym(s): *fera Linnaeus,1761* **12 25 60 75**
- 1413.** *Tachina (Eudoromyia) magnicornis Zetterstedt,1844* (Tachinidae) Synonym(s): *tessellata Fabricius,1794; magnicornis Zetterstedt,1844; conjugata Rondani,1859; dispersa Giglio-Tos,1891; friedrichi Wachtl,1894; vernalis Robineau-Desvoidy; satanas Zimin,1935* **10 12 30 60**
- 1414.** *Tachina (Eudoromyia) nupta Rondani,1859* (Tachinidae) Synonym(s): *nupta Rondani,1859; micado Kirby,1884; orientalis Zimin,1935; trigonata Villeneuve,1936; nigriventris Zimin,1967; mesnilii Zimin,1967; turanica Zimin,1980* **60**

- 1415.** *Tachina grossa* (Linnaeus,1758) (Tachinidae) Synonym(s): *grossa* Linnaeus,1758 **26**
- 1416.** *Tachytrechus ripicola* Loew,1857 (Dolichopodidae) Synonym(s): *ripicola* Loew,1857 **07**
- 1417.** *Taxigramma elegantula* (Zetterstedt,1844) (Sarcophagidae) Synonym(s): *elegantula* Zetterstedt,1844
- 1418.** *Taxigramma heteroneura* (Meigen,1830) (Sarcophagidae) Synonym(s): *heteroneura* Meigen,1830
- 1419.** *Taxomyia taxi* (Inchbald,1861) (Cecidomyiidae) Synonym(s): *taxi* Inchbald,1861 **57**
- 1420.** *Tephritis acanthiophilopsis* Hering,1938 (Tephritidae) Synonym(s): *acanthiophilopsis* Hering,1938 **07 32 46**
- 1421.** *Tephritis brachyurus* (Loew) (Tephritidae) Synonym(s): **06**
- 1422.** *Tephritis carmen* Hering,1937 (Tephritidae) Synonym(s): *carmen* Hering,1937 **01**
- 1423.** *Tephritis cometa* (Loew,1856) (Tephritidae) Synonym(s): *cometa* Loew,1856 **05 07 15 20 31 32 38 55 57 58**
- 1424.** *Tephritis conjuncta* (Loew,1844) (Tephritidae) Synonym(s): *conjuncta* Loew,1844 **35**
- 1425.** *Tephritis dioscorea* (Loew,1856) (Tephritidae) Synonym(s): *dioscorea* Loew,1856 **01 05 18 31 33 46 38 58 61 71**
- 1426.** *Tephritis divisa* Rondani,1871 (Tephritidae) Synonym(s): *divisa* Rondani,1871 **05 46**
- 1427.** *Tephritis erdemlii* Kütük,2008 (Tephritidae) Synonym(s): *erdemlii* Kütük,2008 **07 32**
- 1428.** *Tephritis fallax* (Loew,1844) (Tephritidae) Synonym(s): *fallax* Loew,1844 **01 31 33 35 43 45**
- 1429.** *Tephritis formosa* (Loew,1844) (Tephritidae) Synonym(s): *formosa* Loew,1844 **01 07 10 11 15 31 33 35 37 38 46 57 80**
- 1430.** *Tephritis frauenfeldi* Hendel,1927 (Tephritidae) Synonym(s): *frauenfeldi* Hendel,1927 **01**
- 1431.** *Tephritis hurvitzi* Freidberg,1981 (Tephritidae) Synonym(s): *hurvitzi* Freidberg,1981 **01 07 15 20 31 32 38 48 58**
- 1432.** *Tephritis hyoscyami* (Linnaeus,1758) (Tephritidae) Synonym(s): *hyoscyami* Linnaeus,1758 **01 07 48 55**
- 1433.** *Tephritis mariannae* Merz,1992 (Tephritidae) Synonym(s): *mariannae* Merz,1992 **01 28 29 52 61**
- 1434.** *Tephritis matricariae* (Loew,1844) (Tephritidae) Synonym(s): *matricariae* Loew,1844 **01 31 32**
- 1435.** *Tephritis merzi* Freidberg & Kütük,2002 (Tephritidae) Synonym(s): *merzi* Freidberg & Kütük,2002 **07 33 65**
- 1436.** *Tephritis nigricauda* (Loew,1856) (Tephritidae) Synonym(s): *nigricauda* Loew,1856 **06 07 15 32 33**
- 1437.** *Tephritis poecilura* Loew,1869 (Tephritidae) Synonym(s): *poecilura* Loew,1869 **35**
- 1438.** *Tephritis postica* (Loew,1844) (Tephritidae) Synonym(s): *postica* Loew,1844 **01 05 07 09 15 20 23 32 35 37 38 43 45 46 50 58 65**
- 1439.** *Tephritis praecox* (Loew,1844) (Tephritidae) Synonym(s): *praecox* Loew,1844 **01 06 32**
- 1440.** *Tephritis pulchra* (Loew,1844) (Tephritidae) Synonym(s): *pulchra* Loew,1844 **01 06 38 65**
- 1441.** *Tephritis recurrens* Loew,1869 (Tephritidae) Synonym(s): *recurrens* Loew,1869 **06 20 71**
- 1442.** *Tephritis sauteri* Merz,1992 (Tephritidae) Synonym(s): *sauteri* Merz,1992 **07 48**
- 1443.** *Tephritis separata* Rondani,1871 (Tephritidae) Synonym(s): *separata* Rondani,1871 **01 32 38 58**
- 1444.** *Tephritis simplex* (Loew,1844) (Tephritidae) Synonym(s): *simplex* Loew,1844 **07 13 32 35 45 48**
- 1445.** *Tephritis valida* (Loew,1858) (Tephritidae) Synonym(s): *valida* Loew,1858
- 1446.** *Tephritis vespertina* (Loew,1844) (Tephritidae) Synonym(s): *vespertina* Loew,1844 **01 07 18 32 38 40**
- 1447.** *Tephritomyia lauta* (Loew,1869) (Tephritidae) Synonym(s): *lauta* Loew,1869 **38 58 65**
- 1448.** *Terellia (Cerajocera) yukseli* Kütük,2009 (Tephritidae) Synonym(s): *yukseli* Kütük,2009 **51**

- 1449.** *Terellia ceratocera* Hendel,1913 (Tephritidae) Synonym(s): *ceratocera* Hendel,1913 **38**  
**58**
- 1450.** *Terellia fuscicornis* (Loew,1844) (Tephritidae) Synonym(s): *fuscicornis* Loew,1844;  
#*fuscuornis* Giray,1979 **35 38 45 58**
- 1451.** *Terellia gynaecochroma* (M.Hering,1936) (Tephritidae) Synonym(s):  
*gynaecochroma* M.Hering,1936 **38 58**
- 1452.** *Terellia luteola* (Wiedemann,1830) (Tephritidae) Synonym(s): *luteola*  
Wiedemann,1830 **38 58**
- 1453.** *Terellia nigripalpis* Hendel,1927 (Tephritidae) Synonym(s): *nigripalpis* Hendel,1927  
**38 58**
- 1454.** *Terellia quadratula* (Loew,1869) (Tephritidae) Synonym(s): *quadratula* Loew,1869 **38**  
**58**
- 1455.** *Terellia ruficauda* (Fabricius,1794) (Tephritidae) Synonym(s): *ruficauda*  
Fabricius,1794 **38 58**
- 1456.** *Terellia serratulae* (Linnaeus,1758) (Tephritidae) Synonym(s): *serratulae*  
Linnaeus,1758 **06 38 58**
- 1457.** *Terellia virens* (Loew,1846) (Tephritidae) Synonym(s): *virens* Loew,1846 **16 38 45 58**
- 1458.** *Terellia zerovae* Korneyev,1985 (Tephritidae) Synonym(s): *zerovae* Korneyev,1985 **38**  
**58**
- 1459.** *Tetanocera arrogans* Meigen,1830 (Sciomyzidae) Synonym(s): *arrogans* Meigen,1830
- 1460.** *Tetanocera elata* (Fabrciius,1781) (Sciomyzidae) Synonym(s): *elata* Fabrciius,1781
- 1461.** *Tetanocera ferruginea* Fallén,1820 (Sciomyzidae) Synonym(s): *ferruginea* Fallén,1820
- 1462.** *Tetanocera montana* Day,1881 (Sciomyzidae) Synonym(s): *montana* Day,1881
- 1463.** *Tetanocera punctifrons* Rondani,1868 (Sciomyzidae) Synonym(s): *punctifrons*  
Rondani,1868 **25**
- 1464.** *Thecodiplosis* sp. (Cecidomyiidae) Synonym(s): **35 45**
- 1465.** *Thecophora atra* (Fabricius,1775) (Conopidae) Synonym(s): *atra* Fabricius,1775 **24**
- 1466.** *Thecophora distincta* (Wiedemann,1824) (Conopidae) Synonym(s): *distincta*  
Wiedemann,1824 **06**
- 1467.** *Thecophora fulvipes* (Robineau-Desvoidy,1830) (Conopidae) Synonym(s):  
*fulvipes* Robineau-Desvoidy,1830 **25**
- 1468.** *Thecophora pusilla* (Meigen,1824) (Conopidae) Synonym(s): *pusilla* Meigen,1824 **25**  
**66**
- 1469.** *Thelymorpha marmorata* (Fabricius,1805) (Tachinidae) Synonym(s): *marmorata*  
Fabricius,1805 **25 75**
- 1470.** *Thereva affinis* Kröber,1913 (Therevidae) Synonym(s): *affinis* Kröber,1913 **51**
- 1471.** *Thereva albohirta* Kröber,1912 (Therevidae) Synonym(s): *albohirta* Kröber,1912;  
*helvetica* Kröber,1937 **33 68**
- 1472.** *Thereva apicalis* Wiedemann,1821 (Therevidae) Synonym(s): *apicalis*  
Wiedemann,1821; *bivittata* Loew,1840 **01 32 38 42 50 51 66 68**
- 1473.** *Thereva aurata* (Loew,1854) (Therevidae) Synonym(s): *aurata* Loew,1854; *auricincta*  
Egger,1859 **01 07 14 32 38**
- 1474.** *Thereva binotata* (Loew,1847) (Therevidae) Synonym(s): *binotata* Loew,1847 **25 33 38**  
**58**
- 1475.** *Thereva cincta* Meigen,1820 (Therevidae) Synonym(s): *cincta* Meigen,1820; *taenita*  
Meigen,1820; *antheracoides* Macquart,1840; *arcuata* Loew,1847 **38 51 58 68**
- 1476.** *Thereva cinifera* Meigen,1830 (Therevidae) Synonym(s): *cinifera* Meigen,1830;  
*subfasciata* Schummel,1839; *modesta* Becker,1922 **01 70**
- 1477.** *Thereva claripennis* (Loew,1847) (Therevidae) Synonym(s): *claripennis* Loew,1847
- 1478.** *Thereva flavescens* (Loew,1847) (Therevidae) Synonym(s): *flavescens* Loew,1847
- 1479.** *Thereva fulva* (Meigen,1804) (Therevidae) Synonym(s): *fulva* Meigen,1804; *flavilabris*  
Meigen,1820 **01 06 14 15 33 51 58 66 70**
- 1480.** *Thereva fulvibarba* Kröber,1912 (Therevidae) Synonym(s): *fulvibarba* Kröber,1912 **51**
- 1481.** *Thereva glaucescens* Kröber,1912 (Therevidae) Synonym(s): *glaucescens* Kröber,1912  
**38 51**
- 1482.** *Thereva handlirschi* Kröber,1912 (Therevidae) Synonym(s): *handlirschi* Kröber,1912;  
*zonata* Kröber,1912; *angustifrons* Kröber,1912; *praestans* Collin,1948 **01**
- 1483.** *Thereva hirta* Kröber,1913 (Therevidae) Synonym(s): *hirta* Kröber,1913 **14 32 33 38 42**  
**51 68**

- 1484.** *Thereva lanata* Zetterstedt,1838 (Therevidae)      Synonym(s): *lanata* Zetterstedt,1838;  
*vetula* Zetterstedt,1838; *amoena* Kowarz,1883 **32**
- 1485.** *Thereva neglecta* Kröber,1912 (Therevidae)      Synonym(s): *neglecta* Kröber,1912 **70**
- 1486.** *Thereva nitidifrons* Kröber,1913 (Therevidae)      Synonym(s): *nitidifrons* Kröber,1913 **51**
- 1487.** *Thereva pilifrons* Kröber,1912 (Therevidae)      Synonym(s): *pilifrons* Kröber,1912 **46 70**
- 1488.** *Thereva plebeja* (Linnaeus,1758) (Therevidae)      Synonym(s): *plebeja* Linnaeus,1758;  
*fasciatus* De Geer,1776; *monos* Haris,1780; *lugens* Loew,1847; *lichtwardti* Kröber,1913 **06 38 42 51 58 66 70**
- 1489.** *Thereva strigata* (Fabricius,1794) (Therevidae)      Synonym(s): *strigata* Fabricius,1794;  
*latistrigata* Kröber,1913; *thermophila* Trojan,1970 **06 07 33 38 58 66**
- 1490.** *Thereva tristis* (Loew,1847) (Therevidae)      Synonym(s): *tristis* Loew,1847 **07 32**
- 1491.** *Thereva tuberculata* (Loew,1847) (Therevidae)      Synonym(s): *tuberculata* Loew,1847;  
*subtilis* Loew,1847; *algerica* Kröber,1913 **01 38 51 58**
- 1492.** *Thereva unica* (Harris,1780) (Therevidae)      Synonym(s): *unica* Harris,1780; *bipunctata*  
Meigen,1820 **38 58**
- 1493.** *Thereva valida* (Loew,1847) (Therevidae)      Synonym(s): *valida* Loew,1847; *frontalis*  
Schummel,1839; *ursina* Wahlberg,1854 **06 58**
- 1494.** *Therioplectes carabaghensis* (Potschinsky,1877) (Tabanidae)      Synonym(s):  
*carabaghensis* Potschinsky,1877 **13**
- 1495.** *Therioplectes tricolor* Zeller,1842 (Tabanidae)      Synonym(s): *tricolor* Zeller,1842;  
*ruficauda* Enderlein,1925; *kirchbergi* Moucha & Chvala,1959 **05 06 11 16 25 26 29 35 38 50 51 59**
- 1496.** *Therioplectes tunicatus* (Szilady, 1927) (Tabanidae)      Synonym(s): *tunicatus* (Szilady,  
1927); *rufula* (Szilady, 1927) (*Tabanus* (*Sziadya*), as var. of *tunicatus*); *gigas* (*Therioplectes*) Herbst, 1787 **24 26**  
**54**
- 1497.** *Thornburghiella quezeli* (Vaillant,1956) (Psychodidae)      Synonym(s): *quezeli*  
Vaillant,1956 **73**
- 1498.** *Thricops aculeipes* (Zetterstedt,1838) (Muscidae)      Synonym(s): *aculeipes*  
Zetterstedt,1838
- 1499.** *Thricops diaphanus* (Wiedemann,1817) (Muscidae)      Synonym(s): *diaphanus*  
Wiedemann,1817
- 1500.** *Thricops nigrifrons* (Robineau-Desvoidy,1830) (Muscidae)      Synonym(s):  
*nigrifrons* Robineau-Desvoidy,1830
- 1501.** *Thricops nigritellus* (Zetterstedt,1838) (Muscidae)      Synonym(s): *nigritellus*  
Zetterstedt,1838
- 1502.** *Thricops sudeticus* (Schnabl,1888) (Muscidae)      Synonym(s): *sudeticus* Schnabl,1888
- 1503.** *Thyridanthrax incanus* (Klug,1832) (Bombyliidae)      Synonym(s): *incanus* Klug,1832  
**07**
- 1504.** *Thyridanthrax lotus* (Loew,1869) (Bombyliidae)      Synonym(s): *lotus* Loew,1869
- 1505.** *Thyridanthrax mutilus* (Loew,1869) (Bombyliidae)      Synonym(s): *mutilus* Loew,1869
- 1506.** *Thyridanthrax perspicillaris* (Loew,1869) (Bombyliidae)      Synonym(s): *perspicillaris*  
Loew,1869
- 1507.** *Thyridanthrax polyphemus* (Wiedemann,1820) (Bombyliidae)      Synonym(s):  
*polyphemus* Wiedemann,1820
- 1508.** *Tipula (Acutipula) aktashi* Koç, Hasbenli & De Jong,1998 (Tipulidae)  
Synonym(s): *aktashi* Koç, Hasbenli & De Jong,1998
- 1509.** *Tipula (Acutipula) fulvipennis* De Geer,1776 (Tipulidae)      Synonym(s): *fulvipennis* De  
Geer,1776
- 1510.** *Tipula (Acutipula) isparta* Vermoolen,1983 (Tipulidae)      Synonym(s): *isparta*  
Vermoolen,1983 **48**
- 1511.** *Tipula (Acutipula) latifurca* Vermoolen,1983 (Tipulidae)      Synonym(s): *latifurca*  
Vermoolen,1983 **01 03 06 07 13 15 30 32 38 42 48 49 53 61 65**
- 1512.** *Tipula (Acutipula) nigroantennata* Savchenko,1961 (Tipulidae)      Synonym(s):  
*nigroantennata* Savchenko,1961
- 1513.** *Tipula (Beringotipula) unca* Wiedemann,1817 (Tipulidae)      Synonym(s): *unca*  
Wiedemann,1817
- 1514.** *Tipula (Dendrotipula) flavolineata* Meigen,1804 (Tipulidae)      Synonym(s):  
*flavolineata* Meigen,1804
- 1515.** *Tipula (Emodotipula) obscuriventris* Strobl,1900 (Tipulidae)      Synonym(s):  
*obscuriventris* Strobl,1900
- 1516.** *Tipula (Lunatipula) acudens* Theischinger,1977 (Tipulidae)      Synonym(s): *acudens*  
Theischinger,1977

- 1517.** *Tipula (Lunatipula) adapazariensis* Theischinger, 1987 (Tipulidae)      Synonym(s):  
*adapazariensis* Theischinger, 1987 **54**
- 1518.** *Tipula (Lunatipula) adusta* Savchenko, 1954 (Tipulidae)      Synonym(s): *adusta*  
*Savchenko, 1954*
- 1519.** *Tipula (Lunatipula) anthe* Mannheims, 1968 (Tipulidae)      Synonym(s): *anthe*  
*Mannheims, 1968*
- 1520.** *Tipula (Lunatipula) antilope* Theischinger, 1977 (Tipulidae)      Synonym(s): *antilope*  
*Theischinger, 1977*
- 1521.** *Tipula (Lunatipula) arnoldii* Savchenko, 1957 (Tipulidae)      Synonym(s): *arnoldii*  
*Savchenko, 1957*
- 1522.** *Tipula (Lunatipula) artemis* Theischinger, 1977 (Tipulidae)      Synonym(s): *artemis*  
*Theischinger, 1977*
- 1523.** *Tipula (Lunatipula) astigma* Savchenko, 1968 (Tipulidae)      Synonym(s): *astigma*  
*Savchenko, 1968*
- 1524.** *Tipula (Lunatipula) auriculata* Mannheims, 1963 (Tipulidae)      Synonym(s):  
*auriculata* Mannheims, 1963
- 1525.** *Tipula (Lunatipula) bimacula* Theowald, 1980 (Tipulidae)      Synonym(s): *bimacula*  
*Theowald, 1980* **07 48**
- 1526.** *Tipula (Lunatipula) borysthenica* Savchenko, 1954 (Tipulidae)      Synonym(s):  
*borysthenica* Savchenko, 1954
- 1527.** *Tipula (Lunatipula) brinki* Theischinger, 1987 (Tipulidae)      Synonym(s): *brinki*  
*Theischinger, 1987*
- 1528.** *Tipula (Lunatipula) canakkalensis* Theischinger, 1987 (Tipulidae)      Synonym(s):  
*canakkalensis* Theischinger, 1987 **17**
- 1529.** *Tipula (Lunatipula) carens* Theischinger, 1987 (Tipulidae)      Synonym(s): *carens*  
*Theischinger, 1987*
- 1530.** *Tipula (Lunatipula) cedrophila* Mannheims, 1963 (Tipulidae)      Synonym(s):  
*cedrophila* Mannheims, 1963
- 1531.** *Tipula (Lunatipula) chelifera* Savchenko, 1964 (Tipulidae)      Synonym(s): *chelifera*  
*Savchenko, 1964*
- 1532.** *Tipula (Lunatipula) christophi* Theischinger, 1982 (Tipulidae)      Synonym(s):  
*christophi* Theischinger, 1982
- 1533.** *Tipula (Lunatipula) cilibema* Koç, 2004 (Tipulidae)      Synonym(s): *cilibema* Koç, 2004  
**48**
- 1534.** *Tipula (Lunatipula) cinerella* Pierre, 1919 (Tipulidae)      Synonym(s): *cinerella*  
*Pierre, 1919*
- 1535.** *Tipula (Lunatipula) cirratula* Oosterbroek, 1997 (Tipulidae)      Synonym(s): *cirratula*  
*Oosterbroek, 1997*
- 1536.** *Tipula (Lunatipula) curvata* Theischinger, 1977 (Tipulidae)      Synonym(s): *curvata*  
*Theischinger, 1977*
- 1537.** *Tipula (Lunatipula) decolor* Mannheims, 1963 (Tipulidae)      Synonym(s): *decolor*  
*Mannheims, 1963* **06 16 48 54 67**
- 1538.** *Tipula (Lunatipula) dedecor* Loew, 1873 (Tipulidae)      Synonym(s): *dedecor* Loew, 1873  
**06 15 32 48**
- 1539.** *Tipula (Lunatipula) didymotes* Theischinger, 1977 (Tipulidae)      Synonym(s):  
*didymotes* Theischinger, 1977
- 1540.** *Tipula (Lunatipula) dracula* Theischinger, 1977 (Tipulidae)      Synonym(s): *dracula*  
*Theischinger, 1977* **03 48**
- 1541.** *Tipula (Lunatipula) emmahelene* Theischinger, 1980 (Tipulidae)      Synonym(s):  
*emmahelene* Theischinger, 1980
- 1542.** *Tipula (Lunatipula) franzressli* Theischinger, 1982 (Tipulidae)      Synonym(s):  
*franzressli* Theischinger, 1982 **48**
- 1543.** *Tipula (Lunatipula) furcula* Mannheims, 1954 (Tipulidae)      Synonym(s): *furcula*  
*Mannheims, 1954* **03 06 09 16 17 35 42 48**
- 1544.** *Tipula (Lunatipula) gebze* Koç, Hasbenli & Vogtenhuber, 2007 (Tipulidae)  
Synonym(s): *gebze* Koç, Hasbenli & Vogtenhuber, 2007 **41**
- 1545.** *Tipula (Lunatipula) helvola* Loew, 1873 (Tipulidae)      Synonym(s): *helvola* Loew, 1873  
**07 16 42 48 61**
- 1546.** *Tipula (Lunatipula) horsti* Theischinger, 1982 (Tipulidae)      Synonym(s): *horsti*  
*Theischinger, 1982* **07 15 48**

- 1547.** *Tipula (Lunatipula) huberti Theischinger,1982* (Tipulidae)   Synonym(s): *huberti Theischinger,1982* **07 48**
- 1548.** *Tipula (Lunatipula) iliensis Mannheims,1965* (Tipulidae)   Synonym(s): *iliensis Mannheims,1965*
- 1549.** *Tipula (Lunatipula) istriana Erhan & Theowald,1961* (Tipulidae)   Synonym(s): *istriana Erhan & Theowald,1961* **03 11 15 32 42 48 54**
- 1550.** *Tipula (Lunatipula) jaroslavi Koç,2007* (Tipulidae)   Synonym(s): *jaroslavi Koç,2007*
- 1551.** *Tipula (Lunatipula) kerkis Theischinger,1977* (Tipulidae)   Synonym(s): *kerkis Theischinger,1977*
- 1552.** *Tipula (Lunatipula) kreissli Theischinger,1987* (Tipulidae)   Synonym(s): *kreissli Theischinger,1987*
- 1553.** *Tipula (Lunatipula) kumerloevei Mannheims,1968* (Tipulidae)   Synonym(s): *kumerloevei Mannheims,1968*
- 1554.** *Tipula (Lunatipula) kybele Mannheims,1968* (Tipulidae)   Synonym(s): *kybele Mannheims,1968*
- 1555.** *Tipula (Lunatipula) lucasi Theischinger,1987* (Tipulidae)   Synonym(s): *lucasi Theischinger,1987*
- 1556.** *Tipula (Lunatipula) mendli Martinovsky,1976* (Tipulidae)   Synonym(s): *mendli Martinovsky,1976* **03 16 20 48**
- 1557.** *Tipula (Lunatipula) micropeliostigma Mannheims,1965* (Tipulidae)  
Synonym(s): *micropeliostigma Mannheims,1965* **03 48**
- 1558.** *Tipula (Lunatipula) montifer Theischinger,1977* (Tipulidae)   Synonym(s): *montifer Theischinger,1977*
- 1559.** *Tipula (Lunatipula) murati Koç,2004* (Tipulidae)   Synonym(s): *murati Koç,2004* **48**
- 1560.** *Tipula (Lunatipula) musensis Theischinger,1987* (Tipulidae)   Synonym(s): *musensis Theischinger,1987*
- 1561.** *Tipula (Lunatipula) neutra Theischinger,1982* (Tipulidae)   Synonym(s): *neutra Theischinger,1982*
- 1562.** *Tipula (Lunatipula) nigdeensis Bischof,1905* (Tipulidae)   Synonym(s): *nigdeensis Bischof,1905* **51**
- 1563.** *Tipula (Lunatipula) oorschotorum Theischinger,1987* (Tipulidae)   Synonym(s): *oorschotorum Theischinger,1987*
- 1564.** *Tipula (Lunatipula) oosterbroeki Koç,2007* (Tipulidae)   Synonym(s): *oosterbroeki Koç,2007*
- 1565.** *Tipula (Lunatipula) ornithogona Theischinger,1982* (Tipulidae)   Synonym(s): *ornithogona Theischinger,1982* **48**
- 1566.** *Tipula (Lunatipula) osmana Mannheims,1963* (Tipulidae)   Synonym(s): *osmana Mannheims,1963*
- 1567.** *Tipula (Lunatipula) palifera Mannheims,1965* (Tipulidae)   Synonym(s): *palifera Mannheims,1965*
- 1568.** *Tipula (Lunatipula) paravelox Theischinger,1987* (Tipulidae)   Synonym(s): *paravelox Theischinger,1987*
- 1569.** *Tipula (Lunatipula) peliostigma Schummel,1833* (Tipulidae)   Synonym(s): *peliostigma Schummel,1833* **03 15 48**
- 1570.** *Tipula (Lunatipula) peteri Theischinger,1979* (Tipulidae)   Synonym(s): *peteri Theischinger,1979*
- 1571.** *Tipula (Lunatipula) pseudolunata Theischinger,1980* (Tipulidae)   Synonym(s): *pseudolunata Theischinger,1980*
- 1572.** *Tipula (Lunatipula) pseudopeliostigma Mannheims,1965* (Tipulidae)  
Synonym(s): *pseudopeliostigma Mannheims,1965* **48**
- 1573.** *Tipula (Lunatipula) pseudowolfi Theischinger,1979* (Tipulidae)   Synonym(s): *pseudowolfi Theischinger,1979* **42 48**
- 1574.** *Tipula (Lunatipula) quinquespinis Theischinger,1980* (Tipulidae)   Synonym(s): *quinquespinis Theischinger,1980* **07 15 20 33 42 48**
- 1575.** *Tipula (Lunatipula) renate Theischinger,1982* (Tipulidae)   Synonym(s): *renate Theischinger,1982*
- 1576.** *Tipula (Lunatipula) rhodolivida Theowald,1972* (Tipulidae)   Synonym(s): *rhodolivida Theowald,1972*
- 1577.** *Tipula (Lunatipula) rhynchos Theischinger,1977* (Tipulidae)   Synonym(s): *rhynchos Theischinger,1977* **35 48**

- 1578.** *Tipula (Lunatipula) russula* Theischinger, 1977 (Tipulidae)      Synonym(s): *russula*  
*Theischinger, 1977* **07 15 32 42 48**
- 1579.** *Tipula (Lunatipula) rutila* Savchenko, 1952 (Tipulidae)      Synonym(s): *rutila*  
*Savchenko, 1952*
- 1580.** *Tipula (Lunatipula) sciurus* Theischinger, 1977 (Tipulidae)      Synonym(s): *sciurus*  
*Theischinger, 1977* **01 07 32 42 48**
- 1581.** *Tipula (Lunatipula) selenis* Loew, 1873 (Tipulidae)      Synonym(s): *selenis* Loew, 1873
- 1582.** *Tipula (Lunatipula) semipeliostigma* Mannheims, 1965 (Tipulidae)      Synonym(s):  
*semipeliostigma* Mannheims, 1965
- 1583.** *Tipula (Lunatipula) sepiiformis* Vogtenhuber, 2002 (Tipulidae)      Synonym(s):  
*sepiiformis* Vogtenhuber, 2002
- 1584.** *Tipula (Lunatipula) soosi* Mannheims, 1954 (Tipulidae)      Synonym(s): *soosi*  
*Mannheims, 1954* **35 48**
- 1585.** *Tipula (Lunatipula) sternalis* Theischinger, 1977 (Tipulidae)      Synonym(s): *sternalis*  
*Theischinger, 1977*
- 1586.** *Tipula (Lunatipula) strigosa* Savchenko, 1952 (Tipulidae)      Synonym(s): *strigosa*  
*Savchenko, 1952*
- 1587.** *Tipula (Lunatipula) subacuminata* Mannheims, 1963 (Tipulidae)      Synonym(s):  
*subacuminata* Mannheims, 1963
- 1588.** *Tipula (Lunatipula) substernalis* Oosterbroek, 1997 (Tipulidae)      Synonym(s):  
*substernalis* Oosterbroek, 1997
- 1589.** *Tipula (Lunatipula) subvelox* Savchenko, 1968 (Tipulidae)      Synonym(s): *subvelox*  
*Savchenko, 1968*
- 1590.** *Tipula (Lunatipula) teunisseni* Theischinger, 1979 (Tipulidae)      Synonym(s):  
*teunisseni* Theischinger, 1979 **15 35 38 48**
- 1591.** *Tipula (Lunatipula) theia* Mannheims, 1963 (Tipulidae)      Synonym(s): *theia*  
*Mannheims, 1963*
- 1592.** *Tipula (Lunatipula) tibonella* Theischinger, 1977 (Tipulidae)      Synonym(s): *tibonella*  
*Theischinger, 1977*
- 1593.** *Tipula (Lunatipula) transmarmarensis* Koç, Aktaş & Oosterbroek, 1996  
(Tipulidae)      Synonym(s): *transmarmarensis* Koç, Aktaş & Oosterbroek, 1996
- 1594.** *Tipula (Lunatipula) trapeza* Theischinger, 1982 (Tipulidae)      Synonym(s): *trapeza*  
*Theischinger, 1982*
- 1595.** *Tipula (Lunatipula) truncata* Loew, 1873 (Tipulidae)      Synonym(s): *truncata* Loew, 1873
- 1596.** *Tipula (Lunatipula) turca* Mannheims, 1963 (Tipulidae)      Synonym(s): *turca*  
*Mannheims, 1963*
- 1597.** *Tipula (Lunatipula) turcolivida* Mannheims, 1968 (Tipulidae)      Synonym(s):  
*turcolivida* Mannheims, 1968
- 1598.** *Tipula (Lunatipula) turgida* Oosterbroek, 1997 (Tipulidae)      Synonym(s): *turgida*  
*Oosterbroek, 1997*
- 1599.** *Tipula (Lunatipula) ulrike* Theischinger, 1982 (Tipulidae)      Synonym(s): *ulrike*  
*Theischinger, 1982*
- 1600.** *Tipula (Lunatipula) unicornis* Theischinger, 1977 (Tipulidae)      Synonym(s):  
*unicornis* Theischinger, 1977
- 1601.** *Tipula (Lunatipula) ursulae* Mannheims, 1965 (Tipulidae)      Synonym(s): *ursulae*  
*Mannheims, 1965*
- 1602.** *Tipula (Lunatipula) vermooleni* Theischinger, 1987 (Tipulidae)      Synonym(s):  
*vermooleni* Theischinger, 1987 **48**
- 1603.** *Tipula (Lunatipula) verrucosa* Pierre, 1919 (Tipulidae)      Synonym(s): *verrucosa*  
*Pierre, 1919*
- 1604.** *Tipula (Lunatipula) vogtenhuberi* Theischinger, 1979 (Tipulidae)      Synonym(s):  
*vogtenhuberi* Theischinger, 1979
- 1605.** *Tipula (Lunatipula) vulpecula* Theischinger, 1979 (Tipulidae)      Synonym(s):  
*vulpecula* Theischinger, 1979
- 1606.** *Tipula (Lunatipula) zaitzevi* Savchenko, 1952 (Tipulidae)      Synonym(s): *zaitzevi*  
*Savchenko, 1952*
- 1607.** *Tipula (Mediotipula) anatoliensis* Theowald, 1978 (Tipulidae)      Synonym(s):  
*anatoliensis* Theowald, 1978
- 1608.** *Tipula (Mediotipula) stigmatella* Schummel, 1833 (Tipulidae)      Synonym(s):  
*stigmatella* Schummel, 1833
- 1609.** *Tipula (Pterelachisus) aspoecki* Vogtenhuber, 2004 (Tipulidae)      Synonym(s):  
*aspoecki* Vogtenhuber, 2004

- 1610.** *Tipula (Pterelachisus) luteobasalis* Savchenko,1964 (Tipulidae)      Synonym(s):  
*luteobasalis* Savchenko,1964 **14**
- 1611.** *Tipula (Pterelachisus) varipennis* Meigen,1818 (Tipulidae)      Synonym(s):  
*varipennis* Meigen,1818
- 1612.** *Tipula (Savtshenkia) obsoleta* Meigen,1818 (Tipulidae)      Synonym(s): *obsoleta*  
*Meigen,1818*
- 1613.** *Tipula (Savtshenkia) rufina* Meigen,1818 (Tipulidae)      Synonym(s): *rufina*  
*Meigen,1818* **30 48**
- 1614.** *Tipula (Savtshenkia) serrulifera* Alexander,1942 (Tipulidae)      Synonym(s):  
*serrulifera* Alexander,1942
- 1615.** *Tipula (Schummelia) ahrensi* Savchenko,1957 (Tipulidae)      Synonym(s): *ahrensi*  
*Savchenko,1957*
- 1616.** *Tipula (Schummelia) variicornis* Schummel,1833 (Tipulidae)      Synonym(s):  
*variicornis* Schummel,1833
- 1617.** *Tipula (Tipula) italica* Lackschewitz,1930 (Tipulidae)      Synonym(s): *italica*  
*Lackschewitz,1930*
- 1618.** *Tipula (Tipula) orientalis* Lackschewitz,1930 (Tipulidae)      Synonym(s): *orientalis*  
*Lackschewitz,1930* **02 03 6 07 08 09 13 15 17 25 32 33 35 38 42 48 49 52 57 58 65**
- 1619.** *Tipula (Vestiplex) kosswigi* Mannheims,1953 (Tipulidae)      Synonym(s): *kosswigi*  
*Mannheims,1953*
- 1620.** *Tipula (Vestiplex) pallidicosta* Pierre,1924 (Tipulidae)      Synonym(s): *pallidicosta*  
*Pierre,1924*
- 1621.** *Tipula (Vestiplex) semivittata* Savchenko,1960 (Tipulidae)      Synonym(s):  
*semivittata* Savchenko,1960
- 1622.** *Tipula (Yamatotipula) caesia* Schummel,1833 (Tipulidae)      Synonym(s): *caesia*  
*Schummel,1833* **03 06 13 15 20 25 42 48 49**
- 1623.** *Tipula (Yamatotipula) caucasimontana* Savchenko,1955 (Tipulidae)  
Synonym(s): *caucasimontana* Savchenko,1955
- 1624.** *Tipula (Yamatotipula) guentheri* Oosterbroek,1994 (Tipulidae)      Synonym(s):  
*guentheri* Oosterbroek,1994
- 1625.** *Tipula (Yamatotipula) iranensis* Theowald,1978 (Tipulidae)      Synonym(s):  
*iranensis* Theowald,1978
- 1626.** *Tipula (Yamatotipula) lateralis* Meigen,1804 (Tipulidae)      Synonym(s): *lateralis*  
*Meigen,1804* **01 03 06 07 13 15 16 20 30 32 33 38 42 48 61 67**
- 1627.** *Tipula (Yamatotipula) submontium* Theowald & Oosterbroek,1981 (Tipulidae)  
Synonym(s): *submontium* Theowald & Oosterbroek,1981
- 1628.** *Tolmerus angustifrons* (Loew,1849) (Asilidae)      Synonym(s): *angustifrons* Loew,1849
- 1629.** *Tolmerus cingulatus* (Fabricius,1781) (Asilidae)      Synonym(s): *cingulatus*  
Fabricius,1781; *striatus* Meigen,1820; *annulatus* Macquart,1826; *pictipes* Loew,1848
- 1630.** *Tolmerus paganus* Becker,1923 (Asilidae)      Synonym(s): *paganus* Becker,1923
- 1631.** *Tolmerus senex* (Wiedemann,1820) (Asilidae)      Synonym(s): *senex* Wiedemann,1820
- 1632.** *Tolmerus tesselatus* (Loew,1849) (Asilidae)      Synonym(s): *tesselatus* Loew,1849
- 1633.** *Tolmerus tivonensis* Theodor,1980 (Asilidae)      Synonym(s): *tivonensis* Theodor,1980
- 1634.** *Tonnoiriella turcica* R.Wagner,1986 (Psychodidae)      Synonym(s): *turcica*  
R.Wagner,1986 **36**
- 1635.** *Townsendlomyia nidicola* (Townsend,1908) (Tachinidae)      Synonym(s): *nidicola*  
Townsend,1908 **13 25**
- 1636.** *Toxophora epargyra* Hermann,1907 (Bombyliidae)      Synonym(s): *epargyra*  
Hermann,1907
- 1637.** *Toxophora fasciculata* (Villers,1789) (Bombyliidae)      Synonym(s): *fasciculata*  
Villers,1789
- 1638.** *Triclis olivaceus* Loew,1851 (Asilidae)      Synonym(s): *olivaceus* Loew,1851; *halictivorus*  
Rondani,1856
- 1639.** *Tricyphona (s.str.) immaculata* (Meigen,1804) (Pediciidae)      Synonym(s):
- 1640.** *Tricyphona (s.str.) zwicki* Mendl,1973 (Pediciidae)      Synonym(s):
- 1641.** *Trixoscelis approximata* (Loew,1865) (Trixoscelidae)      Synonym(s): *approximata*  
Loew,1865 **07**
- 1642.** *Trixoscelis frontalis* (Fallén,1830) (Trixoscelidae)      Synonym(s): *frontalis* Fallén,1830  
**07**

- 1643.** *Trixoscelis obscurella* (Meigen,1830) (Trixoscelidae)      Synonym(s): *obscurella*  
Meigen,1830 **07**
- 1644.** *Trixoscelis pedestris* (Loew,1865) (Trixoscelidae)      Synonym(s): *pedestris* Loew,1865  
**07**
- 1645.** *Trixoscelis vikhrevi* Woznica,2007 (Trixoscelidae)      Synonym(s): *vikhrevi*  
Woznica,2007 **07**
- 1646.** *Tropidomyia aureifacies* Kröber,1915 (Conopidae)      Synonym(s): *aureifacies*  
Kröber,1915 **11 31 50 58**
- 1647.** *Trupanea amoena* (Frauenfeld,1857) (Tephritidae)      Synonym(s): *amoena*  
Frauenfeld,1857; #*amonea* Giray,1979 **04 30 35 38 58 65**
- 1648.** *Trupanea stellata* (Fuesslin,1775) (Tephritidae)      Synonym(s): *stellata* Fuesslin,1775 **06**  
**08 10 35 38 48 58 65**
- 1649.** *Trypetoptera punctulata* (Scopoli,1763) (Sciomyzidae)      Synonym(s): *punctulata*  
Scopoli,1763 **09**
- 1650.** *Turka cervinus* (Loew,1856) (Asilidae)      Synonym(s): *cervinus* Loew,1856; *cretaceus*  
Becker,1913
- 1651.** *Turka tridentatus* (Loew,1871) (Asilidae)      Synonym(s): *tridentatus* Loew,1871
- 1652.** *Ula* (s.str.) *mollissima* Haliday,1833 (Pediidae)      Synonym(s): *mollissima*  
Haliday,1833
- 1653.** *Ulidia megacephala* Loew,1845 (Ulidiidae)      Synonym(s): *megacephala* Loew,1845
- 1654.** *Ulidiopsis mirabilis* Hennig,1939 (Ulidiidae)      Synonym(s): *mirabilis* Hennig,1939 **01**  
**03 48**
- 1655.** *Urophora affinis* (Frauenfeld,1857) (Tephritidae)      Synonym(s): *affinis* Frauenfeld,1857  
**01 03 06 07 13 15 21 25 30 31 32 33 35 38 42 43 46 47 50 51 58 63 66 68 70 80**
- 1656.** *Urophora aprica* (Fallén,1820) (Tephritidae)      Synonym(s): *apraca* Fallén,1820;  
*centauriae* Robineau-Desvoidy,1830; *scutellata* Rondani,1870 **01 07 31 48 50 51 66 68 80**
- 1657.** *Urophora cuspidata* (Meigen,1826) (Tephritidae)      Synonym(s): *cuspidata* Meigen,1826;  
*solstitialis* Zetterstedt,1847 nec *Linn.*,1758 **01 07 11 33 35 42 58 70 80**
- 1658.** *Urophora doganlari* Kütük,2006 (Tephritidae)      Synonym(s): *doganlari* Kütük,2006 **38**  
**58**
- 1659.** *Urophora dzieduszyckii* Frauenfeld,1867 (Tephritidae)      Synonym(s): *dzieduszyckii*  
Frauenfeld,1867; *wodzikii* Frauenfeld,1867; *syriaca* Hendel,1927; *erichischmidtii* M.Hering,1953 **01 10 31 80**
- 1660.** *Urophora eriolepidis* (Loew,1856) (Tephritidae)      Synonym(s): *eriolepidis* Loew,1856;  
*terebrans* Frauenfeld,1857 **01 06 32 33 38 50 51 58 66 70 80**
- 1661.** *Urophora hani* Kütük,2009 (Tephritidae)      Synonym(s): *hani* Kütük,2009 **31**
- 1662.** *Urophora jaceana* (M.Hering,1935) (Tephritidae)      Synonym(s): *jaceana* M.Hering,1935  
**38 58**
- 1663.** *Urophora jaculata* Rondani,1870 (Tephritidae)      Synonym(s): *jaculata* Rondani,1870 **33**  
**38 42 50 70**
- 1664.** *Urophora macrura* (Loew,1855) (Tephritidae)      Synonym(s): *macrura* Loew,1855; *lejura*  
Rondani,1870 **01 06 11 27 31 32 33 35 38 40 41 42 45 46 50 51 58 66 68 80**
- 1665.** *Urophora maura* (Frauenfeld,1857) (Tephritidae)      Synonym(s): *maura*  
Frauenfeld,1857 **68**
- 1666.** *Urophora mauritanica* Macquart,1851 (Tephritidae)      Synonym(s): *mauritanica*  
Macquart,1851 **38 58**
- 1667.** *Urophora neuenschwanderi* Freidberg,1982 (Tephritidae)      Synonym(s):  
*neuenschwanderi* Freidberg,1982 **31**
- 1668.** *Urophora pauperata* (Zaitzev,1945) (Tephritidae)      Synonym(s): *pauperata* Zaitzev,1945  
**38**
- 1669.** *Urophora phaeocera* (M.Hering,1961) (Tephritidae)      Synonym(s): *phaeocera*  
M.Hering,1961 **01 33 42**
- 1670.** *Urophora quadrifasciata* (Meigen,1826) (Tephritidae)      Synonym(s): *quadrifasciata*  
Meigen,1826 **01 03 07 10 15 21 25 31 32 38 46 48 50 51 58 60 66 68**
- 1671.** *Urophora sirunaseva* (Hering,1938) (Tephritidae)      Synonym(s): *sirunaseva*  
Hering,1938
- 1672.** *Urophora solstitialis* (Linnaeus,1758) (Tephritidae)      Synonym(s): *solstitialis*  
Linnaeus,1758; *dauci* Fabricius,1787; *leucocanthe* Schrank,1803; *hastatus* Fabricius,1805; *pugionata* Meigen,1826;  
*reamurii* Robineau-Desvoidy,1830; *sibynata* Rondani,1870; *sejuncta* Becker,1907 **01 04 06 13 21 31 33 35 38**  
**40 43 47 50 56 58 68 70**
- 1673.** *Urophora* sp. (Tephritidae)      Synonym(s): **25 58**

- 1674. *Urophora stylata* (Fabricius,1775)** (Tephritidae) Synonym(s): *stylata* Fabricius,1775; *ciesii* Schrank,1803; *jacobae* Panzer,1805 **01 06 07 17 32 33 38 45 46 51 58 66 68**
- 1675. *Urophora tenuior* Hendel,1910** (Tephritidae) Synonym(s): *tenuior* Hendel,1910; *tenuis* Hendel,1910 **46 58**
- 1676. *Urophora terebrans* (Loew,1850)** (Tephritidae) Synonym(s): *terebrans* Loew,1850 **01 31 32 41 42 51 68**
- 1677. *Usia (Micrusia) sicula* Egger,1859** (Bombyliidae) Synonym(s): *sicula* Egger,1859
- 1678. *Usia (Micrusia) versicolor* (Fabricius,1787)** (Bombyliidae) Synonym(s): *versicolor* Fabricius,1787; *hyalipennis* Macquart,1840
- 1679. *Usia (s.str.) aenea* (Rossi,1794)** (Bombyliidae) Synonym(s): *aenea* Rossi,1794; *dubia* Kertesz,1900
- 1680. *Usia (s.str.) bicolor* Macquart,1855** (Bombyliidae) Synonym(s): *bicolor* Macquart,1855
- 1681. *Usia (s.str.) calva* Loew,1869** (Bombyliidae) Synonym(s): *calva* Loew,1869
- 1682. *Usia (s.str.) lata* Loew,1846** (Bombyliidae) Synonym(s): *lata* Loew,1846; *bicoloripes* Malloch,1926
- 1683. *Villa albula* (Loew,1869)** (Bombyliidae) Synonym(s): *albula* Loew,1869; *gracilis* Ringdahl,1915
- 1684. *Villa bizonata* Becker,1916** (Bombyliidae) Synonym(s): *nigripes* Schnabl,1888; *bizonata* Becker,1916
- 1685. *Villa bombiformis* Becker,1916** (Bombyliidae) Synonym(s): *bombiformis* Becker,1916; *laetabilis* Collin,1951
- 1686. *Villa brunnea* Becker,1916** (Bombyliidae) Synonym(s): *brunnea* Becker,1916; *latifrons* Stein,1916
- 1687. *Villa circumdata* (Meigen,1820)** (Bombyliidae) Synonym(s): *circumdata* Meigen,1820
- 1688. *Villa deludens* François,1966** (Bombyliidae) Synonym(s): *deludens* François,1966; *fulvescens* Santos Abreu,1976
- 1689. *Villa haesitans* Becker,1916** (Bombyliidae) Synonym(s): *haesitans* Becker,1916
- 1690. *Villa hottentotta* (Linnaeus,1758)** (Bombyliidae) Synonym(s): *hottentotta* Linnaeus,1758; *nugator* Harris,1780 **65**
- 1691. *Villa melanura* (Loew,1869)** (Bombyliidae) Synonym(s): *melanura* Loew,1869
- 1692. *Villa merlei* François,1969** (Bombyliidae) Synonym(s): *merlei* François,1969
- 1693. *Villa multibalteata* Austen,1936** (Bombyliidae) Synonym(s): *multibalteata* Austen,1936
- 1694. *Villa niphobleta* (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana* Becker,1916
- 1695. *Villa pygarga* (Loew,1868)** (Bombyliidae) Synonym(s): *pygarga* Loew,1868
- 1696. *Villa quinquefasciata* (Wiedemann,1820)** (Bombyliidae) Synonym(s): *quinquefasciata* Wiedemann,1820
- 1697. *Villa senecio* (Loew,1869)** (Bombyliidae) Synonym(s): *senecio* Loew,1869
- 1698. *Villa stenozona* (Loew,1869)** (Bombyliidae) Synonym(s): *stenozona* Loew,1869; *disjuncta* Becker,1916
- 1699. *Villa tomentosa* Becker,1916** (Bombyliidae) Synonym(s): *tomentosa* Becker,1916
- 1700. *Volucella inanis* (Linnaeus,1758)** (Syrphidae) Synonym(s): *inanis* Linnaeus,1758 **38**
- 1701. *Volucella pellucens* (Linnaeus,1758)** (Syrphidae) Synonym(s): *pellucens* Linnaeus,1758 **37 75**
- 1702. *Volucella zonaria* (Poda,1761)** (Syrphidae) Synonym(s): *zonaria* Poda,1761; *bifasciata* Scopoli,1763; *inanis* Fabricius,1794; *fasciata* Verrall,1900 **01 06 07 25 33 37 38**
- 1703. *Wachtiella ericina* (Loew,1885)** (Cecidomyiidae) Synonym(s): *ericina* Loew,1885 **16 54**
- 1704. *Wohlfahrtia bella* (Macquart,1839)** (Sarcophagidae) Synonym(s): *bella* Macquart,1839
- 1705. *Wohlfahrtia magnifica* (Schiner,1862)** (Sarcophagidae) Synonym(s): *magnifica* Schiner,1862
- 1706. *Wohlfahrtia meigeni* (Schiner,1862)** (Sarcophagidae) Synonym(s): *meigeni* Schiner,1862 **38**
- 1707. *Xanthogramma pedissequum* (Harris,1776)** (Syrphidae) Synonym(s): *pedissequum* Harris,1776 **37 38**
- 1708. *Xeramoeba lepida* (Hermann,1907)** (Bombyliidae) Synonym(s): *lepidia* Hermann,1907
- 1709. *Xeramoeba pallipes* (Loew,1869)** (Bombyliidae) Synonym(s): *pallipes* Loew,1869
- 1710. *Xeramoeba sabulonis* (Becker,1906)** (Bombyliidae) Synonym(s): *sabulonis* Becker,1906

- 1711.** **Xylomya maculata (Meigen,1804)** (Xylomyidae) Synonym(s): *maculata Meigen,1804*
- 1712.** **Xylota segnis (Linnaeus,1758)** (Syrphidae) Synonym(s): *segnis Linnaeus,1758* **37**
- 1713.** **Xylota sylvarum (Linnaeus,1758)** (Syrphidae) Synonym(s): *sylvarum Linnaeus,1758* **37**
- 1714.** **Xyphosia miliaria (Schrank,1781)** (Tephritidae) Synonym(s): *miliaria Schrank,1781* **38**  
**58**
- 1715.** **Zaira cinerea (Fallén,1810)** (Tachinidae) Synonym(s): *cinerea Fallén,1810* **25**
- 1716.** **Zeuxia zejana Kolomiets,1971** (Tachinidae) Synonym(s): *zejana Kolomiets,1971* **36 69**
- 1717.** **Zodion cinereum (Fabricius,1794)** (Conopidae) Synonym(s): *cinereum Fabricius,1794*  
**07 12 15 24 25 42 48 69**
- 1718.** **Zodion erythrurum Rondani,1865** (Conopidae) Synonym(s): *erythrurum Rondani,1865*  
**25 69**
- 1719.** **Zodion notatum (Meigen,1804)** (Conopidae) Synonym(s): *notatum Meigen,1804* **25**
- 1720.** **Zygiobia carpini (Loew,1874)** (Cecidomyiidae) Synonym(s): *carpini Loew,1874*

## Selected Bibliography on the Entomofauna of Turkey

(incomplete)

- 1.** **Abbasian-Lintzen,R.,** 1968, Bombyliidae (Diptera) of Iran IV. Species of the subfamily Cythereinae. *J. nat. Hist.* 2: 231-238. [available in Cesa Library]
- 2.** **Abeille de Perrin,E.,** 1892, Decrit deux nouvelles especes de Clerides méditerranéens. *Bull. Soc. ent. Fr.* 1892: ccxxxvi-ccxxxvii. [available in Cesa Library]
- 3.** **Achterberg,C.van,** 1988, Revision of the subfamily Blacinae Foerster (Hymenoptera, Braconidae). *Zool. Verh.* 249: 1-324, 1250 figs. [available in Cesa Library]
- 4.** **Achterberg,C.van,** 1990, Revision of the western Palaearctic Phanerotomini (Hymenoptera, Braconidae). *Zool. Verh.* 255: 1-106, 360 figs. [available in Cesa Library]
- 5.** **Adlbauer,K.,** 1982, Eine neue Dorcadion-Art aus Kleinasien (Coleoptera, Cerambycidae). *NachrBl. bayer. Ent.* 31 (6): 104-107, 2 Abb. [available in Cesa Library]
- 6.** **Aktaş,M. & A.Hasbenli,** 1994, Bat Flies of Eastern Turkey (Diptera, Nycteribiidae). *J. Inst. Sci. Techn. Gazi Univ.* 7: 48-51. [available in Cesa Library]
- 7.** **Aktaş,M. & S.Sarıbıyık,** 1996, Türkiye Syrphidae faunasına katkılar (Diptera, Syrphidae) 2. Milesiinae. *Gazi Univ. Fen Bil. Derg.* 9 (1): 15-27, figs. [available in Cesa Library]
- 8.** **Alfken,J.D.,** 1935, Beitrag zur Kenntnis der Bienenfauna von Kleinasien. *Ent. Rdsch.* 52: 110-111, 129-132, 148-152, 153-162 [available in Cesa Library]
- 9.** **Andrade,G.S.,** 1997, Stictocephala alta (Walker,1851) sp. rev., comb. nov., the correct name for the "buffalo treehopper", with *S. bisonia* Kopp & Yonke,1977 as a new synonym, and notes on *Hadrophallus bubalus* (Fabricius,1794) comb. nov. (Homoptera, Membracidae). *Trans. am. ent. Soc.* 123 (4): 289-295.
- 10.** **Anlaş,S., Tezcan,S. & E.Yıldırım,** 2009, Bozdağlarda (Batı Anadolu) çukur tuzaklarda yakalanan Hymenoptera (Insecta) türleri üzerinde bir değerlendirme. *YYÜ Tarım Bil. Derg.* 19 (1): 23-32. [available in Cesa Library]
- 11.** **Anlaş,S., Wahis,R. & S.Tezcan,** 2005, Some additional notes on Pompilidae (Hymenoptera) fauna of Turkey. *Turk. ent. derg.* 29 (4): 255-258. [available in Cesa Library]
- 12.** **Asahina,S.,** 1974, An additional note to the Odonata of Iraq. *Kontyu Tokyo* 42 (2). 107-109. [available in Cesa Library]
- 13.** **Aslan,E.G. & A.Gök,** 2006, Host-plant relationships of 65 Flea Beetles species from Turkey with new associations (Coleoptera, Chrysomelidae, Alticinae). *Ent. News* 117 (3): 297-308.
- 14.** **Aslan,I., Gruev,B. & H.Özbek,** 1999, A preliminary review of the subfamily Alticinae (Coleoptera, Chrysomelidae) in Turkey. *Turk. J. Zool.* 23: 373-414. [available in Cesa Library]
- 15.** **Aspöck,H., Aspöck,U. & H.Rausch,** 1984, Turcoraphidia hethitica n.sp. - eine neue Raphidiiden-Spezies aus Anatolien. *NachrBl. bayer. Ent.* 33 (4): 97-106, figs. [available in Cesa Library]

16. **Audinet-Serville,J.G.,** 1839, Histoire naturelle des insectes. Orthopteres. 776pp. Paris. [available in Cesa Library]
17. **Avgin,S.S. & I.Emri,** 2009, Contribution to the taxonomy of the Harpalinae (Coleoptera, Carabidae) from Kahramanmaraş and the surrounding towns, in Turkey. *Trans. am. ent. Soc.* 133 (3/4): 413-432. [available in Cesa Library]
18. **Awad,T.I. & E.Pehlivian,** 2001, Systematic and faunistic study of the species of the tribe Carpocorini (Heteroptera, Pentatomidae, Pentatominae) in Turkey Part 1. Holcogaster Fb., Staria D. & Cnephosa Jak. *Türk. ent. Derg.* 25 (3): 163-174, figs. [available in Cesa Library]
19. **Awad,T.I. & F.Önder,** 1997, Contribution to the study of Turkish Pyrrhocoridae (Heteroptera). *Türk. ent. Derg.* 21 (3): 163-171. [available in Cesa Library]
20. **Aydin,E. & Ş.Kısmalı,** 1990, Ege Bölgesi Clytrinae (Coleoptera, Chrysomelidae) altfamilyası türleri üzerinde faunistik çalışmalar. *Türk. ent. Derg.* 14 (1): 23-35. [available in Cesa Library]
21. **Ayten,Y. & M.S.Özgökçe,** 2009, Van ve çevresinde bulunan Odonata türleri yayılışları ve habitatları. *YYÜ Tarım Bil. Derg.* 19 (1): 1-9. [available in Cesa Library]
22. **Bartak,M. & K.Stepan,** 2009, Rhamphomyia (Diptera, Empididae) from Israel. *Annls ent. Soc. Am.* 102 (3): 396-405, figs.
23. **Bartak,M.,** 2006, Three new West Palaearctic species of Rhamphomyia sbgenus Lundstroemiella (Diptera, Empididae). *Biologia* 61 (5): 503-508, figs.
24. **Bartak,M.,** 2007, Catalogue of the Palaearctic species of the Rhamphomyia Subgenus Lundstroemiella (Diptera, Empididae) with new distribution records. *Acta Zool. Univ. Comenianae* 47 (2): 101-104. [available in Cesa Library]
25. **Bartak,M., Çiftçi,M.C. & A.Hasbenli,** 2007, A new species of Rhamphomyia (sensu stricto) Meigen (Diptera, Empididae) from Southern Anatolia, Turkey. *Ent. News* 118 (2): 143-147, figs. [available in Cesa Library]
26. **Baselga,A. & F.Novoa,** 2005, The western Palaearctic Neocrepidodera (Coleoptera, Chrysomelidae) of the N.impressa and N.ferruginea species groups. *Ann. ent. Soc. Am.* 98 (6): 896-907, figs. [available in Cesa Library]
27. **Bayrakdar,F. & A.Hasbenli,** 2009, Contribution to the geographic distribution of Dioctria Meigen,1803 Genus [sic!] (Diptera, Asilidae). *Turk. J. Zool.* 33: 23-26. [available in Cesa Library]
28. **Bayram,Ş.,** 2001, Ankara ilinde orman alanlarındaki mantarlar üzerinde bulunan Diptera türleri. *Türk. ent. Derg.* 25 (2): 115-126. [available in Cesa Library]
29. **Bağrıaçık,N. & A.Tüzün,** 2005, A faunistic study and some ecological observations on Eumenidae (Insecta, Hymenoptera) species of Ankara. *C.Ü. Fen Bil. Derg.* 25 (1): 21-31. [available in Cesa Library]
30. **Becker,T. & P.Stein,** 1913, Persische Dipteren von den Expeditionen des Herrn N.A.Zarudny 1898 und 1901. *Annu. Mus. Zool. Acad. Imp. Sci. St. Petersbourg* 17: 503-654.
31. **Beuk,P.,** 2004-2009, Diptera.info <http://www.diptera.info//news.php> - images in Diptera Gallery and Forum of their respective owners.
32. **Bezdek,J.,** 2002, Phyllobrotica aslani Warchałowski,1998, a new synonym of P. binotata Ogleblin,1936 (Coleoptera, Chrysomelidae, Galerucinae). *Genus* 13 (3): 351-352. [available in Cesa Library]
33. **Bialooki,P.,** 2006, A new species of Neotournieria Apfelbeck,1932 from Turkey (Coleoptera, Curculionidae, Entimnae). *Genus* 17 (2): 263-267, figs. [available in Cesa Library]
34. **Bialooki,P.,** 2006, Two new species of Cionus Clairville,1798 (Coleoptera, Curculionidae, Cionini) from Turkey. *Polskie pismo ent.* 75: 55-64, figs. [available in Cesa Library]
35. **Biondi,M.,** 1992, Note sui Crisomelidi Alticina della fauna di Turchia, con descrizione di tre nuove specie (Coleoptera, Chrysomelidae, Alticinae). *Fragm. Ent. Roma* 23 (2): 341-354. [available in Cesa Library]
36. **Biondi,M.,** 1997, Longitarsus aubozaorum and Psylliodes littoralis, two new flea beetle species from Turkey (Coleoptera, Chrysomelidae). *Fragm. Ent. Roma* 29 (2): 383-390. [available in Cesa Library]
37. **Borowiec,L.,** 2005, Macrocoma doboszi, a new species from Turkey (Coleoptera, Chrysomelidae, Eumolpinae). *Genus* 16 (3): 373-377, figs. [available in Cesa Library]
38. **Borowiec,L.,** 2007, Cassidinae (Coleoptera, Chrysomelidae) collected in Turkey during expeditions of Upper Silesian Museum Bytom, Poland. *Annls Upper Sil. Mus. (Ent.)* 14-15: 7-12. [available in Cesa Library]

39. **Boulard,M.**, 1992, Pagiphora yanni, Cigale anatolienne inédite. Description et premières informations biologiques (cartes d'identité et éthologie sonores) (Homoptera, Cicadoidea, Tibicenidae). *Nouv. Revue d'Ent. (N.S.)* 9 (4): 365-374.
40. **Boulard,M.**, 1993, Pagiphora yanni, Cigale anatolienne inédite. Description et premières informations biologiques (cartes d'identité et éthologie sonores) (Homoptera, Cicadoidea, Tibicenidae). *Turk. Ent. Derg.* 17 (1): 1-9, figs. [second unnecessary publication!] [\[available in Cesa Library\]](#)
41. **Bowden,J.**, 1967, Species of the genus Conophorus Meigen (Dipt., Bombyliidae) from Turkey. *Entomologist's mon. Mag.* 12: 131-134.
42. **Braun,W.**, 1979, Beitrag zur Kenntnis der Gattung Dorcadion (Col., Cerambycidae). *NachrBl. bayer. Ent.* 28 (5): 81-86, 3 Abb. [\[available in Cesa Library\]](#)
43. **Broomfield,P.S.**, 1971, A catalogue of the Membracid types (Homoptera, Membracidae) in the British Museum (Natural History). *Bull. Br. Mus. Nat. Hist. (Ent.)* 25 (8): 325-386. [\[available in Cesa Library\]](#)
44. **Burckhardt,D. & A.Önuçar**, 1993, A review of Turkish jumping plant-lice (Homoptera, Psylloidea). *Revue suisse Zool.* 100: 547-575.
45. **Burckhardt,D.**, 1988, Angaben zur Psyllidenfauna der Nordosttürkei (Homoptera, Psylloidea). *Mitt. ent. Ges. Basel* 38: 31-44.
46. **Canpolat,D., Lillig,M. & A.Hasbenli**, 2007, Accanthopus velikensis (Piller & Mitterpacher,1783) - new to the Turkish fauna (Coleoptera, Tenebrionidae). *Zool. Middle East* 42: 104-105, fig. [\[available in Cesa Library\]](#)
47. **Carpenter,J.M.**, 1986, A synonymic generic checklist of the Eumeninae (Hymenoptera, Vespidae). *Psyche* 93: 61-90. [\[available in Cesa Library\]](#)
48. **Cassola,F.**, 1999, Studies on Tiger Beetles. CVII. The cicindelid fauna of Anatolia: faunistics and biogeography (Coleoptera, Cicindelidae). *Biogeographia* 20: 229-276, figs. [\[available in Cesa Library\]](#)
49. **China,W.E.**, 1938, Hemiptera from Iraq, Iran and Arabia. *Field Mus. Nat. Hist. (Zool.)* 20 (32): 427-437. [\[available in Cesa Library\]](#)
50. **Civelek,H.S. & S.Tezcan**, 2005, Some new records for Diptera fauna of Turkey and additional notes on the dipterous fauna of cherry orchards. *Türk. ent. derg.* 29 (1): 11-16. [\[available in Cesa Library\]](#)
51. **Civelek,H.S., Çıkman,E. & O.Dursun**, 2009, Revised checklist of Turkish Agromyzidae (Diptera) fauna of Turkey. *Turk. J. Zool.* 33: 10pp. [\[available in Cesa Library\]](#)
52. **Clavareau,H.**, 1913, Chrysomelidae, [in] Schenckling,S., Coleopterorum Catalogus Pars. 53: 1-278. W.Junk, Berlin. [\[available in Cesa Library\]](#)
53. **Collingwood,C. & H. Heatwole**, 2000, Ants from northwestern China (Hymenoptera, Formicidae). *Psyche* 103 (1/2): 1-24. [\[available in Cesa Library\]](#)
54. **Crosskey,R.W. & H.Zwick**, 2007, New faunal records, with taxonomic annotations for the blackflies of Turkey (Diptera, Simuliidae). *Aquatic Insects* 29 (1): 21-48, figs. [\[available in Cesa Library\]](#)
55. **Dalla Torre,C.G.v.**, 1894, Catalogus Hymenopterorum hucusque descriptorum systematicus et synonymicus. Volumen IX Vespidae (Diploptera). 181 pp. Lipsiae. [\[available in Cesa Library\]](#)
56. **Darılmaz,M. & S.Kiyak**, 2006, A contribution to the knowledge of the Turkish water beetles fauna (Coleoptera). *Mun. Ent. Zool.* 1(1): 129-144. [\[available in Cesa Library\]](#)
57. **Darılmaz,M.C. & S.Kiyak**, 2008, An annotated checklist and key to the Turkish Elongated Water Scavenger Beetles (Coleoptera, Hydrochidae). *Baltic J. Coleopt.* 8 (2): 149-154, 3 figs. [\[available in Cesa Library\]](#)
58. **Darılmaz,M.C. & S.Kiyak**, 2009, Checklist of Gyrinidae, Haliplidae, Noteridae and Dytiscidae of Turkey (Coleoptera, Adephaga). *J. nat. Hist.* 43 (25-26): 1585-1636. [\[available in Cesa Library\]](#)
59. **Demir,E.**, 1998, Türkiye Homoptera faunası için yeni kayıtlar (Homoptera, Auchenorrhyncha, Tropiduchidae). *Cent. ent. Stud., Misc. Pap.* 55/56: 1-3, 1 fig. [\[available in Cesa Library\]](#)
60. **Demir,E.**, 2006, Bobacella (Homoptera, Auchenorrhyncha, Cicadellidae): A new genus record for Turkey. *Ent. News* 117: 455-456. [\[available in Cesa Library\]](#)
61. **Demir,E.**, 2006, Contributions to the knowledge of Turkish Auchenorrhyncha (Homoptera) with a new record, Pentastridius nanus (Ivanoff,1885). *Mun. Ent. Zool.* 1 (1): 97-122, figs. [\[available in Cesa Library\]](#)

- 62.** **Demir,E.,** 2006, Contributions to the knowledge of Turkish Auchenorrhyncha with twelve new records (Homoptera, Cicadellidae). *Mun. Ent. Zool.* 1 (2): 215-236. [available in Cesa Library]
- 63.** **Demir,E.,** 2006, A new species of Thamnotettix Zetterstedt,1840 (Homoptera, Auchenorrhyncha, Cicadellidae) from Turkey. *J. Kansas ent. Soc.* 79 (3): 383-387,figs. [available in Cesa Library]
- 64.** **Demir,E.,** 2007, Auchenorrhyncha (Homoptera) data from Ankara with two new records to Turkey. *Mun. Ent. Zool.* 2 (2): 481-492. [available in Cesa Library]
- 65.** **Demir,E.,** 2007, Contributions to the knowledge of Turkish Auchenorrhyncha (Homoptera, Fulgoromorpha and Cicadomorpha, excl. Cicadellidae) with a new record Setapius klapperichianus Dlabola,1988 *Mun. Ent. Zool.* 2 (1): 39-58. [available in Cesa Library]
- 66.** **Demir,E.,** 2007, Known species of Turkish Tachycixius Wagner,1939 (Homoptera, Auchenorrhyncha, Cixiidae, Cixiinae). *Mun. Ent. Zool.* 2 (1): 171-172. [available in Cesa Library]
- 67.** **Demir,E.,** 2008, The Fulgoromorpha and Cicadomorpha of Turkey Part I Mediterranean Region (Hemiptera) *Mun. Ent. Zool.* 3 (1): 447-522. [available in Cesa Library]
- 68.** **Demir,E.,** 2009, Ricania Germar,1818 species of western Palaearctic Region (Hemiptera, Fulgoromorpha, Ricaniidae). *Munis Ent. Zool.* 4 (1): 271-275,figs. [available in Cesa Library]
- 69.** **Demirsoy,A.,** 1982, Türkiye Faunası Odonata 155s. Tübitak Yayınları, Ankara. [available in Cesa Library]
- 70.** **Deger,S. & M.Yaman,** 2005, Van yöresi Phlebotominae (Diptera, Psychodidae) türleri. *YYÜ Vet. Fak. Derg.* 16 (1): 55-59. [available in Cesa Library]
- 71.** **Dils,J. & H.Özbek,** 2006, A new species of the genus Conophorus (Diptera, Bombyliidae) from Turkey. *Phegea* 34 (3): 107-110,figs. [available in Cesa Library]
- 72.** **Dils,J. & H.Özbek,** 2006, A new species of the genus Calostoma (Diptera, Bombyliidae) from Turkey. *Phegea* 34 (4): 157-159,figs. [available in Cesa Library]
- 73.** **Dils,J. & H.Özbek,** 2009, Notes on Cytherea pallidipennis (Diptera, Bombyliidae). *Phegea* 37 (3): 103-106,figs. [available in Cesa Library]
- 74.** **Distant,W.L.,** 1906, Rhynchotal notes xxxviii. *Ann. Mag. nat. Hist.* (7) 18: 18-32. [available in Cesa Library]
- 75.** **Distant,W.L.,** 1906, Rhynchotal notes xxxix. *Ann. Mag. nat. Hist.* (7) 18: 191-208. [available in Cesa Library]
- 76.** **Dlabola,J.,** 1985, Zwei neue Fieberiella-Arten aus der Türkei und Spanien (Hom., Cicadellidae). *Türk. bitki kor. derg.* 9: 75-78,figs. [available in Cesa Library]
- 77.** **Dobosz,R. & L.Abraham,** 2007, New data to the Turkish ascalaphid fauna (Neuroptera, Ascalaphidae). *Annls Upper Sil. Mus. (Ent.)* 14-15: 13-27,figs. [available in Cesa Library]
- 78.** **Dobosz,R.,** 2007, New faunistics data on Mantispidae (Neuroptera) from Turkey. *Annls Upper Sil. Mus. (Ent.)* 14-15: 29-34,figs. [available in Cesa Library]
- 79.** **Dobosz,R.,** 2007, New faunistics data on Osmylidae (Neuroptera) from Turkey. *Annls Upper Sil. Mus. (Ent.)* 14-15: 35-37. [available in Cesa Library]
- 80.** **Doğanlar,M.,** 1982, Doğu Anadolu'da saptanan bazı parazit sinekler II. Echinomyiinae, Dexiinae, Phasiinae (Diptera, Tachinidae). *Türk. bitki kor. derg.* 6: 209-220. [available in Cesa Library]
- 81.** **Doğanlar,M.,** 1982, Doğu Anadolu'da saptanan bazı parazit sinekler I. Exoristinae (Diptera, Tachinidae). *Türk. bitki kor. derg.* 6: 161-173. [available in Cesa Library]
- 82.** **Dumont,H.J.,** 1972, The taxonomic status of Calopteryx xanthosoma (Charpentier,1825) (Zygoptera, Calopterygidae). *Odonatologica* 1 (1): 21-29,figs. [available in Cesa Library]
- 83.** **Dumont,H.J.,** 1977, A review of the Fragonly fauna of Turkey and adjacent Mediterranean Islands (Insecta, Odonata). *Bull. Ann. Soc. r. belge Ent.* 113: 119-171. [available in Cesa Library]
- 84.** **Dursun,A. & V.Kartal,** 2008, Orta Karadeniz Bölgesi Strachiini Mulsant & Rey,1866, Pentatomini Leach,1815 ve Piezodorini Atkinson,1888 (Heteroptera, Pentatomidae, Pentatominae) türleri üzerine faunistik bir araştırma. *Türk. ent. Derg.* 32 (3): 225-239. [available in Cesa Library]
- 85.** **Dursun,A. & V.Kartal,** 2008, Orta Karadeniz Bölgesi Halyini Amyot & Serville,1843, Sciocorini Amyot & Serville,1843, Aeliini Douglas & Scott,1865 ve Eysarcorini Mulsant & Rey,1866 (Heteroptera, Pentatomidae, Pentatominae) türleri üzerine faunistik bir araştırma. *Türk. ent. Derg.* 32 (3): 303-315. [available in Cesa Library]
- 86.** **Ehrmann,R.,** 2002, Mantodea Gottesanbeterinnen der Welt. Natur & Tier Verlag GmbH [available in Cesa Library]

- 87.** **El-Hawagry,M. & D.J.Greathead,** 2006, Review of the genus *Villa* Lioy (Bombyliidae, Diptera) from Egypt, with descriptions of two new species. *Zootaxa* 1113: 21-32, figs. [available in Cesa Library]
- 88.** **Evenhuis,N.L.** 2002, Catalog of the Mythicomyiidae of the World (Insecta, Diptera). *Bull. Bishop Mus. Ent.* 10: 1-85. [available in Cesa Library]
- 89.** **Evenhuis,N.L. & D.J.Greathead,** 1999, World catalog of bee flies (Diptera, Bombyliidae). xlviii+756pp. Backhuys Publishers, Leiden [last updated online version as pdf in 2008]. [available in Cesa Library]
- 90.** **Fahringer,J.,** 1922, Eine Rhynchotenausbeute aus der Türkei, Kleinasien und benachbarten Gebieten. *Konowia* 1: 137-144, 296-307. [available in Cesa Library]
- 91.** **Fairmaire,L.,** 1895, Coleopteres nouveaux d'Akbes, des derniers chasses de M.Charles Delangrange (Ipelates, Onthophagus, Capnodis, Malacogaster, Lampyris et Cteniopus). *Annls Soc. ent. Fr. (Bull.)* 64: 109-111.
- 92.** **Ferrer,J. & L.Soldati,** 1999, Contribution a l'étude des Tenebrionidae de Turquie (Insecta, Coleoptera). *Entomofauna* 20 (4): 53-92, figs. [available in Cesa Library]
- 93.** **Fery,H., Erman,Ö.K.,** 2009, Five new species of the longulus-group of *Hydroporus* Clairville,1806 from north-eastern Turkey (Coleoptera, Dytiscidae). *Zootaxa* 2033: 1-12, figs. [available in Cesa Library]
- 94.** **Frieser,R.,** 1980, Neue Scymnini aus der Türkei (Coleoptera, Anthribidae). *NachrBl. bayer. Ent.* 29 (4): 75-79. [available in Cesa Library]
- 95.** **Frieser,R.,** 1981, Die Anthribiden der Westpalaearktis einschliesslich der Arten der UdSSR (Coleoptera, Anthribidae). *Mitt. münchen. ent. Ges.* 71: 33-107, figs. [available in Cesa Library]
- 96.** **Fritzlar,F.,** 2001, Aphthona warchalowski n.sp., Aphthona bergeali n.sp., Longitarsus angelikae n.sp. und Longitarsus meridionalis Weise,1888 n.stat. 4 Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. *Ent. Bl.* 97: 1999-224.
- 97.** **Fritzlar,F.,** 2001, Aphthona warchalowskii n.sp., Aphthona bergeali n.sp., Longitarsus angelikae n.sp. und Longitarsus meridionalis Weise,1888 n.stat. 4 Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. *Ent. Bl.* 97: 199-224.
- 98.** **Fritzlar,F.,** 2004, Aphthona alanyensis n.sp., Aphthona bergealoides n.sp. und Longitarsus manfredi n.sp. drei Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. *Ent. Bl.* 100: 105-126.
- 99.** **Fritzlar,F.,** 2004, Aphthona alanyensis n.sp., Aphthona bergealoides n.sp. und Longitarsus manfredi n.sp. - drei Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. *Ent. Bl.* 100: 105-126, figs.
- 100.** **Fürsch,H. & N.Uygun,** 1980, Neue Scymnini aus der Türkei (Coleoptera, Coccinellidae). *NachrBl. bayer. Ent.* 29 (6): 109-118, 30 figs. [available in Cesa Library]
- 101.** **Fürsch,H.,** 1987, Cynegetis syriaca (Mader) neu für die Türkei (Coleoptera, Coccinellidae). *NachrBl. bayer. Ent.* 36 (2): 47. [available in Cesa Library]
- 102.** **Fürsch,H.,** 1987, Eine neue Hyperaspis-Art für die Türkei (Coleoptera, Coccinellidae). *NachrBl. bayer. Ent.* 36 (2): 53-54, 4 Abb. [available in Cesa Library]
- 103.** **Geisthardt,M.,** 1983, Beitrag zur Revision der Gattung *Lampyris* Müller,1764 I. Zur Kenntnis einiger nordafrikanischer und mediterraner Arten (Coleoptera, Lampyridae). *Mitt. münchen. ent. Ges.* 73: 23-44, figs. [available in Cesa Library]
- 104.** **Geller-Grimm,F. & M. Hradsky,** 2003, The genus *Oligopogon* Loew,1847 (Diptera, Asilidae) in the Palaearctic Region including the description of new species and comments on the placement of this genus. *Studia Dipterolog.* 10 (1): 165-179, figs. [available in Cesa Library]
- 105.** **Ghahari,H., Lehr,P.A., Lavigne,R.J., Hayat,R. & H.Ostovan,** 2007, New records of Robber Flies (Diptera, Asilidae) for the Iranian fauna with their prey records. *Far east. Ent.* 179: 1-9. [available in Cesa Library]
- 106.** **Giraud,J.,** 1859, Signalements de quelques especes nouvelles de Cynipides et de leurs Galles. *Verh. zool.- bot. Ges. Wien* 9: 337-374, Pls. [available in Cesa Library]
- 107.** **Giray,H.,** 1979, Türkiye Trypetidae (Diptera) faunasına ait ilk liste. *Türk. Bitki Kor. Derg.* 3 (1): 35-46. [available in Cesa Library]
- 108.** **Giray,H.,** 1981, Türkiye Asilidae (Diptera) faunasına ait ilk liste. *Türk. bitki kor. derg.* 5 (3): 171-183. [available in Cesa Library]
- 109.** **Gnezdilov,V.M. & S. Drosopoulos,** 2004, Reviews of the subgenus *Semiroodus* Dlabola of the genus *Mycterodus* Spinola (Homoptera, Issidae). *Annls Soc. ent. Fr. (n.s.)* 40 (3/4): 235-241, figs. [available in Cesa Library]

- 110.** **Gnezdilov,V.M.,** 2002, New species of the genus *Tshurtshurnella* Kusnezov,1927 (Homoptera, Cicadina, Issidae) from Turkey and Lebanon. *Russ. ent. J.* 11 (3): 233-240, figs. [available in Cesa Library]
- 111.** **Gnezdilov,V.M.,** 2008, New and little known species of Planthopper Genus *Mycteroodus* Spinola (Homoptera, Issidae) from the East Mediterranean. *Ent. Review* 88 (7): 808-814, figs.
- 112.** **Goeldlin,T.P.,** 1976, Revision du genre *Paragus* (Diptera, Syrphidae) de la region Palearctique occidentale. *Mitt. schweiz. ent. Ges.* 49: 79-108, figs.
- 113.** **Greathead,D.J. & Y.Karimpour,** 2006, A new species of *Villa* Lioy,1864 (Diptera, Bombyliidae) parasitic on Sesiidae (Lepidoptera). *Zootaxa* 1156: 65-68, figs.
- 114.** **Greathead,D.J.,** 2001, A study of the Exoprosopa busiris (Jaennicke) group of Bezzi (1924) in tropical Africa (Diptera, Bombyliidae). *J. nat. Hist.* 35: 127-147. [available in Cesa Library]
- 115.** **Greca,M.la & F.Lombardo,** 1982, Le specie Mediterranee e dell'Asia occidentale del Gen. Rivetina Berl. e Chop. (Insecta, Mantodea). *Animalia* 9 (1/3): 345-393, figs. [available in Cesa Library]
- 116.** **Grichanov,I.Y.,** 2007, A checklist and keys to Dolichopodidae (Diptera) of the Caucasus and East Mediterranean. Plant Protection News (Suppl.), 160 pp. St. Petersburg. [available in Cesa Library]
- 117.** **Gueorguiev,B. & J.Ruzicka,** 2002, Check list of Bulgarian carrion beetles (Coleoptera, Silphidae). *Hist. nat. bulg.* 15: 89-112. [available in Cesa Library]
- 118.** **Guglielmi,A. & G.Platia,** 1985, Contributo alla conoscenza degli elateridi di Grecia e Turchia (Coleoptera). *Fragm. ent., Roma* 18 (1): 169-224, figs. [available in Cesa Library]
- 119.** **Gusenleitner,J.,** 1984, Zwei neue Subspezies der Art *Euodynerus* (*Pareuodynerus*) *quadrifasciatus* (Fabricius,1793) (Hymenoptera, Eumenidae). *Entomofauna* 5 (14): 165-169. [available in Cesa Library]
- 120.** **Gusenleitner,J.,** 1985, Neue *Leptochilus*-Arten aus dem Mittelmeergebiet und dem Iran (Hymenoptera, Eumenidae). *Entomofauna* 6 (9): 81-101. [available in Cesa Library]
- 121.** **Gusenleitner,J.,** 1988, Neue und bemerkenswerte Faltenwespen aus der Türkei (Hymenoptera, Vespoidea). *Linzer biol. Beitr.* 20 (2): 713-737, 5 Abb. [available in Cesa Library]
- 122.** **Gusenleitner,J.,** 1991, Über Vespoidea (Hymenoptera) aus der Mongolei und der Sovietunion. *Linzer biol. Beitr.* 23 (2): 631-641. [available in Cesa Library]
- 123.** **Gusenleitner,J.,** 1992, Bemerkenswerte Funde von Masaridae in Griechenland und im Nahen Osten (Vespoidea, Hymenoptera). *Linzer biol. Beitr.* 24 (1): 59-63. [available in Cesa Library]
- 124.** **Gusenleitner,J.,** 1996, Beitrag zur Kenntnis paläarktischer Sapyginae (Hymenoptera, Sapygidae). *Linzer biol. Beitr.* 28 (1): 23-38, figs. [available in Cesa Library]
- 125.** **Gusenleitner,J.,** 1997, Über Funde von Sapygidae aus dem östlichen Mittelmeergebiet (Sapygidae, Hymenoptera). *Linzer biol. Beitr.* 29 (1): 105-108, figs. [available in Cesa Library]
- 126.** **Gusenleitner,J.,** 1997, Über einige Vespoidea des Nahen Ostens (Hymenoptera, Eumenidae, Masaridae). *Linzer biol. Beitr.* 29 (1): 137-150. [available in Cesa Library]
- 127.** **Gusenleitner,J.,** 1998, Über Faltenwespen aus dem asiatischen Raum (Hymenoptera, Eumenidae, Masaridae). *Linzer biol. Beitr.* 30 (2): 503-513, figs. [available in Cesa Library]
- 128.** **Gusenleitner,J.,** 2000, Neue Eumenidae aus Syrien, der Türkei und dem Iran (Hymenoptera, Vespoidea). *Linzer biol. Beitr.* 32 (2): 927-938. [available in Cesa Library]
- 129.** **Gusenleitner,J.,** 2001, Über Eumeniden aus dem Mittelmeerraum (Vespoidea, Hymenoptera). *Linzer biol. Beitr.* 33 (2): 663-669. [available in Cesa Library]
- 130.** **Gusenleitner,J.,** 2001, Über Eumeniden-Arten aus Jordanien (Hymenoptera, Vespoidea, Eumenidae). *Linzer biol. Beitr.* 33 (1): 233-238. [available in Cesa Library]
- 131.** **Güçlü,S. & D.Burckhardt,** 1996, New records of jumping plant-lice from Turkey (Hemiptera, Psylloidea). *Entomofauna* 17 (24): 381-384. [available in Cesa Library]
- 132.** **Gök,A. & E.G.Cilbiroğlu,** 2004, Some smaller genera of Flea Beetles (Coleoptera, Chrysomelidae) from western Turkey with a new record. *Phytoparasitica* 32 (5): 444-450. [available in Cesa Library]
- 133.** **Gök,A.,** 2002, Faunistic studies on the species *Pachybrachis* Chevrolat and *Cryptocephalus* Geoffroy (Coleoptera, Chrysomelidae, *Cryptocephalinae*) of Dedegöl Mountains (Isparta). *Turk. J. Zool.* 26: 31-42, figs. [with some incorrect distributional information] [available in Cesa Library]
- 134.** **Gök,A.,** 2003, Faunistic studies on the species of the subfamily Clytrinae (Coleoptera, Chrysomelidae) of Dedegöl Mountains (Isparta). *Turk. J. Zool.* 27: 187-194. [available in Cesa Library]

- 135.** **Haas,F. & H.Henderckx,** 2002, Dermaptera from Cyprus and Turkey. *Beitr. Ent.* 52 (1): 235-239. [available in Cesa Library]
- 136.** **Haddad,N.J., Dvorak,L. Adwan,O., Mnadat,H. & A.Bataynah,** 2007, New data on Vespid wasp fauna of Jordan (Hymenoptera, Vespidae). *Linzer biol. Beitr.* 39 (1): 137-142. [available in Cesa Library]
- 137.** **Hartig,T.,** 1840, Ueber die Familie der Gallwespen. [in] *Germar, Z. Ent.* 2 (1): 176-210.
- 138.** **Hartig,T.,** 1841, Erster Nachtrag zur Naturgeschichte der Gallwespen. [in] *Germar, Z. Ent.* 3: 322-358, 1 Tab.
- 139.** **Hartig,T.,** 1843, Zweiter Nachtrag zur Naturgeschichte der Gallwespen. [in] *Germar, Z. Ent.* 4: 395-422.
- 140.** **Hasbenli,A. & M.Aktaş,** 1995, Two new Platypygus Loew,1844 (Diptera, Bombyliidae) species for Turkey. *Türk. ent. derg.* 19 (2): 147-150, figs. [available in Cesa Library]
- 141.** **Hasbenli,A. & M.Aktaş,** 1995, Türkiye Conophorus Meigen,1803 türlerine katkılar (Diptera, Bombyliidae). *Gazi Univ. Fen-Ed. Fak. Fen Biliml. Derg. C5:* 1-10, figs. [available in Cesa Library]
- 142.** **Hasbenli,A. & N.L.Evenhuis,** 2000, Checklist of Turkish Bombyliidae (Diptera) with new records. *J. ent. Res. Soc.* 2 (1): 25-43.
- 143.** **Hasbenli,A. & Zaitzev,** 2000, Two new species of Bombylius Linnaeus,1758 (Diptera, Bombyliidae) from Turkey. *Dt. ent. Z. (N.F.)* 47 (1): 105-108, figs.
- 144.** **Hasbenli,A. & Ü.Çağlar,** 2009, A new species of Mesoleptogaster Frey,1937 (Diptera, Asilidae) from Turkey with a key to palaearctic species. *Ent. News* 120 (2): 201-205, figs. [available in Cesa Library]
- 145.** **Hasbenli,A.,** 1997, Türkiye Hemipenthes Loew,1869 türlerine katkılar (Diptera, Bombyliidae). *Gazi Uni. Fen Bil. Derg.* 10 (4): 545-552, figs. [available in Cesa Library]
- 146.** **Hasbenli,A.,** 1997, Contributions to Bat Flies of Turkey (Diptera, Nycteribiidae, Streblidae). *J. Inst. Sci. Techn. Gazi Univ.* 10 (4): 533-544, 4 figs. [available in Cesa Library]
- 147.** **Haupt,H.,** 1917, Neue palaearktische Homoptera nebst Bemerkungen über einige schon bekannte. *Wien. ent. Ztg.* 36: 229-262, 12 Abb. [available in Cesa Library]
- 148.** **Hava,J.,** 2006, Notes on the genus Phradonoma from the Middle East with description of nine new species (Coleoptera, Dermestidae, Megatominae). *Genus* 17 (1): 79-94, figs. [available in Cesa Library]
- 149.** **Hava,J., Ruzicka,J. & J.Schneider,** 1998, Faunistic records of Silphidae (Coleoptera) from Turkey. *Klapalekiana* 34: 173-181, figs. [available in Cesa Library]
- 150.** **Hayat,R. & Alaoglu,Ö.,** 1990, Erzurum yöresi Syrphidae (Diptera) faunası II. Milesiinae. *Türk. ent. derg.* 14 (4): 227-234. [available in Cesa Library]
- 151.** **Hayat,R. & Alaoglu,Ö.,** 1990, Erzurum yöresi Syrphidae (Diptera) faunası I. Syrphinae. *Türk. ent. derg.* 14 (3): 173-182. [available in Cesa Library]
- 152.** **Hayat,R. & C.Claussen,** 1997, A new species and new records of the genus Paragus Latreille,1804 from Turkey (Diptera, Syrphidae). *Zool. Middle East* 14: 99-108,figs.
- 153.** **Hayat,R. & H.Özbek,** 1994, New records of robber flies (Diptera, Asilidae) for Turkish fauna. *Türk. ent. derg.* 18 (4): 241-244. [available in Cesa Library]
- 154.** **Hayat,R., Ghahari,H., Lavigne R. & H.Ostovan,** 2008, Iranian Asilidae (Insecta, Diptera). *Turk. J. Zool.* 32: 175-195. [available in Cesa Library]
- 155.** **Hayat,R., Richet,R. Bayrak,N. & G.Pekbey,** 2008, Contributions to the knowledge of Flesh Flies (Diptera, Sarcophagidae) from Turkey, with a new record. *Turk. J. Zool.* 32: 385-390. [available in Cesa Library]
- 156.** **Heiss,E. & F.Önder,** 1991, On the Aradidae fauna of Turkey (Heteroptera). *Türk. ent. Derg.* 15 (2): 65-70, figs. [available in Cesa Library]
- 157.** **Heiss,E. & J.Péricart,** 1983, Revision of Palaearctic Piesmatidae (Heteroptera). *Mitt. münchen. ent. Ges.* 73: 61-171, figs. [available in Cesa Library]
- 158.** **Hejkal,J.,** 2002, Amara (Amara) lukasi sp.n. (Coleoptera, Catabidae) from Turkey. *Klapalekiana* 38: 27-35, figs. [available in Cesa Library]
- 159.** **Ho-Yeon Han & M.Kütük,** 2006, A new species of Myoleja Rondani (Diptera, Tephritidae) from Turkey with a key to the known species of the genus. *Zootaxa* 1155: 25-33, figs.
- 160.** **Hoberlandt,L.,** 1961, Heteroptera collected in Ankara (Turkey) by light trap. *Acta ent. Mus. nat. Pragae* 34: 393-416, 49 figs. [available in Cesa Library]
- 161.** **Horvath,G.,** 1906, Collections recueillies par M.J. de Morgan en Perse: Insecte: Hémiptères du genre Mustha. *Bull. Mus. hist. nat. Paris* 12 (7): 514-516. [available in Cesa Library]

- 162. Horvath,G.v.,** 1878, Beitrag zur Hemipteren-Fauna Transkaukasiens. [in] Schneider, Naturwissenschaftliche Beitraege zur Kenntnis der Kaukasuslaender auf Grund seiner Sammelbeute Dresden. *Jb. naturw. Ges. "Isis" Dresden* 1878: 72-76, 85-86. [available in Cesa Library]
- 163. Horvath,G.v.,** 1880, Hemipterologisches aus Transkaukasien. *Sber. naturw. Ges. Isis Dresden* 1879: 93-97. [available in Cesa Library]
- 164. Horvath,G.v.,** 1905, Hemipteren, [in] Penther & Zederbauer, Naturwissenschaftliche Reise zum Erdschias-Dagh. *Annln naturh. Mus. Wien* 20 (2/3): 179-189. [available in Cesa Library]
- 165. Hradsky,M. & F.Geller-Grimm,** 1997, Eine neue Art aus der Gattung Stiphrolamyra (Diptera, Asilidae, Laphriinae). *Studia dipterol.* 4 (1): 193-196, figs. [available in Cesa Library]
- 166. I.Ozdemir, Remaudière,G., Toros,S. & N.Kılınçer,** 2005, New Aphid records from Turkey including the description of a new Lachnus species (Hemiptera, Aphididae). *Revue fr. Ent.* (N.S.) 27 (3): 97-102, figs. [available in Cesa Library]
- 167. Iwan,D.,** 2002, Catalogue of the World Platynotini (Coleoptera, Tenebrionidae). *Genus* 13 (2): 219-323. [available in Cesa Library]
- 168. Jedlicka,A.,** 1963, Neue Carabiden Anatolien und vom Balkan. *Koleopt. Rdsch.* 40/41: 16-22, figs. [available in Cesa Library]
- 169. Jelinek,J. & K.Spornraft,** 1979, Die westpalaearktischen Arten der umbrosus-Gruppe der Gattung Meligethes Steph. (Coleoptera, Nitidulidae). *Mitt. münchen. ent. Ges.* 68: 1-11, figs. [available in Cesa Library]
- 170. Jäch,M.A.,** 1989, Revision of the palaearctic species of the genus Ochthebius Leach II. The subgenus Cobalius Rey (Hydraenidae, Coleoptera). *Z. ArbGem. öst. Ent.* 41 (1/2): 41-50, figs. [available in Cesa Library]
- 171. Jäch,M.A., Kasapoğlu,A. & O.Erman,** 2003, Revision of the Palaearctic species of the genus Ochthebius Leach (Coleoptera, Hydraenidae) XX. Description of two species of the subgenus Asiobates Thomson from Northeastern Turkey. *Aquatic Insects* 25 (1): 71-74, figs. [available in Cesa Library]
- 172. Kalkandelen,A.,** 1985, Four new species of genus Zyginidia (Zyginidia) Haupt (Homoptera, Cicadellidae) and with notes on the taxonomy and distributions of the species of this genus in Turkey. *Türk. bitki kor. derg.* 9: 13-25, figs. [available in Cesa Library]
- 173. Kaltenbach,A.,** 1967, Unterlagen für eine Monographie der Saginae I. Superrevision der Gattung Saga Charpentier (Saltatoria, Tettigoniidae). *Beitr. Ent.* 17 (1/2): 3-107, figs. [available in Cesa Library]
- 174. Kara,K. & S.Aksu,** 2008, Contributions to the Turkish Tachinidae (Diptera) fauna. *Turk. J. Zool.* 32: 227-228. [available in Cesa Library]
- 175. Kara,K. & T.Pape,** 2002, Check list of Turkish Sarcophagidae (Insecta, Diptera) with new records. *Mitt. Mus. Nat. kd. Berl., Dt. ent. Z.* 49 (2): 291-295. [available in Cesa Library]
- 176. Kara,K.,** 1999, Tokat ve çevresinde saptanan Tachininae (Diptera, Tachinidae) türleri. *Türk. ent. derg.* 23 (2): 121-134. [available in Cesa Library]
- 177. Kara,K.,** 2001, Amasya ilinde saptanan bazı Exoristinae, Tachininae ve Dexiinae (Diptera, Tachinidae) türleri. *Türk. ent. derg.* 25 (3): 217-222. [available in Cesa Library]
- 178. Karabağ,T.,** 1958, Türkiye'nin Orthoptera faunası. T.C. Ankara Üniversitesi Fen Fakültesi Yayınları Um.81, Zooloji 4. 198 s., 1 harita. İstanbul. [available in Cesa Library]
- 179. Karsavuran,Y. & Ş.Güçlü,** 2004, Türkiye faunası için yeni bir zararlı tür, Metcalfa pruinosa (Say,1830) (Homoptera, Flatidae). *Türk. ent. derg.* 28 (3): 209-212. [available in Cesa Library]
- 180. Kartal,V. Zeybekoğlu,Ü. & A.Dursun,** 2001, A faunistic study on Deltocephalinae (Homoptera, Auchenorrhyncha, Cicadellidae) in Yüksekova (Hakkari). *Türk. ent. Derg.* 25 (2): 83-92. [available in Cesa Library]
- 181. Kartal,V.,** 1978, Eine neue Singzikaden Art der Gattung Pagiphora Horvath von Creta (Homoptera, Auchenorrhyncha, Cicadidae). *Ent. Z., Frankf. a.M.* 88 (16): 179-185.
- 182. Kartal,V.,** 1980, Neue und wenig bekannte Arten den Gattungen Cicadetta und Cicadatra aus dem Irak und der Türkei (Homoptera, Auchenorrhyncha, Cicadidae). *Ent. Z., Frankf. a.M.* 90 (17): 185-192.
- 183. Kartal,V.,** 1983, Neue Homopteren aus der Türkei II (Homoptera, Auchenorrhyncha). *Marb. ent. Publ.* 1 (8): 235-248, figs.
- 184. Kartal,V.,** 1987, Eine neue und wenig bekannte Arten der Gattung Ranissus aus der Türkei (Homoptera, Auchenorrhyncha, Dictyopharidae). *Türk. ent. derg.* 11 (3): 145-150, figs. [available in Cesa Library]

- 185.** **Karz,K.,** 1988, Eine neue Sichelschrecke (Phaneroptera) aus der Türkei (Saltatoptera, Ensifera, Tettigoniidae [sic!], Phaneropterinae). *Articulata* 3 (4): 137-138, 5 figs. [\[available in Cesa Library\]](#)
- 186.** **Katılmış,Y. & S.Kiyak,** 2008, Checklist of Cynipidae of Turkey with a new genus record. *J. Nat. Hist.* 42: 2161-2167. [\[available in Cesa Library\]](#)
- 187.** **Kazancı,N. & Ö.Ertunç,** 2008, Checklist of the Simuliidae (Insecta, Diptera) of Turkey. *Review Hydrobiol.* 2: 129-144. [\[available in Cesa Library\]](#)
- 188.** **Kechev,M.O.,** 2005, Check-list of Dolichopodidae (Diptera, Brachycera) species in Bulgaria. *Animalia* 41: 47-62. [\[available in Cesa Library\]](#)
- 189.** **Kemal,M. & A.Ö.Koçak,** 2006, A new genus and a new species of Ascalaphidae for the fauna of Turkey (Planipennia). *Cent. ent. Stud., Misc. Pap.* 99: 1-3, figs. [\[available in Cesa Library\]](#)
- 190.** **Kemal,M. & A.Ö.Koçak,** 2008, Conops flavicaudus Bigot in South East Turkey (Conopidae, Diptera). *Cesa News* 36: 7-9, figs. 9-12. [\[available in Cesa Library\]](#)
- 191.** **Kemal,M. & A.Ö.Koçak,** 2008, Occurrence of Soldier Bug (Spilostethus pandurus) in Van Province (Turkey) (Hemiptera, Lygaeidae). *Cesa News* 33: 1-3, 3 figs. 1 map. [\[available in Cesa Library\]](#)
- 192.** **Kemal,M. & A.Ö.Koçak,** 2009, Cicindela asiatica Audouin & Brullé in South East Turkey (Coleoptera, Cicindelidae). *Cesa News* 41: 1-4, 5 figs. [\[available in Cesa Library\]](#)
- 193.** **Kemal,M. & E.Seven,** 2009, Stiphrolamyra pleskei (Becker) an interesting and rare Robber Fly from South East Turkey (Diptera, Asilidae) (Project of the Cesa: Asilidae of East Turkey -1). *Cesa News* 51: 1-3, 2 figs. [\[available in Cesa Library\]](#)
- 194.** **Kemal,M. & M.Aydın,** 2009, Second record of Echthromyrmex sehitlerolmez Koçak & Kemal from East Turkey (Planipennia, Myrmeleonidae). *Cesa News* 39: 2-4, 3 figs. [\[available in Cesa Library\]](#)
- 195.** **Keskin,B.,** 2003, Erstnachweis von Tentyria cypria Kraatz,1865 (Coleoptera, Tenebrionidae) für die Türkei. *Zool. Middle East* 29: 116-117, 1 Abb. [\[available in Cesa Library\]](#)
- 196.** **Keskin,B.,** 2005, A new record for the Tenebrionidae (Coleoptera) fauna of Turkey: Mesostena puncticollis Solier,1835 (Pimeliinae, Tentyriini). *Zool. Middle East* 34: 119-120, fig.1. [\[available in Cesa Library\]](#)
- 197.** **Kiritschenko,A.,** 1924, Beitrag zur Hemipterenfauna des südlichen Armenien. *Wien. ent. Ztg.* 41: 1-5. [\[available in Cesa Library\]](#)
- 198.** **Kirkaldy,G.W.,** 1909, Hemiptera, old and new, nr.2. *Canad. ent.* 41: 388-392. [\[available in Cesa Library\]](#)
- 199.** **Klimaszewski,S.M. & N.Lodos,** 1980, Three new species of jumping plant-lice (Homoptera, Psylloidea) from Turkey. *Türk. Bitki Kor. Derg.* 4: 219-227.
- 200.** **Kocatepe,N. & O.Mergen,** 2004, Ankara ili Carabidae (Coleoptera) faunası türleri üzerinde faunistik araştırmalar. *Türk. ent. Derg.* 28 (4): 295-309. [\[available in Cesa Library\]](#)
- 201.** **Korneyev,V.A.,** 1996, The status of Urophora dzieduszyckii Frauenfeld (Insecta, Diptera, Tephritidae). *Annln naturh. Mus. Wien* 98B: 525-528. [\[available in Cesa Library\]](#)
- 202.** **Kovancı,B. & S.Canbulat,** 2007, A new species of the genus Nothochrysa McLachlan,1868 from northwestern Turkey (Neuroptera, Chrysopidae) with a key to western palaearctic species. *Annls Soc. ent. Fr. (n.s.)* 43 (2): 165-168, figs. [\[available in Cesa Library\]](#)
- 203.** **Koç,H.,** 2004, Muğla ili Tipulidae ve Limoniidae familyalarının faunistik ve ekolojik yönünden incelenmesi. 154s. Muğla Univ. Yayınları. [\[available in Cesa Library\]](#)
- 204.** **Koçak,A.Ö. & M.Kemal,** 2002, Van'da üç nadir sinirkanaklı türü hakkında (Planipennia, Ascalaphidae, Nemopteridae). *Cent. ent. Stud., Misc. Pap.* 87: 5-8, figs. [\[available in Cesa Library\]](#)
- 205.** **Koçak,A.Ö. & M.Kemal,** 2008, Report on the "Entomofauna of Old World" 1- Index of the recorded species of the Pterygot Insects of the Old World (Turkey excluded). *Cesa News* 38: 2-54, 1 fig. [\[available in Cesa Library\]](#)
- 206.** **Koçak,A.Ö. & M.Kemal,** 2008, Notes on some rare Planipennia species in East Turkey (Neuroptera, Planipennia, Myrmeleonidae, Ascalaphidae, Nemopteridae). *Cesa News* 18: 1-5, 5 figs. 2 maps. [\[available in Cesa Library\]](#)
- 207.** **Koçak,A.Ö. & M.Kemal,** 2009, Report on the "Entomofauna of Turkey" 4- Revised and expanded index of the species of the Pterygot Insects of Turkey. *Cesa News* 41: 4-46, 2 figs. [\[available in Cesa Library\]](#)
- 208.** **Koçak,A.Ö. & M.Kemal,** 2009, Description of a new subgenus in the family Tettigoniidae from South East Turkey (Orthoptera). *Cent. ent. Stud., Misc. Pap.* 149: 7-8. [\[available in Cesa Library\]](#)

- 209.** **Koçak,A.Ö., Kemal,M., Özdemir,M. & I.Özdemir,** 2008, Report on the "Entomofauna of Turkey" 2-Index of the recorded species of the Pterygot Insects of Turkey. *Cesa News* 37: 2-41, 1 fig. [available in Cesa Library]
- 210.** **Koçak,A.Ö., Kemal,M., Özkol,H. & Kayci,L.,** 2009, Report on the "Entomofauna of Turkey" 3- Revised and expanded index of the recorded genera and species of the Pterygot Insects of Turkey. *Cesa News* 40: 12-83, 1 fig. [available in Cesa Library]
- 211.** **Koçak,E. & N.Kılınçer,** 2003, Taxonomic studies on *Trissolcus* sp. (Hymenoptera, Scelionidae), egg parasitoids of the Sunn Pest (Hemiptera, Scutelleridae, Eurygaster sp.) in Turkey. *Turk. J. zool.* 27: 301-307, figs. [available in Cesa Library]
- 212.** **Krauss,H.,** 1892, Dermapteren und Orthopteren aus Tunis. *Wien. ent. Ztg.* 11 (5): 143-150. [available in Cesa Library]
- 213.** **Krolík,R. & M.Niehuis,** 2003, *Agrilus rhoos*, a new species from Turkey (Coleoptera, Buprestidae). *Genus* 14 (3): 357-362, figs. [available in Cesa Library]
- 214.** **Kubisz,D., Krolík,R., Dobosz,R. & R.B.Pettersson,** 2007, Oedemeridae (Coleoptera, Tenebrionoidea) in Turkey - preliminary check-list and materials to the distribution. *Annls Upper Sil. Mus. (Ent.)* 14-15: 111-130, figs. [available in Cesa Library]
- 215.** **Kurzenko,N.V. & J.Gusenleitner,** 1994, Sapygidae from Turkey, with a key to palaearctic species of Sapyginae (Hymenoptera). *Linzer biol. Beitr.* 26 (2): 583-632, figs. [available in Cesa Library]
- 216.** **Kusnezov,V.,** 1931, Übersicht der asiatischen weissgeflügelten Tibicina-Arten (Homopt.- Cicadidae). *Konowia* 10: 15-18. [available in Cesa Library]
- 217.** **Kühbandner,M.,** 1984, Eine neue Oxycera -Art aus der Südosttürkei (Diptera, Stratiomyidae). *Entomofauna* 5 (34): 471-479, figs. [available in Cesa Library]
- 218.** **Kütük,M. & M.S.Varol,** 2006, Records of two species of *Terellia Robineau-Desvoidy,1830* (Diptera, Tephritidae) new to Turkish fauna. *Turk. J. Zool.* 30: 99-102, figs. [available in Cesa Library]
- 219.** **Kütük,M.,** 2003, Güney Batı Anadolu Bölgesi Meyve Sinekleri (Diptera, Tephritidae) faunası ve sistematığı üzerine araştırmalar. Çukurova Univ. 217 s., Adana (doktora tezi).
- 220.** **Kütük,M.,** 2003, Doğu Akdeniz Bölgesi Urophora Robineau-Desvoidy,1830 (Diptera, Tephritidae) faunası ve sistematığı üzerine araştırmalar. *Türk. ent. derg.* 27 (2): 149-160, figs. [available in Cesa Library]
- 221.** **Kütük,M.,** 2005, Two new records of *Tephritis Latreille,1804* (Diptera, Tephritidae) from Turkey. *Turk. J. Zool.* 29: 167-170, figs. [available in Cesa Library]
- 222.** **Kütük,M.,** 2006, A new species of *Urophora Robineau-Desvoidy,1830* (Diptera, Tephritidae) from Turkey with a key to the species of the *Urophora quadrifasciata* [sic!] group. *Türk. J. Zool.* 30: 147-153, figs. [available in Cesa Library]
- 223.** **Kütük,M.,** 2008, A new species of *Tephritis Latreille* (Diptera, Tephritidae) from Turkey. *Belg. J. Zool.* 138 (2): 132-134, figs. [available in Cesa Library]
- 224.** **Kütük,M.,** 2009, A new species of *Urophora Robineau-Desvoidy,1830* (Diptera, Tephritidae) from Turkey. *Ent. News* 120 (1): 101-105, figs.
- 225.** **Kılıç,A.Y.,** 1999, Checklist of Tabanidae (Diptera) from Turkey. *Tr. J. Zool.* 23: 123-132. [available in Cesa Library]
- 226.** **Kiyak,S.,** 1995, List of the genera of Turkish Heteroptera 1. Miridae. *Gazi Univ. Fen-Ed. Fak. Fen Biliml. Derg. C5:* 11-41. [available in Cesa Library]
- 227.** **Kiyak,S., Kılıç,T. & Y.Katılmış,** 2008, A contribution to the knowledge of the Cynipini fauna of Turkey (Hymenoptera, Cynipidae). *Mun. Ent. Zool.* 3 (1): 523-535, figs. [available in Cesa Library]
- 228.** **Kiyak,S., Salur,A., Canbulat,S. & M.Darılmaz,** 2006, Additional notes on Gyrinidae fauna of Turkey (Coleoptera). *Mun. Ent. Zool.* 1(1): 57-62. [available in Cesa Library]
- 229.** **Lattke,J.E.,** 2004, A taxonomic revision and phylogenetic analysis of the ant genus *Gnamptogenys* Roger in Southeast Asia and Australasia (Hymenoptera, Formicidae, Ponerinae). *Univ. Calif. Press* 122: 266pp., 61 figs. [available in Cesa Library]
- 230.** **Lehr,P.A., Ghahari,H. & H.Ostovan,** 2007, A contribution to the Robber Flies of Subfamilies Stenopogoninae and Asilinae (Diptera, Asilidae) from Iran. *Far east. Ent.* 173: 1-14. [available in Cesa Library]
- 231.** **Lis,J.A.,** 1999, Burrower bugs of the Old World (Hemiptera, Heteroptera, Cydnidae). *Genus* 10 (2): 165-249. [available in Cesa Library]

- 232.** **Lodos,N. & A.Kalkandelen,** 1980, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey I. Family Cixiidae Spinola. *Türk. bitki kor. derg.* 4 (1): 15-27. [available in Cesa Library]
- 233.** **Lodos,N. & A.Kalkandelen,** 1980, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey II. Family Delphacidae Leach. *Türk. bitki kor. derg.* 4 (2): 103-117. [available in Cesa Library]
- 234.** **Lodos,N. & A.Kalkandelen,** 1980, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey III. Families Meenoplidae, Derbidae, Achilidae, Dictyopharidae and Tettigoniidae. *Türk. bitki kor. derg.* 4 (3): 161-176. [available in Cesa Library]
- 235.** **Lodos,N. & A.Kalkandelen,** 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey IV. Family Issidae Spinola. *Türk. bitki kor. derg.* 5 (1): 5-21. [available in Cesa Library]
- 236.** **Lodos,N. & A.Kalkandelen,** 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey V. Families Flatidae, Ricanidae and Cicadidae. *Türk. bitki kor. derg.* 5 (2): 67-82. [available in Cesa Library]
- 237.** **Lodos,N. & A.Kalkandelen,** 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey VI. Families Cercopidae and Membracidae. *Türk. bitki kor. derg.* 5 (3): 133-149. [available in Cesa Library]
- 238.** **Lodos,N. & A.Kalkandelen,** 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey VII. Family Cicadellidae, Ulopinae, Megophthalminae, Ledrinae, Macropsinae and Agallinae. *Türk. bitki kor. derg.* 5 (4): 215-230. [available in Cesa Library]
- 239.** **Lodos,N. & A.Kalkandelen,** 1982, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey VIII. Family Cicadellidae, Idiocerinae. *Türk. bitki kor. derg.* 6 (1): 15-28. [available in Cesa Library]
- 240.** **Lodos,N. & A.Kalkandelen,** 1982, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey IX. Family Cicadellidae, Jassinae, Pentiminae, Dorycephalinae, Hecalinae and Aphrodinae. *Türk. bitki kor. derg.* 6: 147-159. [available in Cesa Library]
- 241.** **Lodos,N. & A.Kalkandelen,** 1983, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey X. Family Cicadellidae, Xestocephalinae, Stegelytrinae and Cicadellinae. *Türk. bitki kor. derg.* 7(1): 23-28. [available in Cesa Library]
- 242.** **Lodos,N. & A.Kalkandelen,** 1983, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XI. Family Cicadellidae, Typhlocybinae: Alebrini and Dikraneurini. *Türk. bitki kor. derg.* 7: 107-115. [available in Cesa Library]
- 243.** **Lodos,N. & A.Kalkandelen,** 1983, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XII. Family Cicadellidae, Typhlocybinae: Empoascini. *Türk. bitki kor. derg.* 7: 153-165. [available in Cesa Library]
- 244.** **Lodos,N. & A.Kalkandelen,** 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XIII. Family Cicadellidae, Typhlocybinae: Typhlocybini (Part 1). *Türk. bitki kor. derg.* 8 (1): 33-44. [available in Cesa Library]
- 245.** **Lodos,N. & A.Kalkandelen,** 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XIV. Family Cicadellidae, Typhlocybinae: Typhlocybini (Part 2). *Türk. bitki kor. derg.* 8: 87-97. [available in Cesa Library]
- 246.** **Lodos,N. & A.Kalkandelen,** 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XV. Family Cicadellidae, Typhlocybinae: Erythroneurini (Part 1). *Türk. bitki kor. derg.* 8: 159-168. [available in Cesa Library]
- 247.** **Lodos,N. & A.Kalkandelen,** 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XVI. Family Cicadellidae, Typhlocybinae: Erythroneurini (Part 2). *Türk. bitki kor. derg.* 8: 201-210. [available in Cesa Library]
- 248.** **Lodos,N. & A.Kalkandelen,** 1985, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XVII. Family Cicadellidae, Deltoccephalinae: Grypotini, Goniagnathini and Opsiini (Part 1). *Türk. bitki kor. derg.* 9: 79-90. [available in Cesa Library]
- 249.** **Lodos,N. & A.Kalkandelen,** 1985, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XVIII. Family Cicadellidae, Deltoccephalinae: Macrostelini (Part 2). *Türk. bitki kor. derg.* 9 (3): 147-161. [available in Cesa Library]

- 250.** **Lodos,N. & A.Kalkandelen,** 1985, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XIX. Family Cicadellidae, Deltcephalinae: Deltcephalini, Scaphytopiini, Doraturini. *Türk. bitki kor. derg.* 9: 207-215. [available in Cesa Library]
- 251.** **Lodos,N. & A.Kalkandelen,** 1986, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XX. Family Cicadellidae, Deltcephalinae: Fieberiellini, Stirellini and Tetartostylini. *Türk. bitki kor. derg.* 10 (1): 25-32. [available in Cesa Library]
- 252.** **Lodos,N. & A.Kalkandelen,** 1986, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXI. Family Cicadellidae, Deltcephalinae: Athysanini (Part 1). *Türk. bitki kor. derg.* 10 (3): 131-139. [available in Cesa Library]
- 253.** **Lodos,N. & A.Kalkandelen,** 1986, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXII. Family Cicadellidae, Deltcephalinae: Athysanini (Part 2). *Türk. bitki kor. derg.* 10 (4): 203-211. [available in Cesa Library]
- 254.** **Lodos,N. & A.Kalkandelen,** 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXIII. Family Cicadellidae, Deltcephalinae: Athysanini (Part 3). *Türk. ent. derg.* 11 (1): 29-40. [available in Cesa Library]
- 255.** **Lodos,N. & A.Kalkandelen,** 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXIV. Family Cicadellidae, Deltcephalinae: Athysanini (Part 4). *Türk. ent. derg.* 11 (2): 97-109. [available in Cesa Library]
- 256.** **Lodos,N. & A.Kalkandelen,** 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXV. Family Cicadellidae, Deltcephalinae: Paralimnini Distans (Part 1). *Türk. ent. derg.* 11 (3): 151-162. [available in Cesa Library]
- 257.** **Lodos,N. & A.Kalkandelen,** 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXVI. Family Cicadellidae, Deltcephalinae: Paralimnini Distant (Part 2). *Türk. ent. derg.* 11 (4): 195-202. [available in Cesa Library]
- 258.** **Lodos,N. & A.Kalkandelen,** 1988, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXVII. (Addenda and Corrigenda). *Türk. ent. derg.* 12 (1): 11-22. [available in Cesa Library]
- 259.** **Loew,H.,** 1847-1849, Über die europäischen Raubfliegen (Diptera asilica). *Linn. ent.* 2: 384-568; 3: 386-495; 4: 1-155. [available in Cesa Library]
- 260.** **Madl,M.,** 1997, Über Vespiden, Pompiliden, Scoliiden und Tiphiiden der Türkei (Hymenoptera). *Linzer biol. Beitr.* 29 (2): 823-827. [available in Cesa Library]
- 261.** **Maican,S.,** 2007, Some mediterranean Chrysomelid species (Coleoptera, Chrysomelidae) newly entered in the collections of "Grigore Antipa" National Museum of Natural History [Results of the expeditions from Turkey and Tunisia, 2005-2006]. *Trav. Mus. nat. Hist. Nat. "Grigore Antipa"* 50: 421-429. [available in Cesa Library]
- 262.** **Maran,J.,** 1958, Beitrag zur Kenntnis der geographischen Variabilität von Acrotylus insubricus (Scop.) (Orthoptera, Acrididae). *Acta ent. Mus. Nat. Pragae* 32: 171-179. [available in Cesa Library]
- 263.** **Mart,A. & O.Erman,** 2001, A study on Helophorus Fabricius,1775 (Coleoptera, Hydrophilidae) species. *Turk. J. Zool.* 25: 35-40 [some pages obscured unwarrantedly by the publisher]. [available in Cesa Library]
- 264.** **Mathis,W.N., Zatwarnicki,T. & M.G.Krivosheina,** 1993, Studies of Gymnomyzinae (Diptera, Ephydriidae), V: A Revision of the Shore-Fly Genus Mosillus Latreille. *Smiths. Contr. Zool.* 548: 48pp., figs., maps. [available in Cesa Library]
- 265.** **Mauss,V.,** 1996, Morphological characters of Ceramius palaestinensis (Giordani Soika,1957) Gusenleitner,1992 (Hymenoptera, Vespidae, Masarinae) and considerations about its phylogenetic position. *Linzer biol. Beitr.* 28 (2): 953-966, figs. [available in Cesa Library]
- 266.** **Mauss,V., Müller,A. & E.Yıldırım,** 2005, First contribution to the bionomics of the Pollen Wasp Ceramius caucasicus André,1884 (Hymenoptera, Vespidae, Masarinae) in Turkey. *J. Kansas ent. Soc.* 78 (3): 201-220, figs. [available in Cesa Library]
- 267.** **Medvedev,L.N.,** 1970, A list of the Chrysomelidae collected by Dr. W. Wittmer in Turkey (Coleoptera). *Revue suiss. Zool.* 77 (2): 309-319.
- 268.** **Medvedev,L.N.,** 1975, Chrysomelidae collected by W.Wittmer in Turkey and Iran. *Mitt. ent. Ges. Basel* 25 (1): 12-19.
- 269.** **Melika,G., Pujade-Villar,J., Stone,G.N., Fülöp,D. & Z.Penzes,** 2009, New species of cynipid gallwasps of the genus *Plagiotrochus* Mayr,1881 from Nepal and Jordan

- (Hymenoptera, Cynipidae, Cynipini). *Acta zool. hung.* 55 (3): 263-274, figs. [available in Cesa Library]
- 270.** Melika,G., Stone,G.N., Sadeghi,S.E. & Pujade-Villar,J., 2004, New species of cynipid gall wasps from Iran and Turkey (Hymenoptera, Cynipidae, Cynipini). *Acta zool. hung.* 50 (2): 139-151, figs. [available in Cesa Library]
- 271.** Memon,N. & I.Ahmad, 2008, Description of Mustha izmirensis, new species (Heteroptera, Pentatomidae, Halyini) from Bornova, Izmir, Turkey with a key to its world species. *Pakistan J. Zool.* 40 (6): 435-439, figs. [available in Cesa Library]
- 272.** Merkl,O., 2006, Redescription of Lagria (Apteronympha) tenenbaumi Pic,1929, with a checklist of the western Palaearctic species of the Lagria F. (Coleoptera, Tenebrionidae, Lagriini). *Proc. Russ. ent. Soc., St. Petersburg* 77: 219-225, figs. [available in Cesa Library]
- 273.** Mertlik,J. & G.Platia, 2008, Catalogue of the family Cebrionidae, Elateridae, Lissomidae, Melasidae, and Throscidae (Coleoptera) from Turkey. *Elateridarum* 2: 1-40. [available in Cesa Library]
- 274.** Merz,B., 2007, Two new mediterranean species of the Sapromyza intonsa group (Diptera, Lauxaniidae). *Tijdschr. Ent.* 150: 65-76, figs. [available in Cesa Library]
- 275.** Morton,K.J., 1919, Odonata from Mesopotamia. *Entomologist's mon. Mag.* 3: 143-151, 183-196, figs. [available in Cesa Library]
- 276.** Namin,S.M. & G.R.Rasoulian, 2009, A review of fruit flies of the genus Rhagoletis (Diptera, Tephritidae) of Iran and bordering countries with the key to species. *Vestn. zool.* 43 (1): 25-30. [available in Cesa Library]
- 277.** Nazemi,J., Talebi,A.A., Sadeghi,S.E., Melika,G. & A.Lozan, 2008, Species richness of oak gall wasps (Hymenoptera, Cynipidae) and identification of associated inquilines and parasitoids on two oak species in western Iran. *North West J Zool.* 4 (2): 189-202, figs. [available in Cesa Library]
- 278.** Novak,V., 2007, New species of the genus Hymenalia Mulsant,1856 (Coleoptera, Tenebrionidae, Alleculinae) from Palaearctic Region. *Stud. rep. Distr. Mus. Prague-East (Tax. Series)* 3 (1/2): 149-170, figs. [available in Cesa Library]
- 279.** Oehlke,J., 1983, Revision der europäischen Aulacidae (Hymenoptera, Evanioidea). *Beitr. Ent.* 33 (2): 439-447. [available in Cesa Library]
- 280.** Pehlivان,E., 1988, Türkiye Scarabaeidae (Coleoptera) familyası üzerine taksonomik çalışmalar I. Scarabaeus L., Gymnopleurus Ill., Sisyphus Latr. *Türk. ent. Derg.* 12 (4): 221-230, 12 figs. [available in Cesa Library]
- 281.** Pehlivان,E., 1989, Türkiye Scarabaeidae (Coleoptera) familyası üzerine taksonomik çalışmalar II. Onthophagus Latr. *Türk. ent. Derg.* 13 (1): 25-42, figs. [available in Cesa Library]
- 282.** Pehlivان,E., Karsavuran,Y. & S.Tezcan, 2005, Contributions to the knowledge of the Curculioninae and Phytonominae (Coleoptera, Curculionidae) from Turkey. *Türk. ent. derg.* 29 (3): 173-182. [available in Cesa Library]
- 283.** Pehlivان,E., Karsavuran,Y. & S.Tezcan, 2005, Contributions to the knowledge of the Lixinae (Coleoptera, Curculionidae) from Turkey. *Türk. ent. derg.* 29 (4): 259-272. [available in Cesa Library]
- 284.** Pittino,R., 2004, New or nothworthy taxa of the genus Onthophagus (Subg. Palaeonthophagus) from South-estern [sic!] Europe and the Near East (Coleoptera, Scarabaeidae). *Fragm. ent. Roma* 36 (2): 145-214, figs. [available in Cesa Library]
- 285.** Platia,G. & D.Tarnawski, 1998, Description of two new species of click-beetles from Turkey (Coleoptera, Elateridae). *Genus* 9 (3): 269-274, figs. [available in Cesa Library]
- 286.** Pont,A.C., 1991, A preliminary list of the Fanniidae and Muscidae (Insecta, Diptera) from Turkey. *Zool. Middle East* 5: 63-112.
- 287.** Pont,A.C., Werner,D. & E.A.Kachvoryan, 2005, A preliminary list of the Fanniidae and Muscidae (Diptera) of Armenia. *Zool. Middle East* 36: 73-86, figs. [available in Cesa Library]
- 288.** Priesner,H., 1973, Neue Pompiliden aus der Türkei (Hym.). *NachrBl. bayer. Ent.* 22 (6): 106-110. [available in Cesa Library]
- 289.** Reiche,L. & F. de Saulcy, 1855-1858, Espèces nouvelles ou peu connues de Coléoptères, recueillies par M. F. de Saulcy membre de l'Institut, dans son Voyage en Orient. *Annls Soc. ent. Fr.* 3 (3) (1855): 561-645; 3 (4) (1856): 353-422; 3 (5) (1857): 169-276, 649-695; 3 (6) (1858): 5-60; 4 pls. [available in Cesa Library]
- 290.** Reinig,W.F., 1974, Faunistische und zoogeographische Studien in Kleinasien 5. Auf Hummelfang im Taurus. *NachrBl. bayer. Ent.* 23 (4): 67-80. [available in Cesa Library]

- 291.** **Remaudière,G., Toros,S. & I.Özdemir,** 2006, New contribution to the Aphid fauna of Turkey (Hemiptera, Aphidoidea). *Revue fr. Ent. (N.S.)* 28 (2): 75-96. [available in Cesa Library]
- 292.** **Reuter,O.M.,** 1890, Conspectus specierum generis Mustha (Hemiptera, Pentatomidae). *Revue d'Ent.* 9: 262-264. [available in Cesa Library]
- 293.** **Rezwani,A.,** 2008, A new species and a new record of a subspecies belonging to the genus Dysaphis (Homoptera, Aphididae) from Iran. *J. ent. Soc. Iran* 27 (2): 23-26, figs. [available in Cesa Library]
- 294.** **Robineau-Desvoidy,J.B.,** 1830, Essai sur les Myodaires. *Mém. Présentés Acad. roy. Sci. Inst. France* (2) 2: 1-813. [available in Cesa Library]
- 295.** **Rondani,C.,** 1856-1871, *Dipterologiae Italicae Prodromus* vols. 1-7. Parmae. [available in Cesa Library]
- 296.** **Roy,R.,** 1966, A new species of Amorphoscelis from Iraq (Mantodea, Amorphoscelidae). *Ent. News* 77: 267-270, 3 figs. [available in Cesa Library]
- 297.** **Ruzicka,J.,** 1993, Three new species of Choleva (Coleoptera, Leiodidae, Cholevinae) from the Caucasus and Turkey with a key to species of the cisteloides group. *Eur. J. Ent.* 90: 337-348, figs. [available in Cesa Library]
- 298.** **Ruzicka,J.,** 1994, A new species of Catopomorphus from Turkey (Coleoptera, Leiodidae, Choveliniae). *Fragm. ent. Roma* 26 (1): 133-139, figs. [available in Cesa Library]
- 299.** **Ruzicka,J.,** 1997, A new species of Attaephilus from Turkey (Coleoptera, Leiodidae, Choveliniae). *Ent. Probl.* 28 (1): 57-59, figs. [available in Cesa Library]
- 300.** **Röder,V.v.,** 1887, Eine neue Exoprosopa aus Syrien. *Berl. ent. Z.* 31: 75-76. [available in Cesa Library]
- 301.** **Saghaei,N., Ostovan,H., Shojaei,M. & R.Hayat,** 2009, Introduction to the Asilidae fauna (Insecta, Diptera) of Fars Province, Iran. *Turk. J. Zool.* 33: 187-200, map. [available in Cesa Library]
- 302.** **Salur,A. & S.Kiyak,** 2006, Additional records for the Odonata fauna of East Mediterranean Region of Turkey. *Munis Ent. Zool.* 1 (2): 239-252. [available in Cesa Library]
- 303.** **Salur,A. & S.Kiyak,** 2007, Additional records for the Odonata fauna of South-Western Anatolia, Part 1 Anisoptera *Munis Ent. Zool.* 2 (1): 63-78. [available in Cesa Library]
- 304.** **Salur,A. & Ö. Ozsaraç,** 2004, Additional notes on the Odonata fauna of Çiçekdağı (Kirşehir) Turkey *G.Ü. J. Sci.* 17 (1): 11-19. [available in Cesa Library]
- 305.** **Sarıbıyık,S. & M.Aktas,** 1996, Türkiye Syrphidae faunasına katkılar (Diptera, Syrphidae) I. Syrphinae. *Gazi Univ. Fen Bil. Derg.* 9 (1): 1-13, figs. [available in Cesa Library]
- 306.** **Sarıbıyık,S.,** 2008, Contributions to the Syrphidae fauna of Turkey (Diptera, Syrphidae). *Ent. News* 119 (5): 501-508. [available in Cesa Library]
- 307.** **Sarıbıyık,S.,** 2009, Ballıdağ Syrphidae faunası (Diptera). *Kastamonu Eğit. Derg.* 17 (2): 707-714. [available in Cesa Library]
- 308.** **Saussure,M.H.de,** 1888, Synopsis de la tribu des Sagiens. *Annls Soc. ent. Fr.* 1888: 127-155, 5 pls. [available in Cesa Library]
- 309.** **Schedl,W.,** 1999, Contribution to the singing cicadas of Israel and adjacent countries (Homoptera, Auchenorrhyncha, Cicadidae et Tibicinidae). *Linzer biol. Beitr.* 31 (2): 823-837, figs. [available in Cesa Library]
- 310.** **Schedl,W.,** 2001, Eine neue Singzikade aus der Türkei, Tettigetta turcica nov. spec. (Cicadoidea, Tibicinidae). *Linzer biol. Beitr.* 33 (2): 1287-1290, figs. [available in Cesa Library]
- 311.** **Scheerpeltz,O.,** 1979, Studien an den paläarktischen Arten der Gattung Cryptobium Mannerheim (Col. Staphylinidae, Subfam. Paederinae), mit einer Bestimmungstabelle dieser Arten und den Beschreibungen zweier neuer Arten. *Mitt. münchen. ent. Ges.* 68: 121-143. [available in Cesa Library]
- 312.** **Schmid-Egger,C.,** 2004, Revision of Bembecinus (Hymenoptera, Crabronidae) of the Palaearctic region. *Notes faun. Gembloux* 54: 3-69, figs. [available in Cesa Library]
- 313.** **Schmidt,E.,** 1953, Zwei neue Libellen aus dem Nahen Osten. *Mitt. münchen. ent. Ges.* 43: 1-9, figs. [available in Cesa Library]
- 314.** **Schubert,F.,** 1963, Apion tauricum n.sp. *Koleopt. Rdsch.* 40/41: 81-82. [available in Cesa Library]
- 315.** **Schwarz,M.,** 1979, Zur Kenntnis der aus Syrien beschriebenen Nomada kervilleana Pér. (Hymenoptera, Apoidea). *NachrBl. bayer. Ent.* 28 (5): 90-94. [available in Cesa Library]
- 316.** **Selys-Longchamps,E.de,** 1887, Odonates de l'Asie Mineure etc. *Ann. Soc. ent. Belg.* 31: 1-85. [available in Cesa Library]

- 317.** **Sert,O.,** 2004, Türkiye Tychius (Coleoptera, Curculionidae) faunası için yeni kayıtlar *Türk. ent. Derg.* 28 (4): 311-313. [available in Cesa Library]
- 318.** **Sert,O.,** 2005, Akdeniz ve İç Anadolu Bölgesi'nde Ceutorhynchus Germar,1824 ve Tychius Germar,1817 (Coleoptera, Curculionidae) cinselerine bağlı türler üzerine faunistik çalışmalar. *Türk. ent. derg.* 29 (2): 135-149. [available in Cesa Library]
- 319.** **Sifner,F.,** 2004, Three new species of scatophagid flies from the Palaearctic region with a description of male Hexamitocera martineki (Diptera, Scathophagidae). *J. Nat. Mus. (Nat. Hist. Ser.)* 73: 105-110.
- 320.** **Sifner,F.,** 2008, A catalogue of the Scathophagidae (Diptera) of the Palaearctic region, with notes on their taxonomy and faunistics. *Acta ent. Mus. natn. Pragae* 48 (1): 111-196. [available in Cesa Library]
- 321.** **Sinclair,B.J. & J.M.Cumming,** 2006, The morphology higher level phylogeny and classification of the Empididae (Diptera). *Zootaxa* 1180: 1-172, figs. [available in Cesa Library]
- 322.** **Smissen,J.v.d.,** 2003, Revision der europäischen und türkischen Arten der Gattung Evagetes Lepeletier,1845 unter Berücksichtigung der Geaderabweichungen (Hymenoptera, Pompilidae). *Verh. Ver. Naturw. Heimatforsch. Hamburg* 42: 1-253, figs. [available in Cesa Library]
- 323.** **Smit,J.T. & C.G.Gutiérrez-Chacon,** 2008, A new species of the Paragus serratus-group from Yemen (Diptera, Syrphidae). *Zool. Meded., Leiden* 82 (20): 211-216, 5 figs. [available in Cesa Library]
- 324.** **Sorokina,V.S. & O.E.Chashchina,** 2003, Data on the fauna of flower flies (Diptera, Syrphidae) of the South Urals. *Russ. Ent. J.* 12 (1): 93-101. [available in Cesa Library]
- 325.** **Sorokina,V.S.,** 2002, Beschreibung von drei neuen Arten der Gattung Paragus Latreille,1804 (Diptera, Syrphidae) aus Asien, mit einem Bestimmungsschlüssel der bisher bekannten russischen Paragus-Arten. *Volucella* 6: 1-22, 92 Abb. [available in Cesa Library]
- 326.** **Sorokina,V.S.,** 2009, Hover flies of the genus Paragus Latr. (Diptera, Syrphidae) of Russia and adjacent countries. *Ent. Obozr.* 88 (2): 466-487; *Ent. Rev.* 89 (3): 351-366, figs. [in English] [available in Cesa Library]
- 327.** **St.Quentin,D.,** 1965, Zur Odonatenfauna Anatoliens und der angrenzenden Gebiete. *Annl. naturh. Mus. Wien* 68: 531-552, figs. [available in Cesa Library]
- 328.** **Sueur,J. & S.Puissant,** 2003, Analysis od sound behaviour leads to new synonymy in Mediterranean cicadas (Hemiptera, Cicadidae, Tibicina). *Mitt. Mus. Natkd. Berl., Dt. ent. Z.* 50 (1): 121-127, figs. [available in Cesa Library]
- 329.** **Szekessy,W.,** 1939, Acrulia armeniaca n.sp. (Col. Staph.). *Mitt. münchen. ent. Ges.* 29: 374-376. [available in Cesa Library]
- 330.** **Séguy,E.,** 1927, Dipteres (Brachyceres) (Asilidae). *Faune de France* 17: 193 pp. 384 figs. Paris. [available in Cesa Library]
- 331.** **Tezcan,S., Karsavuran,Y., Pehlivan,E. & S.Anlaş,** 2004, Contribution to the knowledge of Scoliidae (Hymenoptera) fauna of Turkey. *Türk. ent. Derg.* 28 (4): 247-252. [available in Cesa Library]
- 332.** **Tezcan,S., Karsavuran,Y., Pehlivan,E., Anlaş,S. & E.Yıldırım,** 2005, Contribution to the knowledge of Vespidae (Hymenoptera, Aculeata) fauna of Turkey. *Türk. ent. Derg.* 29 (2): 101-110. [available in Cesa Library]
- 333.** **Tezcan,S., Karsavuran,Y., Pehlivan,E., Keskin,B. & J.Ferrer,** 2004, Contributions to the knowledge of the Tenebrionidae (Coleoptera) from Turkey Part 1. Lagriinae, Pimeliinae, Bolitophaginae, Diaperinae. *Türk ent. derg.* 28 (2): 99-114. [available in Cesa Library]
- 334.** **Tezcan,S., Karsavuran,Y., Pehlivan,E., Keskin,B. & J.Ferrer,** 2004, Contributions to the knowledge of the Tenebrionidae (Coleoptera) from Turkey Part 2. Opatrinae, Tenebrioninae, Adeliinae. *Türk ent. derg.* 28 (3): 163-180. [available in Cesa Library]
- 335.** **Tezcan,S., Uhmann,G. & B.Keskin,** 2002, Notes on the Ant-like flower beetles (Coleoptera, Anthicidae, Anthicinae) of the ecologically managed Cherry orchards of western Turkey. *Baltic J. Coleopt.* 2 (1): 77-82. [available in Cesa Library]
- 336.** **Thomas,D.B.,** 1994, Taxonomic synopsis of the Old World asopine genera (Heteroptera, Pentatomidae). *Insecta mundi* 8 (3/4): 145-212, figs. [available in Cesa Library]
- 337.** **Toledano,L. & K.Rébl,** 2006, A new species of Bembidion Latreille from Nemrut Dağ, Turkey (Coleoptera, Carabidae). *Koleopt. Rdsch.* 76: 7-13, figs. [available in Cesa Library]
- 338.** **Tomasovic,G., Weyer,G.van der & J.Dils,** 2009, A new species of the genus Holopogon from Turkey (Diptera, Asilidae). *Phegea* 37 (1): 22-26, figs. [available in Cesa Library]

- 339.** **Tomov,V. & B.Gruev,** 1975, Chrysomelidae (Col.) collected by K.M.Guichard in Turkey, Greece and Yugoslavia. *Trav. Sci. Univ. Plovdiv Bulgarica* 13 (4): 133-151.
- 340.** **Tomov,V.,** 1976, Eine neue *Cryptocephalus* Art (Coleoptera, Chrysomelidae) aus der Türkei. *Acta zool. Bulgarica* 5: 83-85.
- 341.** **Tomov,V.,** 1984, *Cryptocephalinae* and *Galerucinae* from Turkey (Coleoptera, Chrysomelidae). *Fragm. ent. Roma* 17 (2): 373-378. [available in Cesa Library]
- 342.** **Topkara,E.T. & S.Balık,** 2008, First record of the family Hygrobiidae (Coleoptera, Adephaga) from Turkey *Annls Soc. ent. Fr. (n.s.)* 44 (3): 315-316, figs. [available in Cesa Library]
- 343.** **Tozlu,G. & K.Kara,** 2007, The first host record for *Zeuxia zejana* Kolomiets,1971 (Diptera, Tachinidae) from Turkey. *Turk. J. Zool.* 31: 357-358. [available in Cesa Library]
- 344.** **Tracy,J.L. & T.O.Robbins,** 2009, Taxonomic revision and biogeography of the Tamarix-feeding *Diorhabda elongata* (Brullé,1832) species group (Coleoptera, Chrysomelidae, Galerucinae, Galerucini) and analysis of their potential in biological control of Tamarix. *Zootaxa* 2101: 1-152, figs. [available in Cesa Library]
- 345.** **Tschorsnig,H.-P. & K.Kara,** 2002, A new species of *Bithia* (Diptera, Tachinidae) from Turkey. *Stuttg. Beitr. Naturk. (A)* 644: 1-4. [available in Cesa Library]
- 346.** **Tschorsnig,H.-P.,** 2000, Three new species of Palearctic Tachinidae (Diptera). *Stuttg. Beitr. Naturk. (A)* 603: 1-9, figs. [available in Cesa Library]
- 347.** **Tunç,I.,** 1985, On some Thysanoptera from the Middle Black Sea Region of Turkey. *Türk. bitki kor. derg.* 9: 217-224. [available in Cesa Library]
- 348.** **Turner,R.E.,** 1911, Notes on fossorial Hymenoptera.-III. *Ann. Mag. nat. Hist.* (8) 7: 297-310. [available in Cesa Library]
- 349.** **Tüzün,A.,** 2004, Studies on Scoliidae (Insecta, Hymenoptera) fauna of Ankara Province. *F.Ü. Fen Mühend. Bilim. Derg.* 16 (1): 25-29. [available in Cesa Library]
- 350.** **Uygun,N. & H.Fürsch,** 1981, Die Hyperaspis-Arten der Türkei. *NachrBl. bayer. Ent.* 30 (1): 12-15. [available in Cesa Library]
- 351.** **Verves,Y. & K.Szpila,** 2008, *Miltogramma drabermankoi* sp.n. from Ukraine (Diptera, Sarcophagidae, Miltogramminae). *Polskie pismo ent.* 77: 57-61, figs. [available in Cesa Library]
- 352.** **Verves,Y.G. & L.A.Khrokalo,** 2006, Review of *Macronychiinae* (Diptera, Sarcophagidae) of the World. *Vestn. zool.* 40 (3): 219-239, figs. [available in Cesa Library]
- 353.** **Vondracek,K.,** 1953, Results of the zoological scientific expedition of the National Museum in Praha to Turkey. 14. Hemiptera III. Homoptera-Psyllinea. *Acta ent. Mus. natn. Pragae* 27: 435-450.
- 354.** **Wagner,R.,** 1986, Einige Psychodiden aus der Türkei (Diptera, Psychodidae). *Entomofauna* 7 (6): 81-92, figs. [available in Cesa Library]
- 355.** **Wagner,R.,** 1993, Einige neue europäische Psychodiden (Diptera, Nematocera, Psychodidae). *Entomofauna* 14 (24): 410-415, Abb. [available in Cesa Library]
- 356.** **Wahis,R. & C. Schmid-Egger,** 2002, The genus *Eoferreola* Arnold,1935 in the Palaearctis with description of a new species (Hymenoptera, Pompilidae). *Notes faun. Gembloux* 46: 39-73. [available in Cesa Library]
- 357.** **Warchałowski,A.,** 1998, Beschreibung der neuen Art *Derocrepis* (*Aeschrocnemis*) *whiteheadi* sp.n. und ihres Standortes in Kleinasien (Coleoptera, Chrysomelidae, Halticinae). *Genus* 9 (3): 361-365, figs. [available in Cesa Library]
- 358.** **Warchałowski,A.,** 2008, A review of the subgenus *Pachybrachys* Chevrolat,1837 s.str. of Palaearctic Region (Coleoptera, Chrysomelidae, *Cryptocephalinae*). *Genus* 19 (2): 213-283, figs. [available in Cesa Library]
- 359.** **Weise,J.,** 1884, Beitrag zur Chrysomeliden-Fauna von Amasia. *Dt. ent. Z.* 28 (1): 157-160.
- 360.** **Weise,J.,** 1897, Neue Chrysomeliden aus Angora. *Stettin ent. Ztg.* 58 (1): 63-68. [available in Cesa Library]
- 361.** **Weise,J.,** 1900, Neue Coleopteren aus Kleinasien. *Dt. ent. Z.* 1900 (1): 132-140.
- 362.** **Weyer,G.van de,** 2000, A new syrphid fly species of the *Paragus serratus* complex from Turkey (Diptera, Syrphidae). *Phegea* 28 (4): 149-152, figs. [available in Cesa Library]
- 363.** **Wiedemann,C.R.W.,** 1821, Diptera exotica. Pars I, 244pp. Tab.2, Kiliae. [available in Cesa Library]
- 364.** **Wiedemann,C.R.W.,** 1828, Aussereuropäische zweiflügelige Insecten vol. 1, xxxii+608 pp., 7 Taf., Hamm. [available in Cesa Library]

- 365.** **Wingelmüller,A.,** 1938, Monographie der palaearktischen Arten der Tribus Cionini. *Koleopt. Rundsch.* 23: 143-221. [available in Cesa Library]
- 366.** **Wolf,H.,** 1997, Wegwespen (Hymenoptera, Pompilidae) des Oberösterreichischen Landesmuseums Linz (Austria) aus Jordanien und Syrien I. *Linzer biol. Beitr.* 29 (2): 831-843, figs. [available in Cesa Library]
- 367.** **Woznica,A.J.,** 2007, New records of the Turkish Sunflies (Diptera, Trixoscelididae) with description of a new Trixoscelis species. *Ann. Upper Sil. Mus. (Ent.)* 14-15: 59-64, figs. [available in Cesa Library]
- 368.** **Woznica,A.J.,** 2009, Order Diptera, family Trixoscelididae. *Arthropod fauna of the UAE* 2: 752-763, figs. [available in Cesa Library]
- 369.** **Yurtsever,S.,** 2001, A preliminary study on the Ladybirds (Coleoptera, Coccinellidae) of Edirne in North-Western Turkey. *Turk. J. Zool.* 25: 71-75. [available in Cesa Library]
- 370.** **Yücel,Ş.,** 1991, İç Anadolu Bölgesindeki bazı Tabanidae türleri ve yayılışları (Diptera). *J. Biol. Fac. Sci. Arts Gazi Univ.* 1991 (2): 303-318, figs. [available in Cesa Library]
- 371.** **Yıldırım,E. & H.Özbek,** 1993, Polistinae (Hymenoptera, Vespidae) of Turkey. *Türk. ent. derg.* 17 (3): 141-156. [available in Cesa Library]
- 372.** **Yıldırım,E. & H.Özbek,** 1995, New species of Eumenidae (Hymenoptera, Vespoidea). *Türk. ent. derg.* 19 (4): 241-246, figs. [available in Cesa Library]
- 373.** **Yıldırım,E. & H.Özbek,** 1999, Türkiye'nin Vespoidea (Hymenoptera, Aculeata) faunası üzerine bir değerlendirme (yeni kayıtlar ve bazı türler için yeni lokaliteler). *Tr. J. Zool.* 23 (Ek 2): 591-604. [available in Cesa Library]
- 374.** **Yıldırım,E. & J.Gusenleitner,** 2001, Sapygidae (Hymenoptera, Aculeata) of Turkey. *Linzer biol. Beitr.* 33 (2): 671-675. [available in Cesa Library]
- 375.** **Yılmaz,E., Karsavuran,Y. & Ü.Zeybekoğlu,** 2009, Aydın, İzmir ve Manisa illeri misir alanlarında belirlenen Cixiidae ve Delphacidae (Homoptera) familyalarına bağlı türler üzerine araştırmalar. *Türk. ent. Derg.* 33 (1): 63-71. [available in Cesa Library]
- 376.** **Zachvatkin,A.A.,** 1946, Studies on the Homoptera of Turkey. *Trans. R. ent. Soc. London* 97 (6): 149-176, figs.
- 377.** **Zalat,S., Auo-Ghalia,A. Gilbert,F. & N.Shaumar,** 1992, Taxonomic studies of Egyptian Eumenidae (Hymenoptera). *J. Egypt Germ. Soc. Zool.* 7 (B): 515-540, figs. [available in Cesa Library]
- 378.** **Zanden,G.van der,** 1989, Neue oder wenig bekannte Arten und Unterarten der palaearktischen Megachiliden (Insecta, Hymenoptera, Apoidea, Megachilinae). *Ent. Abh.* 53 (6): 71-86, 12 figs. [available in Cesa Library]
- 379.** **Zetterstedt,J.W.,** 1842-1860, Diptera Scandinaviae Disposita et descripta. 14 vols. (6609pp.) Lund. [available in Cesa Library]
- 380.** **[Adamstroinski],** 2001, Two new species of genus Ricania Germar,1808 from North Vietnam (Hemiptera, Fulgoromorpha, Ricaniidae). *Genus* 12 (4): 437-443, figs. [available in Cesa Library]
- 381.** **Çağatay,N.,** 1989, Geocorinae of Turkey (Insecta, Heteroptera, Lygaeidae). *Ent. Abh.* 53 (2): 27-36, figs. [available in Cesa Library]
- 382.** **Çiftçi,M.C. & A.Hasbenli,** 2008, Contribution to the Empis (subgenus Empis) (Empididae, Diptera) fauna of Turkey. *Turk. J. Zool.* 32: 433-435. [available in Cesa Library]
- 383.** **Çiftçi,M.C., Parvu,C. & A.Hasbenli,** 2008, A new Hilara Meigen (Diptera, Empididae) species from the Eastern Mediterranean Region of Turkey. *Ent. News* 119 (1): 96-101, figs.
- 384.** **Çiplak,B.,** 1994, A new species and a new subspecies of Stenobothrus Fischer,1853 (Orthoptera, Acrididae) from Turkey. *Türk. ent. Derg.* 18 (1): 7-14, figs. [available in Cesa Library]
- 385.** **İnanç,F. & A.Beyarslan,** 2001, Die Microgastrinae-Fauna der Ost-Marmara Region der Türkei (Hymenoptera, Braconidae). *Entomofauna* 22 (11): 221-243. [available in Cesa Library]
- 386.** **İncekara,Ü., Mart,A. & O.Erman,** 2003, Check list of the Hydrophilidae (Coleoptera) species of Turkey and a new record for the Turkish fauna [with numerous incorrect spellings]. *Turk. J. Zool.* 27: 47-53. [available in Cesa Library]
- 387.** **İncekara,Ü., Mart,A. & O.Erman,** 2005, Helophorus erzurumicus sp.n., a new species from Turkey and some notes on H. ponticus Angus,1988 (Coleoptera, Hydrophilidae). *Aquatic Insects* 27 (1): 43-46, figs. [available in Cesa Library]
- 388.** **Özbek,H. & G.Çetin,** 1991, Contribution to the fauna of Coccinellidae (Coleoptera) from eastern Anatolia along with some new records from Turkey. *Türk. ent. derg.* 15 (4): 193-202. [available in Cesa Library]

- 389.** **Özbek,H., Yıldırım,E., Wolf,H. & R.Wahis,** 1999, The Pompilidae (Hymenoptera, Aculeata) fauna of Turkey, Part I Ceropalinae and Pepsinae. *Zool. Middle East* 18: 91-105. [available in Cesa Library]
- 390.** **Özbek,H., Yıldırım,E., Wolf,H. & R.Wahis,** 2000, The Pompilidae (Hymenoptera, Aculeata) fauna of Turkey, Part II. Pompilinae. *Zool. Middle East* 21: 109-128. [available in Cesa Library]
- 391.** **Özdikmen,H.,** 2008, Turka nom. nov. for the preoccupied Palaearctic Robber Flies genus *Turkiella* Lehr,1996 (Diptera, Asilidae). *Mun. Ent. Zool.* 3 (2): 554-555. [available in Cesa Library]
- 392.** **Özgen,İ., Gözüaçık,C., Karsavuran,Y. & M.Fent,** 2005, Doğu ve Güneydoğu Anadolu Bölgesi'nde Antepfistiği, Kayısı, Kiraz ve Zeytin Ağaçlarında bulunan Pentatomidae (Heteroptera) familyasına ait türlerin saptanması üzerine çalışmalar. *Ege Üniv. Ziraat Derg.* 42 (2): 35-43. [available in Cesa Library]
- 393.** **Ülgentürk,S. & M.R.Ulusoy,** 1999, Ankara İlinde bulunan beyazsinek türleri (Homoptera, Aleyrodidae). *Türk. ent. Derg.* 23 (4): 259-268. [available in Cesa Library]
- 394.** **Ülgentürk,S.,** 1999, Türkiye [sic!] faydalı faunası için yeni bir kayıt; Leucopis silesiaca Egger (Diptera, Chamaemyiidae). *Türk. ent. derg.* 23 (1): 75-80, figs. [available in Cesa Library]
- 395.** **Ünal,M.,** 2003, Checklist of the Turkish Orthoptera. <http://www.members.tripod.com/Cesa88/orthtr.htm> (last accessed on 6th Sept.,2009). [available in Cesa Library]
- 396.** **Ünal,M.,** 2005, Three short-winged species of *Chorthippus* Fieber from Turkey (Orthoptera, Acrididae, Gomphocerinae). *Ent. News* 116 (5): 283-290, 13 figs. [available in Cesa Library]
- 397.** **Ünal,M.,** 2005, A new species of *Isophya* Brunner von Wattenwyl (Orthoptera, Tettigoniidae, Phanaeropterinae) from Turkey. *Ent. News* 116 (4): 209-216, figs. [available in Cesa Library]
- 398.** **Ünal,M.,** 2005, Phanaeropterinae (Orthoptera, Tettigoniidae) from Turkey and the Middle East. *Trans. am. ent. Soc.* 131 (3/4): 425-448, figs. [available in Cesa Library]
- 399.** **Ünal,M.,** 2006, Kırıkkale Orthopter'lerinin fauna ekoloji ve taksonomisi üzerine araştırmalar. *Priamus* 3: 1-50. [available in Cesa Library]
- 400.** **Ünal,M.,** 2006, Tettigoniidae (Orthoptera) from Turkey and the Middle East. *Trans. am. Ent. Soc.* 132 (1/2): 157-203, figs. [available in Cesa Library]
- 401.** **Ünal,M.,** 2007, Genus *Asiotmethis* Uvarov (Orthoptera, Pamphagidae) from Turkey, with a checklist of known taxa. *J. Orthopt. Res.* 16 (2): 191-197, figs. [available in Cesa Library]
- 402.** **Üstüner,T. & A.Hasbenli,** 2007, A new species and some new records of the genus *Oxycera* (Diptera, Stratiomyidae) from Turkey. *Ent. News* 118 (2): 179-183, figs. [available in Cesa Library]
- 403.** **Üstüner,T., Hasbenli,A. & A.Aktümsek,** 2002, Contribution to subfamily Clitellariinae (Diptera, Stratiomyidae) fauna of Turkey. *J. ent. Res. Soc.* 4 (1): 19-24.
- 404.** **Sengonca,C.,** 1981, Die Neuropteren Anatoliens I. Chrysopidae. *Mitt. münchen. ent. Ges.* 71: 121-137. [available in Cesa Library]
- 405.** **Sengonca,C.,** 1981, Türkiye Nemopteridae (Insecta, Neuroptera) faunası üzerinde taksonomik araştırmalar II. Faunistik. *Türk. bitki kor. derg.* 5 (2): 101-114, figs. [available in Cesa Library]


### Acknowledgement:

We sincerely thank to the following colleagues for their kind helps in determinations of some dipteran species: André Van Eck, Paul Beuk, Eric Fisher, Steve Gaimari, David Gibbs, I. Y. Grichanov, Nigel Jones, Gabor Keresztes, Valery J. Korneyev, Stephane Lebrun, Gerard Pennards, Chris Raper, Menno Reemer, John Smit, Roger Thomason, Nikita Vkhrev, P. Walter, A.J. Woznica, Chen Young, Theo Zeegers.

## 40 Images of the Diptera from Turkey




**Fig. 1 – *Paragus ? albifrons* (Syrphidae). Turkey, Van Prov., Campus 1670m 13 October 2009, photo M. Kemal (Cesa) (det. A.Koçak) **New for Van Province!****




**Fig. 2 – *Paragus quadrifasciatus* (Syrphidae). Turkey, Van Prov., Campus 1670m 13 October 2009, photo & det. M. Kemal (det. A.Koçak) (Cesa) **New for Van Province!****



**Fig. 3 - *Syritta pipiens* (Syrphidae). Turkey Van Prov., Campus 1670m 21 October 2009, photo & det. M. Kemal (Cesa)  
New for Van Province!**



**Fig. 4 - *Sphaerophoria scripta* (Syrphidae). Turkey Van Prov., Campus 1670m 21 October 2009 photo & det. M. Kemal  
(Cesa) New for Van Province!**



**Fig. 5 - *Eupeodes corollae* (Syrphidae). Turkey Van Prov. Campus 1670m 21 October 2009 photo & det. M. Kemal (Cesa) New for Van Province!**




**Fig. 6 - *Eristalis tenax* (Syrphidae). Turkey Van Prov., Campus 1670m 21 October 2009 photo & det. M. Kemal (Cesa) New for Van Province!**



**Fig. 7 - *Eristalis aeneus* (Syrphidae). Turkey Van Prov., Campus 1670m 21 October 2009 photo & det. M. Kemal (Cesa)  
New for Van Province!**



**Fig. 8 - *Volucella pellucens* (Syrphidae) captured by a spider (Thomiscidae). Turkey Ardahan Prov., Posof 1460m 13 7 2007 photo & det. M. Kemal (Cesa)**



**Fig. 9** - *Volucella pellucens* (Syrphidae) Turkey Ardahan Prov., Posof 1450m 19 7 2009 photo & det. M. Kemal (Cesa)



**Fig. 10** - *Volucella zonaria* (Syrphidae), a female from Turkey Sivas Prov. Zara, Bektaş 1425m 12 8 2009 photo & det. M. Kemal (Cesa)



**Fig. 11** -*Chrysotoxum festivum* (Syrphidae) Turkey Ardahan Prov. Posof 1630m ,19 7 2009 photo & det. M. Kemal (Cesa)



**Fig. 12** -*Episyrphus balteatus* (Syrphidae). Turkey Van Prov., Campus 1670m, 9 10 2009 photo & det. M Kemal (Cesa)  
**New for Van Province!**



**Fig. 13** – *Cheilosia illustrata* (Syrphidae) Turkey Ardahan Prov., Posof 1400m 28 2009 Photo & det. M. Kemal (Cesa)



**Fig. 14** – *Eristalinus megacephalus* (Syrphidae). Turkey Van Prov., Campus 1670m, 9 10 2009 photo & det. M Kemal (Cesa) New for Van Province!



**Fig. 15 - *Platystoma chrysotoxum* (*Platystomidae*) Turkey Ağrı Prov., Hamur 10km S 1600m 23.6.2006 photo M. Kemal (Cesa) (det. V. Korneyev) **New for Ağrı Province!****



**Fig.16- *Chrysops viduatus* (*Tabanidae*) Turkey Ardahan Prov. Posof 1300m, 1 August 2009 photo M.Kemal (Cesa) (det. Libor)**



**Fig. 17-** *Chrysops flavipes* (Tabanidae). Turkey Ağrı Prov., Hamur 5km S 1600m 23 6 2006 M.Kemal leg (Cesa) (det. Libor) **New for Ağrı Province!**



**Fig. 18-** *Pangonius* sp. (Tabanidae). Turkey Bitlis Prov. Tatvan, Reşadiye 1680m 17 2007 photo M. Kemal (Cesa) **New for Bitlis Province!**



**Fig. 19-** *Pangonius* sp. (Tabanidae), captured by a spider (Thomisidae). Turkey Van Prov., Çatak, Arikovanı 1600m 14.6.2008 photo M. Kemal (Cesa) **New for Van Province!**



**Fig. 20-** *Bombylius medius* (Bombyliidae) Turkey Mersin Prov Zeytinli, Ziyaret 650m 14.1.1981, A Koçak leg. (Cesa) (det. David Gibbs)



**Fig. 21- *Bombyllella atra* in copula (Bombyliidae). Turkey Van Prov., Erek 2000m 27 May 2009 photo & det. M. Kemal (Cesa) New for Van Province!**



**Fig. 22 -*Villa hottentota* (Bombyliidae). Turkey Van Prov., Campus 1670m, 11 10 2009 photo & det. M Kemal (Cesa) New for Van Province!**



**Fig. 23-** *Lomatia* sp. (Bombyliidae). Turkey Bitlis Prov. Tatvan, Reşadiye 1680m 17 2007 photo & det. M. Kemal (Cesa)  
**New for Bitlis Province!**



**Fig. 24-** *Lomatia* sp. in copula (Bombyliidae). Turkey Van Prov. Çatak Akçabük 1600m 28 6 2007 photo M. Kemal  
(Cesa) **New for Van Province!**




**Fig. 25** – *Exoprosopa aff. pandora* (Bombyliidae) Turkey, Manisa Prov. Spil Mt. photo Demet Çelikkaya (det. A.Koçak)



**Fig.26** - *Tephritis postica* (Tephritidae). Turkey Van Prov., Campus 1670m ,9 October 2009, photo M. Kemal (Cesa) (det. V. Korneyev) **New for Van Province!**



**Fig. 27 - *Acanthiophilus helianthi* (Tephritidae). Turkey Van Prov. Campus 1660m 11 10 2009 photo M Kemal (Cesa) (det. V. Korneyev) **New for Van Province!****



**Fig. 28 - *Tephritis merzi* (Tephritidae). Turkey Van Prov. Campus 1670m 13 10 2009 photo & leg. M Kemal (Cesa) (det. V. Korneyev) **New for Van Province!****



**Fig. 29** - ?*Dorycera* sp. (Ulidiidae). Turkey Van Prov. Çatak 1600m 5 6 2008 photo M Kemal (Cesa) (det. V. Korneyev)



**Fig. 30** - *Scathophaga stercoraria* (Scathophagidae). Turkey Van Prov., Campus 1670m 11 10 2009 photo M Kemal (Cesa). New record for Turkey!



**Fig. 31** - *Scathophaga stercoraria* (Scathophagidae). Turkey Ardahan Prov., Posof 2500m 1 August 2009 photo M Kemal (Cesa). **New record for Turkey!**




**Fig. 32** – Probably *Linnaemya* sp. (Tachinidae). Turkey, Van Prov., Campus 1670m 13 October 2009, photo M. Kemal (Cesa) (det. Chris Raper). **New for Van Province!**




**Fig.33 – *Eliozepta helluo* (Tachinidae). Turkey, Van Prov., Çatak 1500m 16 5 2003, photo A. Koçak (Cesa) (det. M.Kemal). New for Van Province!**



**Fig. 34 – *Cylindromyia* sp. (Tachinidae). Turkey, Van Prov., Gevas Artos 1800m 21 7 2008, photo M. Kemal (Cesa) (det. Chris Raper) New for Van Province!**



**Fig. 35 - *Gymnosoma* sp. (Tachinidae) Turkey Ardahan Prov., Posof 1450m 19 7 2009 photo M. Kemal (Cesa) New for Ardahan Province!**



**Fig. 36 - *Tachina* aff. *fera* (Tachinidae). Turkey Ardahan Prov., Posof 1400m, 1 7 2009 Photo & det. M. Kemal (Cesa) New for Ardahan Province!**



**Fig.37 –** *Sarcophaga* sp. (*Sarcophagidae*). Turkey, Van Prov., Campus 1670m 13 October 2009, photo M. Kemal (Cesa) (det. Chris Raper)



**Fig. 38–** *Bibio* ? *marci* (*Bibionidae*), a female. Turkey Van Prov. Çatak Atlhan 1250m, 9 5 2009 photo M.Kemal (Cesa) (det. R.Thomason) **New for Van Province!**



**Fig. 39 – *Bibio ? marci* (Bibionidae), resting flies. Turkey Van Prov. Çatak Karadana 2000m, 9.5.2009 photo M.Kemal (Cesa) (det. R.Thomason) New for Van Province!**



**Fig. 40 – *Tipula orientalis* or *T. italica* in copula (Tipulidae). Turkey İzmir Prov. Kemalpaşa 9.4.2009 photo M.Kemal (Cesa) (det. Chen Young)**



# Centre for Entomological Studies Ankara

(A scientific Consortium)  
 (co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

**Scientific Serials:** Priamus & Supplement (ISSN 1015-8243)<sup>10</sup>, Miscellaneous Papers (ISSN 1015-8235)<sup>11</sup>, Memoirs (ISSN-8227)<sup>12</sup> DVD Films<sup>13</sup>, Iconographia Insectorum<sup>14</sup> Cesa Publications on African Lepidoptera (series)<sup>15</sup>, Cesa News [online]<sup>16</sup>, Cesa Books<sup>17</sup>

**Owners / Sahipleri - Editors / Yayıncılar:** Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistant: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

**Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu:** Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Assoc. Prof. Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Assoc. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Lütfi Behçet, Asst. Prof. Dr. Fevzi Özgökçe, Asst. Prof. Dr. Mural Ünal (Yüzüncü Yıl University, Van, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mails: [cesa\\_tr@yahoo.com.tr](mailto:cesa_tr@yahoo.com.tr) - [a\\_kocak@lycos.com](mailto:a_kocak@lycos.com)

All serials are recorded regularly by the Zoological Record,  
 Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NY, United Kingdom  
[ts-emea-york.dcsadmins@thomson.com](mailto:ts-emea-york.dcsadmins@thomson.com)

<sup>10</sup> <http://www.cesa-tr.org/Pri.htm> - pdf available after corresponding

<sup>11</sup> <http://www.cesa-tr.org/Miscell.htm> - pdf available after corresponding

<sup>12</sup> <http://www.cesa-tr.org/Memoirs.htm> -

<sup>13</sup> <http://www.cesa-tr.org/CDF.htm>

<sup>14</sup> <http://www.cesa-tr.org/Icon.htm>

<sup>15</sup> [http://www.metafro.be/Members/Cesa/internet\\_sayfas305/base\\_view](http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view) - pdf available

<sup>16</sup> <http://www.cesa-tr.org/Cesanews.htm>

<sup>17</sup> <http://www.cesa-tr.org/Cesabooks.htm>